

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : DL-1-Amino-2-propanol

Product code : A0406 Index-No. : 603-082-00-1 EC-No. : 201-162-7

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Use as laboratory reagent

## 1.3 Details of the supplier of the safety data sheet

Company : TCI EUROPE N.V.

Address : Boereveldseweg 6 - Haven 1063, B-2070 Zwijndrecht, Belgium

Telephone : +32 (0)3 735 07 00
Telefax : +32 (0)3 735 07 01
E-mail address of person respon- : sales-eu@tcichemicals.com

sible for the SDS

## 1.4 Emergency telephone number

Emergency telephone number : +44 844 892 0111

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.
Acute toxicity, Category 4 H312: Harmful in contact with skin.

Skin corrosion, Sub-category 1B H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements : H302 + H312 Harmful if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

Precautionary statements : Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON

CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

## Disposal:

P501 Dispose of contents/ container to an approved waste disposal

plant.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Substance name : DL-1-Amino-2-propanol

Index-No. : 603-082-00-1 EC-No. : 201-162-7

### Components

Chemical name	CAS RN EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
DL-1-Amino-2-propanol	78-96-6 201-162-7	>= 90 - <= 100	

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled : Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor/ physician.

In case of skin contact : Take off all contaminated clothing immediately.

If on skin, rinse well with water.

If skin irritation or rash occurs: Get medical advice/ attention.

In case of eye contact : Rinse with plenty of water.

If easy to do, remove contact lens, if worn.

Immediately call a POISON CENTER or doctor/ physician.

If swallowed : Immediately call a POISON CENTER or doctor/ physician.

Rinse mouth.

Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

## 4.3 Indication of any immediate medical attention and special treatment needed

None known.

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media : Dry powder, Foam, Water spray, Carbon dioxide (CO2)

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

No information available.

## 5.3 Advice for firefighters

Special protective equipment for : Use personal protective equipment.

firefighters

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circum-

stances and the surrounding environment. Immediately evacuate personnel to safe areas. Remove undamaged containers from fire

area if it is safe to do so.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear suitable protective equipment. Keep people away from and

upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by

roping off, etc.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Collect as much of the spill as possible with a suitable absorbent

material.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : Prevent generation of vapour or mist.

Take precautionary measures against static discharge.

Use explosion-proof equipment.

Local/Total ventilation : Ensure adequate ventilation.

Handle product only in closed system or provide appropriate exhaust

ventilation at machinery.
Use a local exhaust ventilation.

Advice on safe handling : Avoid contact with skin, eyes and clothing.

Wear personal protective equipment.

Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

Do not subject to grinding, shock or friction.

Wash hands and face thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Keep container tightly closed. Store in a cool and shaded area. Keep

in a well-ventilated place. Protect from moisture. Keep under inert

gas. Store locked up.

Storage class (TRGS 510) : 8A

7.3 Specific end use(s)

Specific use(s) : No information available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS RN	Value type (Form of exposure)	Control parameters	Basis
DL-1-Amino-2- propanol	78-96-6	AGW (Vapour and aerosols)	2 ppm 5,8 mg/m3	DE TRGS 900

Peak-limit: excursion factor (category): 2;(I)
Further information: Commission for dangerous substances, Sum of vapor and aero-
sols.

## 8.2 Exposure controls

## **Engineering measures**

Install a closed system or local exhaust. Also install safety shower and eye bath.

### Personal protective equipment

Eye/face protection : Safety glasses, Safety goggles, Face-shield

12 %(V)

Hand protection : Impervious gloves

Skin and body protection : Impervious protective clothing

Respiratory protection : Gas mask

Self-contained breathing apparatus

\*Use personal protective equipment(PPE) approved under appropriate government standards and follow local and national regulations.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless - yellow
Odour : No data available
Odour Threshold : No data available

Melting point/freezing point : -2 °C Boiling point/boiling range : 160 °C

Flammability : No data available

Upper explosion limit / Upper :

flammability limit

Lower explosion limit / Lower : 2,2 %(V)

flammability limit

Flash point : 78 °C Auto-ignition temperature : 374 °C

Decomposition temperature : No data available pH : No data available

. Viscosity

Viscosity, dynamic : No data available Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : completely miscible Solubility in other solvents : Solvent: Ether completely miscible

Solvent: Alcohol completely miscible

Solvent: Benzene completely miscible

Solvent: Acetone completely miscible

Partition coefficient: n- : -1,0

octanol/water

Vapour pressure : 63 Pa (25 °C)

Relative density : 0,96 Relative vapour density : 2,6

Particle characteristics : No data available

9.2 Other information

Refractive index : 1,45

Molecular weight : 75,11 g/mol

# **SECTION 10: Stability and reactivity**

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions None under normal processing.

10.4 Conditions to avoid

Conditions to avoid Electrical spark, Open flame, Exposure to moisture

10.5 Incompatible materials

Materials to avoid Oxidizing agents,

Acids,

10.6 Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx)

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** 

**Product:** 

Acute oral toxicity Assessment: The component/mixture is moderately toxic after single

ingestion.

Assessment: The component/mixture is moderately toxic after single Acute dermal toxicity

contact with skin.

**Components:** 

DL-1-Amino-2-propanol:

Acute oral toxicity LD50 (Rat): 1 715 mg/kg

Assessment: The component/mixture is moderately toxic after single

ingestion.

Acute dermal toxicity LD50 (Rabbit): 1 574,4 mg/kg

Assessment: The component/mixture is moderately toxic after single

contact with skin.

Acute toxicity (other routes of

administration)

LDLo (Mouse): 250 mg/kg

Application Route: Intraperitoneal injection

Skin corrosion/irritation

**Product:** 

Causes burns. Result

**Components:** 

**DL-1-Amino-2-propanol:** 

Result : Causes burns.

## Serious eye damage/eye irritation

**Product:** 

Result : Irreversible effects on the eye

**Components:** 

DL-1-Amino-2-propanol:

Result : Irreversible effects on the eye

Respiratory or skin sensitisa-

tion

No information available.

Germ cell mutagenicity : No information available.
Carcinogenicity : No information available.
Reproductive toxicity : No information available.
STOT - single exposure : No information available.
STOT - repeated exposure : No information available.

Repeated dose toxicity : No information available.

Aspiration hazard : No information available.

RTECS No. : UA5775000 (DL-1-Amino-2-propanol)

### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

## **Product:**

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Harmful to aquatic life.

**Components:** 

**DL-1-Amino-2-propanol:** 

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Harmful to aquatic life.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

**Components:** 

**DL-1-Amino-2-propanol:** 

Partition coefficient: n-

octanol/water

: -1,0

## 12.4 Mobility in soil

## **Components:**

**DL-1-Amino-2-propanol:** 

Distribution among environmen- : Koc: 7,1

tal compartments

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent

and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Product : Disposal in accordance with local and national regulations.

Take precautions against ignition or explode.

Entrust disposal to a licensed waste disposal company.

Contaminated packaging : Disposal in accordance with local and national regulations.

Before disposal of used container, remove contents completely.

# **SECTION 14: Transport information**

14.1 UN number or ID number

 ADR
 : UN 2735

 IMDG
 : UN 2735

 IATA
 : UN 2735

14.2 UN proper shipping name

ADR : AMINES, LIQUID, CORROSIVE, N.O.S.

IMDG : AMINES, LIQUID, CORROSIVE, N.O.S.

IATA : Amines, liquid, corrosive, n.o.s.

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADR
 : 8

 IMDG
 : 8

 IATA
 : 8

14.4 Packing group

**ADR** 

Packing group : II
Classification Code : C7
Hazard Identification Number : 80

Tunnel restriction code : (E)

**IMDG** 

Packing group : II

EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo air- : 855

craft)

Packing instruction (LQ) : Y840
Packing group : II

IATA (Passenger)

Packing instruction (passenger : 851

aircraft)

Packing instruction (LQ) : Y840
Packing group : II

14.5 Environmental hazards

**ADR** 

Environmentally hazardous : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and

articles (Annex XVII)

Conditions of restriction for the following

entries should be considered: Number on list 3

Regulation (EC) No 649/2012 of the European Parliament and

the Council concerning the export and import of dangerous

chemicals

Not applicable

REACH - Candidate List of Substances of Very High Concern

for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the

ozone layer

Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - List of substances subject to authorisation (Annex

XIV)

Not applicable

Water hazard class (Germany) : WGK 1 slightly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

CH BAGREG : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AICS : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

#### **SECTION 16: Other information**

#### Full text of other abbreviations

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR -(Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

This SDS was prepared sincerely based on the information obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling operations, sufficient care should

be taken, in addition to the safety measures suitable for the given situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

DE / 6N