

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : 2-Hydroxyethyl Acrylate (stabilized with MEHQ)
 Product code : A0743
 Index-No. : 607-072-00-8
 EC-No. : 212-454-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Use as laboratory reagent

1.3 Details of the supplier of the safety data sheet

Company : TCI EUROPE N.V.
 Address : Boereveldseweg 6 - Haven 1063, B-2070 Zwijndrecht, Belgium
 Telephone : +32 (0)3 735 07 00
 Telefax : +32 (0)3 735 07 01
 E-mail address of person responsible for the SDS : sales-eu@tcichemicals.com

1.4 Emergency telephone number

Emergency telephone number : +44 844 892 0111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Acute toxicity, Category 3	H311: Toxic in contact with skin.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Germ cell mutagenicity, Category 2	H341: Suspected of causing genetic defects.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Specific target organ toxicity - repeated exposure, Category 1, Respiratory system	H372: Causes damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H302 + H332 Harmful if swallowed or if inhaled.
 H311 Toxic in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H336 May cause drowsiness or dizziness.
 H341 Suspected of causing genetic defects.
 H372 Causes damage to organs (Respiratory system) through prolonged or repeated exposure.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements	:	Prevention:
		P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
		P273 Avoid release to the environment.
		P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:
		P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
		P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
		P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
		P391 Collect spillage.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name	:	2-Hydroxyethyl Acrylate (stabilized with MEHQ)
Index-No.	:	607-072-00-8
EC-No.	:	212-454-9

Components

Chemical name	CAS RN EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
2-Hydroxyethyl Acrylate	818-61-1 212-454-9	>= 90 - <= 100	specific concentration limit Skin Sens. 1; H317 >= 0,2 %

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	:	Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
In case of skin contact	:	Take off all contaminated clothing immediately. If on skin, rinse well with water. Get medical advice/ attention.
In case of eye contact	:	Rinse with plenty of water. If easy to do, remove contact lens, if worn. Immediately call a POISON CENTER or doctor/ physician.
If swallowed	:	Immediately call a POISON CENTER or doctor/ physician. Rinse mouth. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

None known.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Dry powder, Foam, Water spray, Carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : No information available.

5.3 Advice for firefighters

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Immediately evacuate personnel to safe areas. Cool closed containers exposed to fire with water spray. Remove undamaged containers from fire area if it is safe to do so.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Wear suitable protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.

6.2 Environmental precautions

Environmental precautions : Should not be released into the environment.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Collect as much of the spill as possible with a suitable absorbent material.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Technical measures : Prevent generation of vapour or mist.

Local/Total ventilation : Ensure adequate ventilation.
Handle product only in closed system or provide appropriate exhaust ventilation at machinery.
Use a local exhaust ventilation.

Advice on safe handling : Avoid contact with skin, eyes and clothing.
Wear personal protective equipment.
Wash hands and face thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed. Store in a cool and shaded area. Keep in a well-ventilated place. Store locked up. Avoid exposure to light.

Storage class (TRGS 510) : 6.1A

7.3 Specific end use(s)

Specific use(s) : No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Install a closed system or local exhaust.
Also install safety shower and eye bath.

Personal protective equipment

Eye/face protection	:	Safety glasses, Safety goggles, Face-shield
Hand protection	:	Impervious gloves
Skin and body protection	:	Impervious protective clothing
Respiratory protection	:	Gas mask Self-contained breathing apparatus

*Use personal protective equipment(PPE) approved under appropriate government standards and follow local and national regulations.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless - yellow
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	92 °C (12 mmHg)
Flammability	:	No data available
Upper explosion limit/Upper flammability limit	:	No data available
Lower explosion limit/Lower flammability limit	:	No data available
Flash point	:	104 °C
Auto-ignition point	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	-0,21
Vapour pressure	:	0,34 Pa (25 °C)
Relative density	:	1,11
Relative vapour density	:	4,0
Particle characteristics	:	No data available

9.2 Other information

Refractive index	:	1,45
Molecular weight	:	116,12 g/mol

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Polymerization may occur under the influences of heat, light or on contact with polymerization initiators such as peroxides etc.

10.3 Possibility of hazardous reactions

Hazardous reactions : None under normal processing.

10.4 Conditions to avoid

Conditions to avoid : Heat, Exposure to light.

10.5 Incompatible materials

Materials to avoid : Strong bases,
Strong acids,
Oxidizing agents,

10.6 Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO₂)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : Assessment: The component/mixture is toxic after single contact with skin.

Components:

2-Hydroxyethyl Acrylate:

Acute oral toxicity : LD50 (Rat): 548 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LCLo (Rat): 500 ppm
Exposure time: 4 h
Test atmosphere: gas
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit): 298 mg/kg
Assessment: The component/mixture is toxic after single contact with skin.

Skin corrosion/irritation

Product:

Result : Causes burns.

Components:

2-Hydroxyethyl Acrylate:

Result : Causes burns.

Serious eye damage/eye irritation**Product:**

Result : Irreversible effects on the eye

Components:**2-Hydroxyethyl Acrylate:**

Result : Irreversible effects on the eye

Respiratory or skin sensitisation**Product:**

Assessment : May cause sensitisation by skin contact.

Components:**2-Hydroxyethyl Acrylate:**

Assessment : May cause sensitisation by skin contact.

Germ cell mutagenicity**Product:**

Germ cell mutagenicity- Assessment : Suspected of inducing heritable mutations in the germ cells of humans.

Components:**2-Hydroxyethyl Acrylate:**

Germ cell mutagenicity- Assessment : Suspected of inducing heritable mutations in the germ cells of humans.

Carcinogenicity : No information available.

Reproductive toxicity : No information available.

STOT - single exposure**Product:**

Assessment : May cause drowsiness or dizziness.

Components:**2-Hydroxyethyl Acrylate:**

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure**Product:**

Target Organs : Respiratory system

Assessment : Causes damage to organs through prolonged or repeated exposure.

Components:**2-Hydroxyethyl Acrylate:**

Target Organs : Respiratory system

Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity : No information available.

Aspiration hazard : No information available.

RTECS No. : AT1750000 (2-Hydroxyethyl Acrylate)

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:

2-Hydroxyethyl Acrylate:

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): 6,5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0,78 mg/l
Exposure time: 48 h

EC50 (*Daphnia magna* (Water flea)): 5,2 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Selenastrum capricornutum* (green algae)): 2,6 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,48 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

2-Hydroxyethyl Acrylate:

Partition coefficient: n-octanol/water : -0,21

12.4 Mobility in soil

Components:

2-Hydroxyethyl Acrylate:

Distribution among environmental compartments : Koc: 1

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Disposal in accordance with local and national regulations. Entrust disposal to a licensed waste disposal company.

Contaminated packaging : Disposal in accordance with local and national regulations. Before disposal of used container, remove contents completely.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 2922

IMDG : UN 2922

IATA : UN 2922

14.2 UN proper shipping name

ADR : CORROSIVE LIQUID, TOXIC, N.O.S.

IMDG : CORROSIVE LIQUID, TOXIC, N.O.S.

IATA : Corrosive liquid, toxic, n.o.s.

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 8	6.1
IMDG	: 8	6.1
IATA	: 8	6.1

14.4 Packing group

ADR

Packing group : II

Classification Code : CT1

Hazard Identification Number : 86

Tunnel restriction code : (E)

IMDG

Packing group : II

EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo aircraft) : 855
Packing instruction (LQ) : Y840
Packing group : II

IATA (Passenger)

Packing instruction (passenger aircraft) : 851
Packing instruction (LQ) : Y840
Packing group : II

14.5 Environmental hazards**ADR**

Environmentally hazardous : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Water hazard class (Germany) : WGK 3 highly hazardous to water
Classification according to AwSV, Annex 1 (5.2)

Other regulations:

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

CH BAGREG : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AICS : On the inventory, or in compliance with the inventory

DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

This SDS was prepared sincerely based on the information obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling operations, sufficient care should be taken, in addition to the safety measures suitable for the given situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those

who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

DE / 6N