TCI EUROPE N.V.

GĬ

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifiers (Bromonethyl)cyclopropane Product identifiers B1382 1.2 Relevant identified uses of the substance or mixture and uses advised against identified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier: TCIEUROPE NV. Boerenveldsweg 6 Based of the substance or mixture Haven 1063 B-2070 Zwijndrecht Telephone: +32(0) 735 07 00 E-mail: sales-eu@tichemicals.com 1.4 Emergency telephone number: 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification Category 3 2.1 Classification of the substance or mixture Flammable liquid Planmable liquid Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Pictograms or hazard symbols H226-Flammable liquid and vapour. Pictograway from halespack/open flames/hot surfacc	ite: 12/01/2021
1.1 Product identifiers Froduct name: (Bromomethyl)oyclopropane Product code: B1382 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldeeweg 6 Baserould again the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldeeweg 6 Baserould again the supplication Category 2 Email: sales-ould tochemicals.com 14 Emergency telephone number: + 32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Category 3 Flammable liquids Category 2 Serious eye damage/eye irritation Category 2 2.1 Label elements H226-Flammable liquid and vapour. Harard statements H226-Flammable liquid and vapour. Harard statements H226-Flammable liquid and vapour. Producture or attention. H230-Causes sin irritation. P210-Keep away from head/sparks/open flames/hot surfaces No smoking. P230-Wear protection. P3024P3324P3324P334P334P334P334P334P334P334	
Product code: B1382 1.2 Relevant identified uses of the substance or mixture and uses advised against leantified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldseveg 6 B-2070 Zwijndrecht Tolephone: +32(0) 735 07 00 E-mail: sales-eu@tcichemicals.com +32(0)70 245 245 SECTION 2: Hazards Identification Category 3 Skin corrosoind/irritation Category 3 Skin corrosoind/irritation Category 2 2.2 Label elements H226-Flammable liquid and vapour. H319-Causes skriuntation. H319-Causes skrius adverse ago way from Lawaparts/apartal-P324-P334-P337+P313-P324-P334-P337+P313-P324-P334-P337+P313-P324-P334-P337+P313-P314-P324-P334-P337+P313-P314-P324-P334-P337+P313-P16 NE VES. Rise cautoously with water for several m contact lenses, it present and easy to do. Continue rinsing. If eye intritation presides: Ce or attention. P304-P326-In case of fire: Use dry chemical or dry sand to extinguish. P304-P326-In case of fire: Use dry chemical or dry sand to extingui	
1.2 Relevant identified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boernweidseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: 32(0) 373 50 70 0 E-mail: sales-eu@ticihemicals.com 1.4 Emergency telephone: number: + 32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Planmable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Signal word Hazard statements Pictograms or hazard symbols H226-Flammable liquid and vapour. H316-Causes skin irritation. H316-Causes skin irritation. H319-Causes serious eye protection. P310-Keep away from heat/sparks/open flames/hot surfaces No smoking. Precautionary statements P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P302-P332+P333-P333-P333-P333-P333-P333-P33	
Identified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldesweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: 420(3) 735 07 00 E-mail: sales-eu @toichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards Identification 2.1 Classification of the substance or mixture Flammable liquid Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Signal word Hazard statements Hatzard statements H226-Flammable liquid and vapour. H315-Causes serious eye irritation. H315-Causes serious eye irritation. Precautionary statements H220-Flammable liquid and vapour. P304-P374-P334-P334-P334-P334-P343-P434-P00 NSIN: Wash with plenty of water. If skin i Get medical advice or attention. H352-P342-P134-P133-FI IN EVERS P280-Wear protective gloves, eye protection. P304-P374-P334-P334-P313-FI NEX-P334-P334-P34-P34-P334-P334-P34-P34-P334-P334-P34-P	
Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mät: sales-eu®tichchemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification Category 3 Skin corrosion/irritation 2.1 Classification of the substance or mixture Flammable liquids Category 2 Serious eye damage/eye irritation Skin corrosion/irritation Category 2 Signal word Hazard statements Warning Hazard statements Pictograms or hazard symbols Warning Hazard statements Precautionary statements H226-Flammable liquid and vapour. H319-Causes skin irritation. P200-Wear protective gloves, eye protection. P200-Wear protective gloves, eye protection. P200-Wear protective gloves, eye protection. P200-Wear protective gloves, eye protection. P209-FP37H973-P13-IF INE VFS: Rine cautiooxy with water of researed m contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Ge or attention. P30+P378-P13-Is case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Not applicable SECTION 3: Composition/information on ingredients Not applicable	
TCI EUROPE N.V. Boernveidseweg 6 Haven 1083 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2. Hazards identification 2.1 Classification of the substance or mixture Flammable liquid Category 3 Skin corrosion/irritation Category 2 Serious sye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols View Hazard statements Pictograms or hazard symbols H226-Flammable liquid and vapour. H315-Causes skin irritation. P10-Keep away from heat/sparks/open flames/hot surfaces No smoking. P20-Wear protective gloves, eye protection. P302+P352+P332+P364-IF ON SKIN: Wash with plenty of water. If skin i Get medical advice or attention. P304-P332+P332+P332+P364-IF ON SKIN: Wash with plenty of water. If skin i Get medical advice or attention. P304-P335-In case of fire: Use dry chemical or dry sand to extinguish. P304-P335-In case of fire: Use dry chemical or dry sand to extinguish. P304-P335-In case of fire: Use dry chemical or dry sand to extinguish. P304-P335-Store in a well-ventilated place. Keep cool. 23 Other hazards Not applicable Statuls of PBT and vPvB assessment PBT: Not applicable VPVB: Not applicable <td></td>	
BoerenvetIseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 75 07 00 E-mai: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 1.1 Classification of the substance or mixture Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements H226-Flammable liquid and vapour. H315-Causes skin irritation. Precautionary statements H226-Flammable liquid and vapour. H315-Causes serious eye irritation. Precautionary statements H226-Flammable liquid and vapour. H315-Causes serious eye irritation. P302+P352+P332+P334+P364+P364+IF ON Stuffaces No smoking. P302+P352+P332+P334+P364+P364+IF ON Stuffaces No smoking. P305+P351+P338+P337+P313+IF IN EYES: Rinse cautiously with water for several m contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Ger or attention. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several m contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Ger or attention. P304:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In case of fire: Use dry chemical or dry sand to extinguish. P370:P378-In c	
Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 4.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 11 Classification of the substance or mixture Flammable liquid Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements H226-Flammable liquid and vapour. H319-Causes skin irritation. Precautionary statements P240-Flammable liquid and vapour. H319-Causes serious eye irritation. Precautionary statements P240-Flammable liquid and vapour. H319-Causes serious eye irritation. P240-Weep away from heat/sparks/open flames/hot surfaces No smoking. P240-Weep arvay from heat/sparks/open flames/hot surfaces No smoking. P305-P33-P333-P333-P333-P336-P336-P336-P336	
B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tichemicals.com 14 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 1.1 Classification of the substance or mixture Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Signal word Warning Hazard statements H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. Precautionary statements P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P220-VB approtection. P302+P352+P332+P313-P364-FI ON SINI: Wash with plenty of water. If skin i Get medical advice or attention. Take off contaminated clothing and wash it before reu P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several m contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get or attention. P403+P235-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable SECTION 3: Composition/information on ingredients SECTION 3: Composition/information on ingredients	
Telephone ⁺ -32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Serious eye damage/eye irritation Category 2 Signal word Hazard statements H226-Flammable liquid and vapour. H316-Causes skin irritation. H316-Causes serious eye irritation. H319-Causes serious eye irritation. H319-Causes serious eye irritation. Precautionary statements P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P3042+P332+P313+P332+P332+P313+P342+P364-IF ON SINI: Wash with plenty of water. If skin i Get medical advice or attention. Results of PBT and vPVB assessment PBT: Not applicable VPS: Not applicable SECTION 3: Composition/information on ingredients	
E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Flammable liquids Category 3 Skin corrosion/irritation Category 2 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes skin irritation. Precautionary statements Pictowear protection. P302+P352+P332+P313+P362+P362+P362+P362+P362+P60 SKIN: Wash with plenty of water. If skin i Get medical advice or attention. P304-P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dry sand to extinguish. P405+P378-In case of fire: Use dry chemical or dr	
SECTION 2: Hazards identification Securities of the substance or mixture Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Category 2 Pictograms or hazard symbols Varning Hazard statements H226-Flammable liquid and vapour. H315-Causes skin irritation. H315-Causes skin irritation. Precautionary statements H226-Flammable liquid and vapour. H315-Causes serious eye irritation. P200-Wear protective gloves, eye protection. P302-P351+P324-P334-P332+P34-P314-FION SKIN: Wash with plenty of water. If skin i Get medical advice or attention. Take off contaminated clothing and wash it before reu P303-P351+P338+P337+P313+FIOS EXES Continue rinsing. If eye irritation persists: Get or attention. P302+P335+P334+P332+P334-FIOS SKIN: Wash with plenty of water. If skin i Category Store in a well-ventilated place. Keep cool. P304+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. P304+P325-H328-P334-P332+P334-P305 Store in a well-ventilated place. Keep cool. P304+P235-Store in a well-ventilated place. Keep cool. C3 Other hazards Results of PBT and vPvB assessement PBT: Not applicable N	
SECTION 2: Hazards identification Section of the substance or mixture Flammable liquids Category 3 Skin corrosion/Irritation Category 2 Serious eye damage/eye irritation Category 2 2:2 Label elements Category 2 Pictograms or hazard symbols Varning Hazard statements H226-Flammable liquid and vapour. Hazard statements H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. Precautionary statements P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P324+P342+P314-P105 P302+P352+P324-P332+P332+P313+P105 SKIN: Wash with plenty of water. If skin i Get medical advice or attention. Take off contaminated clothing and wash it before reu P305+P351+P338+P337+P313+P105 NSKIN: Wash with plenty of water. If skin i Get medical advice or attention. P305+P351+P338+P337+P313+P105 NSKIN: Wash with plenty of water. If skin i Get medical advice or attention. P304-P376+n232-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Results of PBT Not applicable PBT: Not applicable VPVB: Not applicable <td></td>	
2.1 Classification of the substance or mixture Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Category 2 Signal word Hazard statements Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. Precautionary statements H226-Flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P220-Wear protective gloves, eye protection. P302+P352+P332+P31-Fl32FP362+P364-IF ON SKIN: Wash with plenty of water. If skin i Get medical advice or attention. Take off contaminated clothing and wash it before reu P305+P351+P332+P331-IF IN EYES: Rinse cautiously with water for several m contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Ge or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Results of PBT and vPvB assessment PBT: vPvB: Not applicable Not applicable SECTION 3: Composition/information on ingredients	
Flammable liquids Category 3 Skin corrosion/firitation Category 2 Serious eye damage/eye irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Category 2 Pictograms or hazard symbols Varning Hazard statements H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. H319-Causes serious eye irritation. H319-Causes serious eye irritation. Precautionary statements P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin i Get medical advice or attention. Take off contaminated clothing and wash it before reu P305+P351+P332+P313-IF IN EYES: Rinse cautiously with water for several m contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Results of PBT and vPvB assessment PBT: vFvB: Not applicable SECTION 3: Composition/information on ingredients Store in a well-ventilated place. Keep cool.	
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Visition of the pictograms or hazard symbols Varning Signal word H226-Flammable liquid and vapour. H315-Causes skin irritation. Precautionary statements H226-Flammable liquid and vapour. H315-Causes skin irritation. Precautionary statements Precautionary statements H226-Flammable liquid and vapour. H319-Causes serious eye irritation. P280-Wear protective gloves, eye protection. P280-Wear protective gloves, eye protection. P302+P332+P332+P332+P334-IF ON SKIN: Wash with plenty of water. If skin i Get medical advice or attention. Take off constaninated clothing and wash it before reu P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several m contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Results of PBT and vPvB assessment PBT: vPvB: Not applicable Not applicable SECTION 3: Composition/information on ingredients SECTION 3: Composition/information on ingredients	
Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols 	
 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements 	
Hazard statements H226-Flammable liquid and vapour. H315-Causes skin irritation. H315-Causes serious eye irritation. Precautionary statements P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P362+P364-IF ON SKIN: Wash with plenty of water. If skin i Get medical advice or attention. Take off contaminated clothing and wash it before reu: P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several mi contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable vPvB: Not applicable SECTION 3: Composition/information on ingredients	
Precautionary statements H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P364-IF ON SKIN: Wash with plenty of water. If skin i Get medical advice or attention. Take off contaminated clothing and wash it before reus P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several mi contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Results of PBT and vPvB assessment PBT: vPvB: Not applicable Not applicable SECTION 3: Composition/information on ingredients	
Precautionary statements H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin i Get medical advice or attention. Take off contaminated clothing and wash it before reus P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several mic contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable vPvB: Not applicable SECTION 3: Composition/information on ingredients	
Precautionary statements P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin i Get medical advice or attention. Take off contaminated clothing and wash it before reu: P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several mic contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Results of PBT and vPvB assessment Not applicable vPvB: Not applicable SECTION 3: Composition/information on ingredients	
P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin i Get medical advice or attention. Take off contaminated clothing and wash it before reus P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several mi contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Results of PBT and vPvB assessment PBT: vPvB: Not applicable SECTION 3: Composition/information on ingredients	
P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin i Get medical advice or attention. Take off contaminated clothing and wash it before reus P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several mi contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable vPvB: Not applicable SECTION 3: Composition/information on ingredients	
2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable vPvB: Not applicable SECTION 3: Composition/information on ingredients	e. nutes. Remove
Results of PBT and vPvB assessment PBT: Not applicable vPvB: Not applicable SECTION 3: Composition/information on ingredients	
vPvB: Not applicable SECTION 3: Composition/information on ingredients	
SECTION 3: Composition/information on ingredients	
Components: (Bromomethyl)cyclopropane	
Percent: >97.0%(GC)	
CAS RN: 7051-34-5	
EC-No: 230-331-8	
Synonyms: Cyclopropylmethyl Bromide , Cyclopropanemethyl Bromide	
Chemical Formula: C4H7Br	
B1382 (Bromomethyl)cyclopropane	Page 1 of 5

SECTION 4: First aid measures				
4.1 Description of first aid measures				
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical			
Skin contact:	advice/attention if you feel unwell. Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.			
Eye contact:	skin irritation or rash occurs: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.			
Ingestion:	Get medical advice/attention if you feel unwell. Rinse mouth.			
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.			
4.2 Most important symptoms and effec No data available	ts, both acute and delayed			
4.3 Indication of any immediate medical No data available	attention and special treatment needed			
SECTION 5: Firefighting measures				
5.1 Extinguishing media Suitable extinguishing media: Unsuitable extinguishing media:	Dry chemical, foam, water spray, carbon dioxide. Solid streams of water			
5.2 Special hazards arising from the substance or mixture	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fur Carbon monoxide, Carbon dioxide, Hydrogen bromide			
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accord to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources it safe to do so. When extinguishing fire, be sure to wear personal protective equipment			
SECTION 6: Accidental release mea	asures			
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away fr and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc			
6.2 Environmental precautions	Prevent product from entering drains			
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. I case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.			
6.4 Reference to other sections	For disposal see section 13.			
SECTION 7: Handling and storage				
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. To measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash han and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.			
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in an explosion-proof refrigerator. Store away from incompatible materials such as oxidizing agents. Heat-sensitive			
7.3 Specific end use(s)	No further relevant information available.			
SECTION 8: Exposure controls/per	sonal protection			
8.1 Control parameters	No data available			
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.			
Respiratory protection:	Vapor respirator. Follow local and national regulations.			
Hand protection:	Protective gloves.			
Eye protection: Skin and body protection:	Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires.			
B1382	(Bromomethyl)cyclopropane Page 2			

SECTION 9: Physical and chemical properties

SECTION 9: Physical and chemical properties		
1 2	.1 Information on basic physical and chemical properties	
Physical state (20°C):	Liquid	
Colour:	Colorless - Yellow	
Odour:	No data available	
pH:	No data available	
Melting point/freezing point:	No data available	
Boiling point/range:	106°C	
Flash point:	41°C	
Evaporation rate(Butyl Acetate=1):	No data available	
Flammability(solid, gas):	No data available	
Flammability or explosive limits:		
Lower:	No data available	
Upper:	No data available	
Vapour pressure:	No data available.	
Vapour density:	4.66	
Relative density:	1.42	
Solubility(ies):		
[Water]	No data available	
[Other solvents]	No data available	
Partition coefficient:	No data available	
n-octanol/water:		
Autoignition temperature:	No data available	
Decomposition temperature:	No data available	
Dynamic Viscosity:	No data available	
Kinematic viscosity:	No data available	
9.2 Other safety information	No data available	
SECTION 10: Stability and reactivity		

SECTION 10: Stability and reactivity	Y
10.1 Reactivity	No data available
10.2 Chemical stability	Stable under proper conditions.
10.3 Possibility of hazardous reactions	No special reactivity has been reported.
10.4 Conditions to avoid	Spark, Open flame, Static discharge
10.5 Incompatible materials	Oxidizing agents

10.6 Hazardous decomposition products Carbon monoxide, Carbon dioxide, Hydrogen bromide

SECTION 11: Toxicological informa	ation	
11.1 Information on toxicological effect	s	
Acute Toxicity:	No data available	
Skin corrosion/irritation:	No data available	
Serious eye damage/irritation:	No data available	
Respiratory or skin sensitization:	No data available	
Germ cell mutagenicity:	No data available	
Carcinogenicity:		
IARC =	No data available	
NTP =	No data available	
Reproductive toxicity:	No data available	
STOT-single exposure:	No data available	
STOT-repeated exposure:	No data available	
Aspiration hazard:	No data available	

SECTION 12: Ecological informa	
12.1 Toxicity	211011
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM 3/mol):	No data available
12.5 Results of PBT and vPvB asses	
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available
SECTION 13: Disposal consider	
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co	ations
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co	ations
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co	ations onsult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance.
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C	ations onsult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance.
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C SECTION 14: Transport information 14.1 UN number 14.2 UN proper shipping name	ations onsult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance.
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C SECTION 14: Transport information 14.1 UN number	ations ations ations ations ations ations ation
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C SECTION 14: Transport informat 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO	ations ations ations ations ations ations ation achemical regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance. tion 1993 Flammable liquid, n.o.s Flammable liquid, n.o.s
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C SECTION 14: Transport informat 14.1 UN number 14.2 UN proper shipping name ADR/RID	ations ations ations ations ations ations ation
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C SECTION 14: Transport informat 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO	ations ations ations ations ations ations ations ation achemical regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance. tion 1993 Flammable liquid, n.o.s Flammable liquid, n.o.s Flammable liquid, n.o.s
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C SECTION 14: Transport informat 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID	ations ations ations ations ations ations ation
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C SECTION 14: Transport informat 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es)	ations ations ations ations ations ations ation
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C SECTION 14: Transport informat 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID	ations ations ations ations ations ations ation
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C SECTION 14: Transport informat 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID IMDG/IMO	ations Insult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance. Ition 1993 Flammable liquid, n.o.s Flammable liquid, n.o.s Stammable liquid State Flammable Fla
SECTION 13: Disposal consider. 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C SECTION 14: Transport informat 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID IMDG/IMO ICAO/IATA 14.4 Packaging group ADR/RID	ations Insult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance. <i>tion</i> 1993 Flammable liquid, n.o.s Flammable liquid, n.o.s Flammable liquid 3: Flammable liquid 3: Flammable liquid 3: Flammable liquid 1II
SECTION 13: Disposal considera 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. C SECTION 14: Transport informat 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID IMDG/IMO ICAO/IATA 14.4 Packaging group	ations Insult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance. tion 1993 Flammable liquid, n.o.s Flammable liquid, n.o.s Stammable liquid State Flammable Fla

14.5 Environmental hazards		
Marine pollutant		

14.6 Special precautions for user No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	12/01/2021

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet