TCI EUROPE N.V.

G

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Precautionary statements H400-Very toxic to aquatic life. H410-Very toxic to aquatic life with long lasting effects. P260-Do not breathe dust/fume/gas/mist/vapours/spray. P280-Wear protective gloves, protective clothing, face protection. P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immedi POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. Wash cont clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breat	cation of the substance	nber: 2Revision date: 06/15/2
Product name: 5-Bromo-S-nitro-1,3-dioxane Product code: B3156 1.2 Relevant identified uses of the substance or mixture and uses advised against 1.3 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Acute toxicity (ora) Category 1 Serious eye damage/eye irritation Category 1 Signal word Hazard statements Pictograms or hazard symbols Very toxic to aquatic life with long lasting effects. Precautionary statements Page/ery toxic to aquatic life with long lasting effects. Precautionary statements P200-Wear protective glowes Jines damage to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life with long lasting effects. Precautionary statements P200-Wear protective glowes. Inmediately al		e/mixture and of the company/undertaking
Product code: B3156 12. Relevant identified uses of the substance or mixture and uses advised against keagents. 13. Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1083 B-2070 Zwijndrecht Telephone: +32(0)70 245 245 SECTION 2: Hazards Identification 14. Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards Identification 14. Zu classification of the substance or mixture Acute toxicity (Oral) Category 1 Serious eye damage/eye irritation Category 1 Serious eye damage/eye irritation Category 1 Serious eye damage/eye irritation Category 1 Stin corrosionfirritation Category 1 Supplier: Category 1 Category 1 Category 1 Catego		
1.2 Relevant identified uses of the substance or mixture and uses advised against leantified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier. TO EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht B-2070 Zwijndrecht Telephone: +32(0)70 245 245 SECTION 2: Hazards identification 1.1 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification Category 1 2.1 Classification of the substance or mixture Category 1 Acute toxicity (Oral) Category 1 Serious eye damage/eye irritation Category 1 Sterious eye damage/eye irritation Category 1 Category 1 Category 1 Long-term aquatic hazard Category 1 Category 1 Category 1 Long-term aquatic hazard Category 1 Procautic hazard Danger Hazard statements H302-Harmful if swallowed. H373-May cause damage to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life wr		io-5-nitro-1,3-dioxane
Identified uses: Reagents. 13 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveidseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)70 245 245 SECTION 2: Hazards identification 14 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 14 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 11 Classification of the substance or mixture Acute toxicity (Oral) Category 4 Skin corrosion/irritation Category 1 Specific target organ toxicity - Repeated exposure [Category 1 Long-term aquatic hazard Category 1 Long-term aquatic hazard Category 1 Long-term aquatic hazard Danger Hazard statements Hau-Harmful if swallowed. Hazard statements H314-Causes severe skin burns and eye damage. H324-Causes severe skin burns and eye damage. H400-Very toxic to aquatic life. H40-Very toxic to aquatic life. H40-Very toxic to aquatic life. H400-Very toxic to aquatic life. H	B3156	
Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 75 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification		
TCI EUROPE N.V. Boernveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Acute toxicity (Oral) Category 4 Skin corrosion/irritation Category 1 Specific target organ toxicity - Repeated exposure [Category 2] Liver, Heart, Stomach Acute aquatic hazard Category 1 Long-term aquatic hazard Category 1 2:2 Label elements Pictograms or hazard symbols Fictograms or hazard symbols Fi322-Harmful if swallowed. H3:4-Causes severe skin burns and eye damage. H3:73-May cause damage to organs through prolonged or repeated exposure : Liver Heart S H4:00-Very toxic to aquatic life. H4:00-Very toxic to aquatic life. H4:00-Very toxic to aquatic life. H4:00-Very toxic to aquatic life. H4:00-Very toxic to aquatic life. P2:00-Do not breathed duxthure/gas/mistivapours/spray. P2:00-Do not breathed duxthure/gas/mistivapours/spray. P2:00-Do not breathed duxthure/gas/mistivapours/spray. P2:00-Do not breathed duxthure/gas/mistivapours/spra	lier of the safety data she	et
Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@Richemicals.com 4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 1: Classification of the substance or mixture Acute toxicity (Oral) Category 4 Skin corrosion/firitation Category 1A Serious eye damage/eye irritation Category 1A Serious eye damage/eye irritation Category 1A Serious eye damage/eye irritation Category 1 Acute aquatic hazard Long-term aquatic hazard Category 1 2: Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary stat	NV	
Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 1 Classification of the substance or mixture Acute toxicity (Ora) Category 1 Skin corrosion/irritation Category 1 Skin corrosion/irritation Category 1 Secific target organ toxicity - Repeated exposure [Category 2] Liver, Heart, Stomach Acute aquatic hazard Category 1 Long-term aquatic hazard Category 1 2: Label elements Pictograms or hazard symbols Signal word Hazard statements H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H332-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H332-Harmful if swallowed to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life. H410-Very toxic to aquatic li		
B-2070 Zwijndrecht Telephone: +32(0) 3 735 07 00 E-mail: sales-eu@tcichemicals.com 4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 1: Classification of the substance or mixture Acute toxicity (Oral) Serious eye damage/eye iritation Serious eye damage/eye iritation Category 1 Secific target organ toxicity - Repeated exposure [Category 2] Liver, Heart, Stomach Acute aquatic hazard Category 1 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary stat	meg e	
Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tichemicals.com 44 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 11 Classification of the substance or mixture Acute toxicity (Oral) Category 1 Skin corrosion/irritation Category 1 Specific target organ toxicity - Repeated exposure [Category 2] Liver, Heart, Stomach Acute aquatic hazard Category 1 Long-term aquatic hazard Category 1 Liver, Heart, Stomach Acute aquatic hazard Category 1 Long-term aquatic hazard Danger Pictograms or hazard symbols Danger Hazard statements Pa02-Harmful if swallowed. H410-Very toxic to aquatic life. H400-Very toxic to aquatic life. H400-Very toxic to aquatic life. H400-Very toxic to aquatic life. H410-Very toxic to aquatic life. P260-Do not breathe dust/inme/gas/mst/vapours/spray. P260-Do not CentreR or doctor.<	drecht	
E-mail: sales-eu@tcichemicals.com 4 Emergency telephone number: +32(0)70 245 245 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		
SECTION 2: Hazards identification 1 Classification of the substance or mixture Acute toxicity (Oral) Category 4 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Specific target organ toxicity - Repeated exposure [Category 2] Liver, Heart, Stomach Acute aquatic hazard Category 1 Long-term aquatic hazard Category 1 2 Label elements Pictograms or hazard symbols View Hazard statements Pictograms or hazard symbols Danger Hazard statements Danger H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H373-May cause damage to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life. H410-Very toxic to aquatic life. H410-Very toxic to aquatic life. H410-Very toxic to aquatic life. H410-Very toxic to aquatic life. P260-Do not breathe dust/tume/gas/mist/vapours/spray. P260-Do not breathe dust/tume/gas/mist/vapours/spray. P260-De not breathe dust/tume/gas/mist/vapours/spray. P260-Do not Dreathe dust/tume/gas/mist/vapours/spray. P260-De not breathe dust/tume/gas/mist/vapours/spray. P260-Do not Dreathe dust/tume/gas/mist/vapours/spray. <td></td> <th></th>		
1 Classification of the substance or mixture Category 4 Acute toxicity (Oral) Category 4 Skin corrosion/irritation Category 1 Specific target organ toxicity - Repeated exposure [Category 2] Liver, Heart, Stomach Acute aquatic hazard Category 1 Long-term aquatic hazard Category 1 2 Label elements Pictograms or hazard symbols View Hazard statements Pictograms or hazard symbols Danger Hazard statements H302-Harmful if swallowed. H373-May cause damage to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life. H410-Very toxic to aquatic life. H410-Very toxic to aquatic life. H410-Very toxic to aquatic life. H410-Very toxic to aquatic life. P260-Do not breathe dust/fume/gas/msit/vapours/spray. P260-Do not breathe dust/fume/gas/msit/vapours/spray. P260-Wear protective gloves, protective clothing, face protection. P301+P330+P331+P30-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immedi POISON CENTER or doctor. P303+P361+P363+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immedi POISON CENTER or of octor. P303+P361+P363-IF ON SKIN (or hair): Take off immediately all contaminated Rinse skin with water or shower. Immediately call a POISON	one number: +32(0)	70 245 245
Acute toxicity (Oral) Category 4 Skin corrosion/irritation Category 1A Serious eye damage/eye irritation Category 1 Specific target organ toxicity - Repeated exposure [Category 2] Liver, Heart, Stomach Acute aquatic hazard Category 1 Long-term aquatic hazard Category 1 2 Label elements Pictograms or hazard symbols Pictograms or hazard symbols Oanger Hazard statements H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H410-Very toxic to aquatic life. H410-Very toxic to		
Skin corrosion/irritation Category 1A Serious eye damage/eye irritation Category 1 Specific target organ toxicity - Repeated exposure [Category 2] Liver, Heart, Stomach Acute aquatic hazard Category 1 Long-term aquatic hazard Category 1 2 Label elements Pictograms or hazard symbols Category 1 Signal word Danger Hazard statements H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H37-May cause damage to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life. H410-Very t		
Serious eye damage/eye irritation Category 1 Specific target organ toxicity - Repeated exposure [Category 2] Liver, Heart, Stomach Acute aquatic hazard Category 1 Long-term aquatic hazard Category 1 2 Label elements Pictograms or hazard symbols Image: Category 1 Image: Signal word Danger Hazard statements H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H373-May cause damage to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life. H410-Very toxic		
Specific target organ toxicity - Repeated exposure [Category 2] Liver, Heart, Stomach Acute aquatic hazard Category 1 Long-term aquatic hazard Category 1 2 Label elements Pictograms or hazard symbols View View Signal word Danger Hazard statements Danger H314-Causes severe skin burns and eye damage. H373-May cause damage to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life. H410-Very toxic to aquatic life. H410-Very toxic to aquatic life. H410-Very toxic to aquatic life. H20-Do not breathe dust/fume/gas/mist/vapours/spray. P280-Wear protective gloves, protective clothing, face protection. P301+P330+P331+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. P304+P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breat		U
Acute aquatic hazard Long-term aquatic hazard Category 1 Category 1 2 Label elements Pictograms or hazard symbols Danger Signal word Hazard statements Danger H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H373-May cause damage to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life. H410-Very toxic to aquati		U
Long-term aquatic hazard Category 1 2 Label elements Pictograms or hazard symbols Image: Comparison of the symbols Signal word Hazard statements Danger H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H373-May cause damage to organs through prolonged or repeated exposure : Liver Heart St H400-Very toxic to aquatic life. H410-Very toxic to aquatic life. H410-		
2 Label elements Pictograms or hazard symbols Signal word Hazard statements Danger H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H373-May cause damage to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life. H410-Very toxic to aquatic life. H20-Do not breathe dust/fume/gas/mist/vapours/spray. P280-Wear protective gloves, protective clothing, face protection. P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immedi POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. Wash co		
Pictograms or hazard symbols Signal word Hazard statements H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H373-May cause damage to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life. H410-Very toxic to aquatic life with long lasting effects. P260-Do not breathe dust/fume/gas/mist/vapours/spray. P280-Wear protective gloves, protective clothing, face protection. P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immedi POISON CENTER or doctor. P303+P361+P353+P310-IF INHALED: Remove person to fresh air and keee	hazard	Category 1
H314-Causes severe skin burns and eye damage. H373-May cause damage to organs through prolonged or repeated exposure : Liver Heart S H400-Very toxic to aquatic life. H410-Very toxic to aquatic life. H410-Very toxic to aquatic life with long lasting effects. P260-Do not breathe dust/fume/gas/mist/vapours/spray. P280-Wear protective gloves, protective clothing, face protection. P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately all contaminated polison CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. Wash controlothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breatter	Danger	
P280-Wear protective gloves, protective clothing, face protection. P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immedi POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. Wash cont clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breat	H314-0 H373-N	Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure : Liver Heart Stomach /ery toxic to aquatic life. /ery toxic to aquatic life with long lasting effects.
clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breat	H410-\)o not breathe dust/fume/gas/mist/vanours/sprav
inimediately call a POISON GENTER OF doctor.	H410-\ ements P260-E P280-V P301+I POISO P303+I	Vear protective gloves, protective clothing, face protection. P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately ca IN CENTER or doctor. P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated clothin
P305+P351+P338+P310-IF IN EYES: Rinse cautiously with water for several minutes. Rem	H410-\ ements P260-E P280-V P301+I POISO P303+I Rinse s clothing P304+I	Vear protective gloves, protective clothing, face protection. P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately ca IN CENTER or doctor. P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated clothin skin with water or shower. Immediately call a POISON CENTER or doctor. Wash contaminate g before reuse.
3 Other hazards	H410-\ P260-E P280-V P301+I POISO P303+I Rinses clothing P304+I Immed P305+I	Vear protective gloves, protective clothing, face protection. P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately ca IN CENTER or doctor. P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated clothin skin with water or shower. Immediately call a POISON CENTER or doctor. Wash contaminate g before reuse. P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breathing. iately call a POISON CENTER or doctor. P351+P338+P310-IF IN EYES: Rinse cautiously with water for several minutes. Remove con
Results of PBT and vPvB assessment	H410-\ P260-E P280-V P301+I POISO P303+I Rinses clothing P304+I Immed P305+I	Vear protective gloves, protective clothing, face protection. P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately ca IN CENTER or doctor. P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated clothin skin with water or shower. Immediately call a POISON CENTER or doctor. Wash contaminate g before reuse. P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breathing. iately call a POISON CENTER or doctor.
PBT: Not applicable	H410-\ P260-E P280-V P301+I POISO P303+I Rinses clothing P304+I Immed P305+I Ienses,	Vear protective gloves, protective clothing, face protection. P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately ca IN CENTER or doctor. P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated clothin skin with water or shower. Immediately call a POISON CENTER or doctor. Wash contaminate g before reuse. P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breathing. iately call a POISON CENTER or doctor. P351+P338+P310-IF IN EYES: Rinse cautiously with water for several minutes. Remove con
vPvB: Not applicable	H410-\ P260-E P280-V P301+I POISC P303+I Rinse s clothing P304+I Immed P305+I Ienses,	Vear protective gloves, protective clothing, face protection. P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately ca IN CENTER or doctor. P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated clothin skin with water or shower. Immediately call a POISON CENTER or doctor. Wash contaminate g before reuse. P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breathing. iately call a POISON CENTER or doctor. P351+P338+P310-IF IN EYES: Rinse cautiously with water for several minutes. Remove con if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

SECTION 3: Composition/information on ingredients

3.1 Substances	
Components:	5-Bromo-5-nitro-1,3-dioxane
Percent:	>98.0%(GC)
CAS RN:	30007-47-7
EC-No:	250-001-7
Chemical Formula:	C4H6BrNO4

SECTION 4. Thist and measures	
4.1 Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER or doctor/physician.
Ingestion:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

4.2 Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing media:	Dry chemical, foam, water spray, carbon dioxide.
5.2 Special hazards arising from the	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume.
substance or mixture	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx), Hydrogen bromide
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according
	to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of
	fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, be sure
	to wear personal protective equipment
SECTION 4. Appidental release ma	
SECTION 6: Accidental release mea	
6.1 Personal precautions, protective	Use personal protective equipment. Keep people away from and upwind of spill/leak. Entry to
equipment and emergency procedures	non-involved personnel should be controlled around the leakage area by roping off, etc
6.2 Environmental precautions	Be careful not to let it flow into rivers, etc., since adverse effects on the environment are concerned
0.2 Environmental precautions	be careful not to let it now into invers, etc., since adverse effects of the environment are concerned
6.3 Methods and materials for	Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected
containment and cleaning up	material should be promptly disposed of, in accordance with appropriate laws and regulations.
containing up	
6.4 Reference to other sections	For disposal see section 13.
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent
	dispersion of dust. Wash hands and face thoroughly after handling. Use a closed system if possible.
	Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing.
7.2 Conditions for safe storage,	Keep container tightly closed. Store in a refrigerator. Store under inert gas.
including any incompatibilities	Store locked up. Store away from incompatible materials such as oxidizing agents.
	Heat-sensitive, Light-sensitive, Air-sensitive
7.3 Specific end use(s)	No further relevant information available.

SECTION 8: Exposure controls	/personal protection
8.1 Control parameters	No data available
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.
Respiratory protection:	Dust respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

nformation on basic physical and cl	
Physical state (20°C):	Solid
Form:	Crystal - Powder
Colour:	White - Very pale yellow
Odour:	No data available
pH:	No data available
Melting point/freezing point:	61°C
Boiling point/range:	No data available
Flash point:	No data available
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	No data available.
Vapour density:	No data available
Relative density:	No data available
Solubility(ies):	
[Water]	No data available
[Other solvents]	
Soluble:	Methanol
Partition coefficient:	No data available
n-octanol/water:	
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
Other safety information	No data available

No data available
Stable under proper conditions.
No special reactivity has been reported.
No data available
Oxidizing agents

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx), Hydrogen bromide

Ι

SECTION 11: Toxicological information 11.1 Information on toxicological effects

.1 Information on toxicological effects	
Acute Toxicity:	orl-rat LD50:455 mg/kg
	ipr-rat LD50:31 mg/kg
Skin corrosion/irritation:	skn-rat 2500 ug/24H
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available
RTECS Number:	JG9650000

SECTION 12: Ecological information 12.1 Toxicity

Fish: Crustacea:	No data available No data available
Algae:	72h EC50 0.265 mg/L (Selenastrum capricornutum)
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assessme	ent
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

SECTION 14: Transport informat		
4.1 UN number	3261	
4.2 UN proper shipping name		
ADR/RID	Corrosive solid, acidic, organic, n.o.s	
IMDG/IMO	Corrosive solid, acidic, organic, n.o.s	
ICAO/IATA	Corrosive solid, acidic, organic, n.o.s	
4.3 Transport hazard class(es)		
ADR/RID	8: Corrosive	
IMDG/IMO	8: Corrosive	
ICAO/IATA	8: Corrosive	
4.4 Packaging group		
ADR/RID	I	
IMDG/IMO	I	
ICAO/IATA	I	
4.5 Environmental hazards		
Marine pollutant	Y	
4.6 Special precautions for user	No data available	

SECTION 15: Regulatory information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
Water Hazard Classes (WGK) :	Class 3 - Severe hazard to waters	
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No.1907/2006	Not listed	
15.2 Chemical safety assessment	A chemical safety assessment has not been carried out.	
SECTION 16: Other information		

SECTION 16: Other into Prepared by:	TCI EUROPE N.V.]
Issue date:	06/15/2020	

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of sharege. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet