

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Revision number: 2 Revision date: 01/08/2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: 1,3-Butadiene (ca. 13% in Tetrahydrofuran, ca. 2mol/L)

Product code: B4835

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Reagents.

1.3 Details of the supplier of the safety data sheet

Supplier:

TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht

Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com

1.4 Emergency telephone number: +32(0)70 245 245

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids

Acute toxicity (Oral)

Skin corrosion/irritation

Serious eye damage/eye irritation

Germ cell mutagenicity

Carcinogenicity

Category 1

Category 1

Category 1

Category 1

Category 1A

Specific target organ toxicity - Single exposure [Category 2]

Nervous system

Specific target organ toxicity - Single exposure [Category 3]

Respiratory tract irrity

Specific target organ toxicity - Single exposure [Category 3]

Specific target organ toxicity - Repeated exposure [Category 1]

Liver, Nervous system, Kidney, Ovary

Specific target organ toxicity - Repeated exposure [Category 2]

Blood system, Bone marrow, Heart, Testis

2.2 Label elements

Pictograms or hazard symbols







Signal word

Danger

Hazard statements H225-Highly flammable liquid and vapour.

H302-Harmful if swallowed. H315-Causes skin irritation. H319-Causes serious eye irritation. H340-May cause genetic defects. H350-May cause cancer.

H371-May cause damage to organs : Nervous system

H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous system

Kidney Ovary

H373-May cause damage to organs through prolonged or repeated exposure : Blood system Bone

marrow Heart Testis

H335-May cause respiratory irritation. H336-May cause drowsiness or dizziness. P260-Do not breathe mist, vapours or spray.

Precautionary statementsP260-Do not breathe mist, vapours or spray.
P280-Wear protective gloves, protective clothing, face protection.

P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs:

Get medical advice or attention. Take off contaminated clothing and wash it before reuse.

P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

1,3-Butadiene (ca. 13% in Tetrahydrofuran, ca. 2mol/L) POISON CENTER or doctor if you feel unwell.

P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice

or attention.

P308+P311-If exposed or concerned: Call a POISON CENTER or doctor.

2.3 Other hazards May cause polimerization.

May form explosive peroxides.

Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components: 1,3-Butadiene (ca. 13% in Tetrahydrofuran, ca. 2mol/L)

Percent:

CAS RN: 106-99-0 EC-No: 203-450-8 Chemical Formula: C₄H₆

Hazardous composition: Chemical name: Tetrahydrofuran Conc.: < 87%

CAS RN:109-99-9 EC No.: 203-726-8

Flam. Liq. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Carc. 2, STOT SE 2, STOT SE 3, STOT RE 1 H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H315: Causes skin irritation. H319: Causes serious eye irritation. H351: Suspected of causing cancer. H371: May cause damage to Nervous system. H335: May cause respiratory irritation. H372: Causes damage to Liver, Nervous system and Kidney through prolonged or repeated exposure. EUH019: May form explosive peroxides.

Chemical name: 1,3-Butadiene Conc.: > 13%

CAS RN:106-99-0 EC No.: 203-450-8 Press. Gas, Flam. Gas 1, Muta. 1B, Carc. 1A

H220: Extremely flammable gas. H280: Contains gas under pressure; may explode if heated. H340:

May cause genetic defects.H350: May cause cancer.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Call a POISON CENTER or doctor/physician.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Call a POISON CENTER or doctor/physician.

Ingestion: Call a POISON CENTER or doctor/physician. Rinse mouth.

Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Dry chemical, foam, water spray, carbon dioxide.

5.2 Special hazards arising from the

substance or mixture

This substance may polimerize explosively when heated or involved in a fire. Container may explode

when heated. Combat fire from a sheltered position. Carbon dioxide, Carbon monoxide

5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according

to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if

safe to do so. When extinguishing fire, be sure to wear personal protective equipment

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be

controlled around the leakage area by roping off, etc

6.2 Environmental precautions

Prevent product from entering drains

6.3 Methods and materials for containment and cleaning up

Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and

explosion-proof equipment.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact! Confirm in advance if peroxides exist when operations involving heating such as distillation are carried out.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in an explosion-poof refregerator. Store locked up. Store away

Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc.

from incompatible materials such as oxidizing agents.

Heat-sensitive

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No data available

(THF)

ACGÍH TLV(TWA):50 ppm (skin) ACGIH TLV(STEL):100 ppm (skin) OSHA PEL(TWA):200 ppm

8.2 Exposure controls

Install a closed system or local exhaust. Also install safety shower and eye bath.

Use respirators approved under appropriate government standards and follow local and national

regulations.
Impervious gloves.

Hand protection: Eye protection:

Respiratory protection:

Skin and body protection:

Safety goggles. A face-shield, if the situation requires. Impervious protective clothing. Protective boots, if the situation requires.

1,3-Butadiene (ca. 13% in Tetrahydrofuran, ca. 2mol/L)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state (20°C): Liquid Form: Clear

Colorless - Very pale yellow Colour:

Odour: No data available No data available pH: Melting point/freezing point: No data available (THF) -108°C

Boiling point/range: No data available

(THF) 65°C

No data available Flash point:

(THF) -15°C

Evaporation rate(Butyl Acetate=1): No data available

Flammability(solid, gas):

No data available

Flammability or explosive limits:

No data available Lower: No data available Upper: Vapour pressure: No data available. Vapour density: No data available Relative density: No data available

Solubility(ies):

[Water] No data available [Other solvents] No data available

Partition coefficient: No data available (THF) 0.46

n-octanol/water:

Autoignition temperature: No data available **Decomposition temperature:** No data available **Dynamic Viscosity:** No data available No data available Kinematic viscosity:

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

No data available 10.1 Reactivity

10.2 Chemical stability Polymerization may occur under the influences of heat, light or on contact with polymerization initiators

such as peroxides etc.

May form explosive peroxides.

10.3 Possibility of hazardous reactions No special reactivity has been reported.

10.4 Conditions to avoid Heat, Spark, Open flame, Static discharge, Air, Light

10.5 Incompatible materials Oxidizing agents

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute Toxicity: No data available

(THF)

orl-rat LD50:1650 mg/kg ihl-rat LC50:21000 ppm/3H ipr-rat LD50:2900 mg/kg

Skin corrosion/irritation:

Serious eye damage/irritation:

Respiratory or skin sensitization:

Germ cell mutagenicity:

No data available
No data available
No data available

(THF)

mmo-esc 1 umol/L (-S9)

Carcinogenicity:

IARC = Group 1 (Carcinogenic to humans)
NTP = a (Known to be carcinogens)

(THF) ihl-rat TCLo:18900 mg/kg/105W-I

Reproductive toxicity:
STOT-single exposure:
No data available
STOT-repeated exposure:
No data available
Aspiration hazard:
No data available

SECTION 12: Ecological information

12.1 Toxicity

Fish: No data available
Crustacea: No data available
Algae: No data available

12.2 Persistence and degradability No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

Log Pow: No data available
Soil adsorption (Koc): No data available
Henry's Law (PaM ³/mol): No data available

12.5 Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

12.6 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material is highly flammable. Observe all federal, state and local regulations when disposing of the substance

1,3-Butadiene (ca. 13% in Tetrahydrofuran, ca. 2mol/L)

SECTION 14: Transport information

14.1 UN number 1993

14.2 UN proper shipping name

ADR/RID Flammable liquid, n.o.s
IMDG/IMO Flammable liquid, n.o.s
ICAO/IATA Flammable liquid, n.o.s

14.3 Transport hazard class(es)

ADR/RID 3: Flammable liquid IMDG/IMO 3: Flammable liquid ICAO/IATA 3: Flammable liquid

14.4 Packaging group

ADR/RID II
IMDG/IMO II
ICAO/IATA II

14.5 Environmental hazards

Marine pollutant -

14.6 Special precautions for user No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Water Hazard Classes (WGK): Class 2 - Hazard to waters

Substance of Very High Concern (SVHC) according to the Not listed

REACH Regulations (EC) No.1907/2006

A chemical safety assessment has not been carried out.

SECTION 16: Other information

15.2 Chemical safety assessment

Prepared by: TCI EUROPE N.V. Issue date: 01/08/2019

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet