TCI EUROPE N.V.

G

## SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Revi	ision number: 1 Revision date: 04/09/201
SECTION 1: Identification of the su	ubstance/mixture and of the company/undertaking
1.1 Product identifiers	
Product name:	tert-Butoxytrimethylsilane
Product code:	B5877
1.2 Relevant identified uses of the subs Identified uses:	stance or mixture and uses advised against Reagents.
1.3 Details of the supplier of the safety Supplier:	data sheet
TCI EUROPE N.V. Boerenveldseweg 6	
Haven 1063	
B-2070 Zwijndrecht	
Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals	
I.4 Emergency telephone number:	+32(0)70 245 245
- Emergency telephone number.	132(0)10 240 240
SECTION 2: Hazards identification	
2.1 Classification of the substance or n	
Flammable liquids	Category 2 Category 2
Skin corrosion/irritation	Category 2 Category 2
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols	
2.2 Label elements	
2.2 Label elements	Danger
2.2 Label elements Pictograms or hazard symbols	
2.2 Label elements Pictograms or hazard symbols	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation.
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection.
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking.
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.
2.2 Label elements Pictograms or hazard symbols	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish.
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool.
2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization.
2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. May form explosive peroxides.
2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. May form explosive peroxides.
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. May form explosive peroxides.
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessmer PBT: vPvB:	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. May form explosive peroxides. M Not applicable Not applicable
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessmer PBT: vPvB: SECTION 3: Composition/informat	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. May form explosive peroxides. M Not applicable Not applicable
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessmer PBT: vPvB: SECTION 3: Composition/informat 3.1 Substances	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. May form explosive peroxides. May form explosable Not applicable Not applicable
<ul> <li>2.2 Label elements Pictograms or hazard symbols</li> <li>Signal word Hazard statements</li> <li>Precautionary statements</li> <li>Precautionary statements</li> <li>2.3 Other hazards</li> <li>Results of PBT and vPvB assessmer PBT: vPvB:</li> <li>SECTION 3: Composition/informat</li> <li>3.1 Substances Components:</li> </ul>	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P3704P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. May form explosive peroxides. M Not applicable Not applicable iton on ingredients tert-Butoxytrimethylsilane
<ul> <li>2.2 Label elements Pictograms or hazard symbols</li> <li>Signal word Hazard statements</li> <li>Precautionary statements</li> <li>Precautionary statements</li> <li>2.3 Other hazards</li> <li>Results of PBT and vPvB assessment PBT: vPvB:</li> <li>SECTION 3: Composition/informat</li> <li>3.1 Substances Components: Percent:</li> </ul>	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. May form explosive peroxides. M Not applicable Not applicable
<ul> <li>2.2 Label elements Pictograms or hazard symbols</li> <li>Signal word Hazard statements</li> <li>Precautionary statements</li> <li>Precautionary statements</li> <li>2.3 Other hazards</li> <li>Results of PBT and vPvB assessmer PBT: vPvB:</li> <li>SECTION 3: Composition/informat</li> <li>3.1 Substances Components:</li> </ul>	Danger H225-Highly flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P3704P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. May form explosive peroxides. M Not applicable Not applicable iton on ingredients tert-Butoxytrimethylsilane

B5877

Page 1 of 5

SECTION 4: First aid measures	
4.1 Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	Get medical advice/attention if you feel unwell. Rinse mouth.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

**<sup>4.2</sup> Most important symptoms and effects, both acute and delayed** No data available

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures		
5.1 Extinguishing media		
Suitable extinguishing media:	Dry chemical, foam, carbon dioxide.	
Unsuitable extinguishing media:	Water (It may scatter and spread fire.)	
5.2 Special hazards arising from the substance or mixture	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fur Carbon monoxide, Carbon dioxide, Silicon oxides	
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment	
SECTION 6: Accidental release me	asures	
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc	
6.2 Environmental precautions	Prevent product from entering drains	
.3 Methods and materials for Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight conta		
containment and cleaning up	case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.	
6.4 Reference to other sections	For disposal see section 13.	
SECTION 7: Handling and storage		
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.	
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store away from incompatible materials such as oxidizing agents. Moisture-sensitive	
7.3 Specific end use(s)	No further relevant information available.	
SECTION 8: Exposure controls/per	sonal protection	
8.1 Control parameters	No data available	
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.	
Respiratory protection:	Vapor respirator. Follow local and national regulations.	
Hand protection:	Protective gloves.	
Eye protection:	Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires.	
Skin and body protection:	י וטופטווים טוסווווון. רוטופטווים טוסוג, וו ווים גועמווטרו ופקעוופג.	

## SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical prope

9.1 Information on basic physical and ch	nemical properties	
Physical state (20°C):	Liquid	
Form:	Clear	
Colour:	Colorless - Very pale yellow	
Odour:	No data available	
pH:	No data available	
Melting point/freezing point:	No data available	
Boiling point/range:	102°C	
Flash point:	No data available	
Evaporation rate(Butyl Acetate=1):	No data available	
Flammability(solid, gas):	No data available	
Flammability or explosive limits:		
Lower:	No data available	
Upper:	No data available	
Vapour pressure:	No data available.	
Vapour density:	No data available	
Relative density:	0.77	
Solubility(ies):		
[Water]	No data available	
[Other solvents]	No data available	
Partition coefficient:	No data available	
n-octanol/water:		
Autoignition temperature:	No data available	
Decomposition temperature:	No data available	
Dynamic Viscosity:	No data available	
Kinematic viscosity:	No data available	
9.2 Other safety information	No data available	

SECTION 10: Stability and reactivity	
10.1 Reactivity	No data available
10.2 Chemical stability	Stable under proper conditions.
10.3 Possibility of hazardous reactions	No special reactivity has been reported.
10.4 Conditions to avoid	Spark, Open flame, Static discharge
10.5 Incompatible materials	Oxidizing agents

10.6 Hazardous decomposition products Carbon monoxide, Carbon dioxide, Silicon oxides

SECTION 11: Toxicological information	
11.1 Information on toxicological effects	
Acute Toxicity:	No data available
Skin corrosion/irritation:	No data available
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available

SECTION 12: Ecological information	tion
12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assess	ment
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available
SECTION 13: Disposal considera	tions
13.1 Waste treatment methods	
	sult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an tt exert extra care in igniting as this material is highly flammable. Observe all federal, state and local

SECTION 14: Transport informa	tion	
14.1 UN number	1993	
14.2 UN proper shipping name		
ADR/RID	Flammable liquid, n.o.s	
IMDG/IMO	Flammable liquid, n.o.s	
ΙCAO/ΙΑΤΑ	Flammable liquid, n.o.s	
14.3 Transport hazard class(es)		
ADR/RID	3: Flammable liquid	
IMDG/IMO	3: Flammable liquid	
ΙCAO/ΙΑΤΑ	3: Flammable liquid	
14.4 Packaging group		
ADR/RID	II	
IMDG/IMO	II	
ICAO/IATA	II	
14.5 Environmental hazards		
Marine pollutant	-	
14.6 Special precautions for user	No data available	

SECTION 15: Regulatory information

regulations when disposing of the substance

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006
 Not listed

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	04/09/2019

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet