

# **SAFETY DATA SHEET**

According to 1907/2006/EC, Article 31

Revision number: 3 Revision date: 01/29/2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: Chloroform (stabilized with Ethanol) [for Spectrophotometry]

Product code: C0175

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Reagents.

1.3 Details of the supplier of the safety data sheet

Supplier:

TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht

Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com

**1.4 Emergency telephone number:** +32(0)70 245 245

#### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity (Oral) Category 4 Acute toxicity (Inhalation) Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Category 2 Carcinogenicity Reproductive toxicity Category 2 Specific target organ toxicity - Single exposure [Category 1] Organs Specific target organ toxicity - Single exposure [Category 3] Narcotic effects Specific target organ toxicity - Repeated exposure [Category 1] **Organs** Long-term aquatic hazard Category 1

### 2.2 Label elements

Pictograms or hazard symbols



C0175





Signal word Danger

Hazard statements H302-Harmful if swallowed.

H331-Toxic if inhaled. H315-Causes skin irritation. H319-Causes serious eye irritation. H351-Suspected of causing cancer.

H361d-Suspected of damaging the unborn child.

H370-Causes damage to organs.

H372-Causes damage to organs through prolonged or repeated exposure.

H336-May cause drowsiness or dizziness.

H410-Very toxic to aquatic life with long lasting effects.

**Precautionary statements** P260-Do not breathe mist, vapours or spray.

P280-Wear protective gloves, protective clothing, face protection.

P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs:

Get medical advice or attention. Take off contaminated clothing and wash it before reuse.

P304+P340+P311-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER or doctor.

P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice

Chloroform (stabilized with

Page 1 of 5

or attention.

P308+P311-If exposed or concerned: Call a POISON CENTER or doctor.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

### SECTION 3: Composition/information on ingredients

3.1 Substances

Components: Chloroform (stabilized with Ethanol) [for Spectrophotometry]

 Percent:
 >99.0%(GC)

 CAS RN:
 67-66-3

 EC-No:
 200-663-8

 Chemical Formula:
 CHCl3

#### SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Call a POISON CENTER or doctor/physician.

**Eye contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Call a POISON CENTER or doctor/physician.

Ingestion: Call a POISON CENTER or doctor/physician. Rinse mouth.

Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

5.1 Extinguishing media

**Suitable extinguishing media:** Dry chemical, foam, water spray, carbon dioxide.

5.2 Special hazards arising from the

substance or mixture

Carbon monoxide, carbon dioxide etc

5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according

to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, be sure

to wear personal protective equipment

# SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off,

etc

6.2 Environmental precautions

Be careful not to let it flow into rivers, etc., since adverse effects on the environment are concerned

6.3 Methods and materials for containment and cleaning up

Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly

disposed of, in accordance with appropriate laws and regulations.

**6.4 Reference to other sections** For disposal see section 13.

### SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact!

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Store locked up. Store away from incompatible materials such as oxidizing agents.

Page 2 of 5

Light-sensitive, Air-sensitive

**7.3 Specific end use(s)**No further relevant information available.

C0175 Chloroform (stabilized with Ethanol) [for Spectrophotometry]

### SECTION 8: Exposure controls/personal protection

8.1 Control parameters

ACGIH TLV(TWA): 10 ppm
OSHA PEL(CL): 50 ppm
JSOH OELs(TWA): 3 ppm (skin)

8.2 Exposure controls Install a closed system or local exhaust. Also install safety shower and eye bath.

Respiratory protection: Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc.

Use respirators approved under appropriate government standards and follow local and national

regulations.

Hand protection: Impervious gloves.

**Eye protection:** Safety goggles. A face-shield, if the situation requires.

Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state (20°C):

Form:
Colour:
Colour:
Colour:
Odour threshold:

Liquid
Clear
Colorless
Pleasant
85 ppm

pH: No data available

Melting point/freezing point: -64°C Boiling point/range: 60°C

Flash point:

Evaporation rate(Butyl Acetate=1):

Flammability(solid, gas):

No data available
No data available

Flammability or explosive limits:

Lower: No data available Upper: No data available Vapour pressure: 21.2kPa/20°C

Vapour density: 4.12 Relative density: 1.49

Solubility(ies): [Water]

[Water] Very slightly soluble (0.8g/100mL, 20°C)

[Other solvents]

Miscible: Ether, Alcohols, Benzene, Carbon tetrachloride

Soluble: Many organic solvents

Partition coefficient: 1.97

n-octanol/water:

Autoignition temperature:No data availableDecomposition temperature:No data availableDynamic Viscosity:No data availableKinematic viscosity:No data available

9.2 Other safety information No data available

### SECTION 10: Stability and reactivity

10.1 Reactivity No data available

**10.2 Chemical stability** Stable under proper conditions.

**10.3 Possibility of hazardous reactions** No special reactivity has been reported.

**10.4 Conditions to avoid**No data available

10.5 Incompatible materials Oxidizing agents, Strong bases, Metals

10.6 Hazardous decomposition products Carbon monoxide, carbon dioxide etc

### SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute Toxicity: ihl-hmn TCLo:10 mg/m³/1Y

ihl-rat LC50:47702 mg/m³/4H orl-rat LD50:695 mg/kg skn-rbt LD50:>20 g/kg

Skin corrosion/irritation: skn-rbt 10 mg/24H open MLD
Serious eye damage/irritation: eye-rbt 148 mg

Respiratory or skin sensitization:

Germ cell mutagenicity:

Mo data available
dni-hmn-hla 19 mmol/L
mmo-sato 20 ug/plate (+/-S9)
mmo-ssp 5 mg/L (+S9)
sce-hmn-lym 10 mmol/L

orl-mus TDLo:127 g/kg/92W-l orl-rat TDLo:13832 mg/kg/2Y-C

IARC = Group 2B (Possibly carcinogenic to humans)
NTP = b (Reasonably anticipated to be carcinogens)
Reproductive toxicity: orl-mus TDLo:2115 mg/kg (3W male/3W pre-5D post)

ihl-rat TCLo:20100 ug/m³/1H (7-14D preg) ihl-rat TCLo:300 ppm/7H (6-15D preg) orl-rat TDLo:41 mg/kg (multigenerations)

STOT-single exposure: No data available
STOT-repeated exposure: No data available
Aspiration hazard: No data available
RTECS Number: FS9100000

### SECTION 12: Ecological information

12.1 Toxicity

Carcinogenicity:

Fish: No data available
Crustacea: No data available
Algae: No data available

12.2 Persistence and degradability 0% (by BOD), 4.6% (by GC)

**12.3 Bioaccumulative potential** 1.4 - 4.7 (conc. 0.3 mg/L) , 4.1 - 13 (conc. 0.1 ppm)

12.4 Mobility in soil

**Log Pow:** 1.97

Soil adsorption (Koc): No data available

Henry's Law (PaM ³/mol): 371

12.5 Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

12.6 Other adverse effects No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. Observe all federal, state and local regulations when disposing of the substance.

Chloroform (stabilized with Ethanol) [for Spectrophotometry]

### SECTION 14: Transport information

**14.1 UN number** 1888

14.2 UN proper shipping name

ADR/RID Chloroform
IMDG/IMO Chloroform
ICAO/IATA Chloroform

14.3 Transport hazard class(es)

ADR/RID 6.1: Toxic substance
IMDG/IMO 6.1: Toxic substance
ICAO/IATA 6.1: Toxic substance

14.4 Packaging group

ADR/RID III
IMDG/IMO III
ICAO/IATA III

14.5 Environmental hazards

Marine pollutant Y

14.6 Special precautions for user No data available

#### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Classes (WGK):

Class 3 - Severe hazard to waters

Substance of Very High Concern (SVHC) according to the

REACH Regulations (EC) No.1907/2006

Listed (Candidate List)

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

Prepared by: TCI EUROPE N.V. Issue date: 01/29/2024

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

**End of Safety Data Sheet**