SAFETY DATA SHEET

C

TCI EUROPE N.V.

According to 1907/2006/EC, Article 31

Revi	sion number: 1	Revision date: 10/02/2018
	bstance/mixture and of the company/und	ertaking
1.1 Product identifiers Product name:	o-Cymene	
Product name: Product code:	C0799	
1.2 Relevant identified uses of the subs Identified uses:	tance or mixture and uses advised against Reagents.	
1.3 Details of the supplier of the safety	data sheet	
Supplier:		
TCI EUROPE N.V. Boerenveldseweg 6		
Haven 1063		
B-2070 Zwijndrecht		
Telephone: +32(0)3 735 07 00		
E-mail: sales-eu@tcichemicals	com	
1.4 Emergency telephone number:	+32(0)70 245 245	
SECTION 2: Hazards identification	-	
2.1 Classification of the substance or n Flammable liquids	iixture Category 3	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2	
Signal word	Warning	
Hazard statements	H226-Flammable liquid and vapour.	
	H315-Causes skin irritation.	
Dragoution on a statements	H319-Causes serious eye irritation.	hat aurfages. No smaking
Precautionary statements	P210-Keep away from heat/sparks/open flames/ P280-Wear protective gloves, eve protection.	not surfaces No smoking.
		KIN: Wash with plenty of water. If skin irritation occurs:
	Get medical advice or attention. Take off contar	
		nse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Contin	nue rinsing. If eye irritation persists: Get medical advice
	or attention.	
	P370+P378-In case of fire: Use dry chemical or P403+P235-Store in a well-ventilated place. Kee	
2.3 Other hazards	·	op 000ii
Results of PBT and vPvB assessmer	t	
PBT:	Not applicable	
vPvB:	Not applicable	
SECTION 3: Composition/informat	ion on ingredients	
3.1 Substances		
Components:	o-Cymene	
Percent:	>99.0%(GC)	
CAS RN:	527-84-4	
EC-No:	208-426-0	
Synonyms:	2-Isopropyltoluene, 2-Methylisopropylbenzene	
Chemical Formula:	C10H14	
C0799	o-Cymene	Page 1 of 5

Ingestion: Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention if you feel unwell. Rinse mouth. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-t 4.2 Most important symptoms and effects, both acute and delayed No data available 4.3 Indication of any immediate medical attention and special treatment needed No data available Section 5: FireInghthing measures 5.1 Extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Ukater (It may scatter and spread fire.) 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing in safe to do so. When extinguishing fire, be sure to wear personal protective equipment (self-contained breathing apparatus). Keep p equipment and emergency procedures 6.1 Personal precautions, protective Use extra personal protective equipment (self-contained breathing apparatus). Keep p eguipment and emergency procedures 6.2 Environmental precautions Fre-vent product from entering drains 6.3 Methods and materials for containment and cleaning up generation of vapour or mist. Keep away from heatsparks/open fine-fibet surfaces. + measures to prevent the build up of electrostatic charge. Use spark-pro explosion-proof equipment. 7.1 Precautions for safe storage, including any incompatibilit		
Inhalation: Remove vicitin to fresh alir and keep at rest in a position comfortable for breathing. Ge advice/attention if you rele unwell. Skin contact: Remove Vicitin to fresh alir and keep at rest in a position comfortable for breathing. Ge advice/attention if you rele unwell. Eye contact: Remove Crake off immediately all contaminated clothing. Gentity weaks with plenty of so skin limitation or rank occurs: Get medical advice/attention. Ingestion: Get medical advice/attention if you feel unwell. No data available A rescuer should wear personal protective equipment, such as rubber gloves and air-t data available 4.3 Indication of any immediate medical attention and special treatment needed No data available Sectrol 5. Firefighting media: 5.1 Extinguishing media Dry chemical, foam, carbon dioxide. 5.2 Extinguishing media: Water (It may scatter and spread fire.) 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide SECTION 6: Accidental release measures 5.1 Eventinguishing with is done from the windward and the suitable evenupment as alive to do so. When exhinguishing fire, be sure to ware presonal protective equipment safe to do so. When exhinguishing fire, be sure to ware presonal protective equipment safe to do so. When exhinguishing fire, be sure to ware presonal protective equipment 6.2 Environmental precautions, protective equipment and emergency procedure and tape wind of spilleke, Ensure adequate venilation. Entry to non-involved personel controlled around the l		
Skin contact: Remove/Take of immediately all contaminated clothing. Gently wash with plenty of so skin irritation or rash occurs: Get medical advice/attention. Eye contact: Rinse calutosky with water for several minutes. Remove contact lenses, if present an Continue finsing. If eye irritation persists: Get medical advice/attention. Ingestion: Get medical advice/attention if you feel unwell. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-f 4.2 Most important symptoms and effects, both acute and delayed No data available 4.3 Indication of any immediate medical attention and special treatment needed No data available Section 5.7 Firefighting medias Suitable extinguishing media Dry chemical, foam, carbon dioxide. Suitable extinguishing media Water (It may scatter and spread fire.) 5.2 Special hazards arising from the surrounding situation is used. Uninvolved persons should evacue. Eliminate all ign safe to do so. When extinguishing fire, be sure to wear personal protective equipment for the surrounding situation is used. Uninvolved persons should evacue. Eliminate all ign safe to do so. When extinguishing fire, be sure to wear personal protective equipment for the surrounding situation. Euror oble spraying with water. Eliminate all ign safe to do so. When extinguishing fire, be sure to wear personal protective equipment for the surrounding situation. Euror data as an elimiton. Entry to non-involved personnel controlled around the leakage area by proing off ec 6.4 Personal protective Use extra personal protective equipment (self-contained		
skin irritation or rash occurs: Get medical advice/attention. Eye contact: Rines caulously with water for several minutes. Remove contact lenses, if present an Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention if you feel unwell. Rines mouth. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-t 4.2 Most important symptoms and effects, both acute and delayed No data available A.3 Indication of any immediate medical attention and special treatment needed No data available SECTION 5: Finefighting media: Unsuitable extinguishing media: Unsuitable extinguishing media: Water (It may scatter and spread fire.) 5.2 Special hazards arising from the Carbon dioxide, Carbon monoxide SECTION 6: Accidental refease measures 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing to the surrounding situation is used. Univolved persons should evacuate to a safe pl fire in the surrounding: Keep containers cool by springing with water. Eliminate all ign safe to do so. When extinguishing fire, be sure to wear personal protective equipment 6.1 Personal precedutive Provent product from entering drains 6.3 Methods and materials for containment and cleaning up case of large amount of spillege, contain a spille by tonding. Attended SECTION 7: Handling and Storage 7.1 Precautions for safe storage, includin gain jet prevent product from entering drains 6.3 Methods and materials for case of large amount of spillege, contain a spille by bunding. Atheved or collected m atter 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and Storage 7.1 Precautions for safe storage, including any incompatibilities For disposal see section 13. SECTION 8: Exposure controls/personal protection 8.4 Contain dials advices aventilated place. Wear suitable protective equipment and acter troughy after handling Section 7: Handling and storage 7.1 Precautions for sa	-	
Ingestion: Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention if you feel unwell. Rinse mouth. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-t 4.2 Most important symptoms and effects, both acute and delayed No data available 4.3 Indication of any immediate medical attention and special treatment needed No data available Section 5: Firefighting measures 5.1 Extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing works is done from the windward and the suitable fire-extinguishing is afe to do so. When extinguishing fire, be sure to wear personal protective equipment (sectron) 6; Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures and energency procedures De extra personal protective equipment (self-contained breathing apparatus), Keep p carbon disposed of, in accordance with appropriate laws and regulations. Remove a ignition. Fire-extinguishing weighter hading, a share border proceeding a stip prompty disposed of, in accordance with appropriate laws and regulations. Remove a ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-pro explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. Section 9: Accidental release prevent product from entering drains a golit by bunding. Afbered o	nty of soap and water. If	
Ingestion: Get medical advice/attention if you feel unwell. Rinse mouth. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-t 4.2 Most important symptoms and effects, both acute and delayed No data available A rescuer should wear personal protective equipment, such as rubber gloves and air-t 4.3 Indication of any immediate medical attention and special treatment needed No data available Sectro Stream Stre	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.	
4.2 Most important symptoms and effects, both acute and delayed No data available 4.3 Indication of any immediate medical attention and special treatment needed No data available 5.1 Extinguishing media Suitable extinguishing media: Dry chemical, fnam, carbon dioxide. Unsuitable extinguishing media: 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing ret in the surroundings: Keep containers cool by spraying with water. Eliminate al light is asle to do so. When extinguishing fire, be sure to wear personal protective equipment safe to do so. When extinguishing fire, be sure to wear personal protective equipment safe to do so. When extinguishing draines were promoted were equipment (self-contained breathing apparatus). Keep p and upwird of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel controlled around the leakage area by roping off, etc 6.1 Personal precautions, protective equipment and emergency procedures Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Prevent product form entering drains 6.3 Methods and materials for containment and cleaning up For disposal see section 13. SECTION 7: Handling and storage For disposal see section 13. SECTION 8: Accidentiant and storage For disposal see section 13. SECTION 7: Handling and storage, including any incompatibilities No further relevant information		
No data available 4.3 Indication of any immediate medical attention and special treatment needed No data available SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media: Unsuitable extinguishing media: Unsuitable extinguishing media: S.2 Special hazards arising from the substance or mixture Dry chemical, foarn, carbon dioxide. Water (It may scatter and spread fire.) 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing to the surroundings. Keep containers cool by spraying with water. Eliminate all ign safe to do so. When extinguishing fire, be sure to wear personal protective equipment SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Deservan personal protective equipment (self-contained breathing apparatus). Keep p and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel controlled around the leakage area by roping off, etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Adhered or collected material in dry sand of viewer miss. Keep away from heat/sparks/open flame/sluta/sopen flame/subjeon-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage, including any incompatibilities Keep container tightly closed. Store in	and air-tight goggles.	
No data available SECTION 5: Firefighting media Suitable extinguishing media: Unsuitable extinguishing media: Unsuitable extinguishing media: Unsuitable extinguishing media: Unsuitable extinguishing media: Unsuitable extinguishing media: Unsuitable extinguishing media: S.3 Advice for firefighters Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.) 5.3 Advice for firefighters Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing ate to do so. When extinguishing fire, be sure to wear personal protective equipment safe to do so. When extinguishing fire, be sure to wear personal protective equipment and emergency procedures 6.1 Personal precautions, protective equipment and emergency procedures Use extra personal protective equipment (self-contained breathing apparatus). Keep p and upwind of spilleak. Ensure adequate ventilation. Entry to non-involved personnel controlled around the leakage area by roping off, etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Athered or collected mater prophylo disposed of in accordance with appropriate laws and requiations. Remove a ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-pre explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage,		
5.1 Extinguishing media: Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.) 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing to the surrounding situation is used. Uninvolved persons should evacuate to a safe pla fire in the surrounding situation is used. Uninvolved personal protective equipment safe to do so. When extinguishing fire, be sure to wear personal protective equipment equipment and emergency procedures 6.1 Personal precautions, protective equipment and emergency procedures Use extra personal protective equipment (self-contained breathing apparatus). Keep p and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel controlled around the leakage area by roping off, etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in dry sand or inert absorbent before recovering it into an airtig inton. Fire-extinguishing devices should be prepared in case of a fire. Use spark-pro explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. 7.1 Precautions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool, dark and well-ventiliated place. Store av incompatible materi		
Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Water (It may scatter and spread fire.) 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing r to the surrounding situation is used. Univolved persons should evacuate to a safe pla fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ign safe to do so. When extinguishing fire, be sure to wear personal protective equipment SECTION 6: Accidental release measures Extern personal protective equipment (self-contained breathing apparatus). Keep on and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel controlled around the leakage area by roping off, etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Adhered or collected mate promptly disposed of, in accordance with appropriate laws and regulations. Remove a ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-pro explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Mandling is performed in a well ventilated place. Wear suitable protective equipment.		
Unsuitable extinguishing media: Water (It may scatter and spread fire.) 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing r is the surrounding situation is used. Uninvolved persons should evacuate to a safe plat fire in the surrounding situation is used. Uninvolved persons should evacuate to a safe plat fire in the surrounding situation is used. Uninvolved personal protective equipment SECTION 6: Accidental release measures Use extra personal protective equipment (self-contained breathing apparatus). Keep on and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel controlled around the leakage area by roping off, etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Adhered or collected mate promptly disposed of, in accordance with appropriate laws and regulations. Remove a ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-procexplose or solve or mist. Keep away from heavy constances, or measures to prevent the law and regulations. Second explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. I generation of vapour or mist. Keep away from heav		
substance or mixture 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing rout to the surrounding situation is used. Uninvolved persons should evacuate to a safe pie fire in the surrounding: Keep containers cool by spraying with water. Eliminate all igni safe to do so. When extinguishing fire, be sure to wear personal protective equipment SECTION 6: Accidental release measures 6.1 Personal precautions, protective geuipment (self-contained breathing apparatus). Keep p and upwind of spilleage. Ensure adequate ventilation. Entry to non-involved personnel controlled around the leakage area by roping off, etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for contained breathing apparatus and cleaning up contained and cleaning up Absorb spilled material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Adhered or collected mate promptly disposed of, in accordance with appropriate laws and regulations. Remove a ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-prever explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. Fire-extinguishing devices should be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatible inaterials such as oxidizing agents. No further relevant information available. SECTION 8: Exposure co		
b to the surrounding situation is used. Uninvolved persons should evacuate to a safe pit fire in the surroundings: Keep containers cool by spraying with water. Eliminate all igni safe to do so. When extinguishing fire, be sure to wear personal protective equipment SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel controlled around the leakage area by roping off, etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for contained cleaning up Absorb spilled material in dry sand or inert absorbent before recovering it into an airtig rose of large amount of spillage, contain a spill by bunding. Adhered or collected mate promptly disposed of, in accordance with appropriate laws and regulations. Remove a ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-pro explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. If generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. A measures to prevent the build up of electrostatic charge. Use explosion-proof equipment and face thoroughly after handling. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store aw incompatibile materials such as oxidizing agents. 7.3 Specific end use(s)		
6.1 Personal precautions, protective Use extra personal protective equipment (self-contained breathing apparatus). Keep p equipment and emergency procedures Use extra personal protective equipment (self-contained breathing apparatus). Keep p 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for Absorb spilled material in dry sand or inert absorbent before recovering it into an airlig case of large amount of spillage, contain a spill by bunding. Adhered or collected material spiromptly disposed of, in accordance with appropriate laws and regulations. Remove a ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proexplosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. If generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaceshomeasures to prevent the build up of electorstic charge. Use explosion-proof equipment and face thoroughly after handling. Use a closed system if possible. Use a ventilation vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store aw incompatibile materials such as oxidizing agents. 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection 8.1 Control parameters <t< td=""><td>safe place. In case of e all ignition sources if</td></t<>	safe place. In case of e all ignition sources if	
6.1 Personal precautions, protective Use extra personal protective equipment (self-contained breathing apparatus). Keep p equipment and emergency procedures Use extra personal protective equipment (self-contained breathing apparatus). Keep p 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for Absorb spilled material in dry sand or inert absorbent before recovering it into an airlig case of large amount of spillage, contain a spill by bunding. Adhered or collected material spiromptly disposed of, in accordance with appropriate laws and regulations. Remove a ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proexplosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. If generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaceshomeasures to prevent the build up of electorstic charge. Use explosion-proof equipment and face thoroughly after handling. Use a closed system if possible. Use a ventilation vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store aw incompatibile materials such as oxidizing agents. 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection 8.1 Control parameters <t< td=""><td></td></t<>		
6.3 Methods and materials for containment and cleaning up Absorb spilled material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Adhered or collected material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Adhered or collected material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Adhered or collected material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Adhered or collected material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Adhered or collected material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Adhered or collected material in dry sand or inert absorbent before recovering it into an airtig case of large amount of spillage, contain a spill by bunding. Adhered or collected material in dry sand or inert absorbent before recovering it into an airtig in the atterial in dry sand or inert absorbent before recovering it into an airtig are by the atterial in dry sand or inert absorbent before recovering it into an airtig is performed in a accordance with appropriate laws and regulations. Remove a ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proceexplosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. If generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. Nemeasures t		
containment and cleaning upcase of large amount of spillage, contain a spill by bunding. Adhered or collected mater promptly disposed of, in accordance with appropriate laws and regulations. Remove a ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-pro- explosion-proof equipment.6.4 Reference to other sectionsFor disposal see section 13.SECTION 7: Handling and storageHandling is performed in a well ventilated place. Wear suitable protective equipment. I generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesN measures to prevent the build up of electrostatic charge. Use explosion-proof equipme and face thoroughly after handling. Use a closed system if possible. Use a ventilation vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool, dark and well-ventilated place. Store aw incompatible materials such as oxidizing agents.7.3 Specific end use(s)No further relevant information available.SECTION 8: Exposure controls/personal protection 8.1 Control parametersNo data available8.2 Exposure controlsInstall a closed system or local exhaust. Also install safety shower and eye bath.		
SECTION 7: Handling and storage 7.1 Precautions for safe handling Handling is performed in a well ventilated place. Wear suitable protective equipment. Figure and face thoroughly after handling. Use a closed system if possible. Use a ventilation vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store av incompatibilities 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection No data available 8.1 Control parameters No data available 8.2 Exposure controls Install a closed system or local exhaust. Also install safety shower and eye bath.	ted material should be emove all sources of	
7.1 Precautions for safe handlingHandling is performed in a well ventilated place. Wear suitable protective equipment. F generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesN measures to prevent the build up of electrostatic charge. Use explosion-proof equipment and face thoroughly after handling. Use a closed system if possible. Use a ventilation vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool, dark and well-ventilated place. Store aw incompatible materials such as oxidizing agents.7.3 Specific end use(s)No further relevant information available.SECTION 8: Exposure controls/personal protection 8.1 Control parametersNo data available8.2 Exposure controlsInstall a closed system or local exhaust. Also install safety shower and eye bath.		
7.1 Precautions for safe handlingHandling is performed in a well ventilated place. Wear suitable protective equipment. F generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesN measures to prevent the build up of electrostatic charge. Use explosion-proof equipment and face thoroughly after handling. Use a closed system if possible. Use a ventilation vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool, dark and well-ventilated place. Store aw incompatible materials such as oxidizing agents.7.3 Specific end use(s)No further relevant information available.SECTION 8: Exposure controls/personal protection 8.1 Control parametersNo data available8.2 Exposure controlsInstall a closed system or local exhaust. Also install safety shower and eye bath.		
including any incompatibilities incompatible materials such as oxidizing agents. 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection 8.1 Control parameters No data available 8.2 Exposure controls Install a closed system or local exhaust. Also install safety shower and eye bath.	acesNo smoking. Take equipment. Wash hands ntilation, local exhaust if	
SECTION 8: Exposure controls/personal protection 8.1 Control parameters No data available 8.2 Exposure controls Install a closed system or local exhaust. Also install safety shower and eye bath.	Store away from	
8.1 Control parameters No data available 8.2 Exposure controls Install a closed system or local exhaust. Also install safety shower and eye bath.		
8.1 Control parameters No data available 8.2 Exposure controls Install a closed system or local exhaust. Also install safety shower and eye bath.]	
]	
Reprint protection	th.	
Respiratory protection:Vapor respirator. Follow local and national regulations.Hand protection:Protective gloves.Eye protection:Safety glasses. A face-shield, if the situation requires.Skin and body protection:Protective clothing. Protective boots, if the situation requires.		

o-Cymene

Page 2 of 5

C0799

SECTION 9: Physical and chemical properties		
9.1 Information on basic physical and cl		
Physical state (20°C):	Liquid	
Form:	Clear	
Colour:	Colorless - Almost colorless	
Odour:	No data available	
pH:	No data available	
Melting point/freezing point:	No data available	
Boiling point/range:	178°C	
Flash point:	50°C	
Evaporation rate(Butyl Acetate=1):	No data available	
Flammability(solid, gas):	No data available	
Flammability or explosive limits:		
Lower:	0.8%	
Upper:	No data available	
Vapour pressure:	No data available.	
Vapour density:	No data available	
Relative density:	0.88	
Solubility(ies):		
[Water]	Insoluble	
[Other solvents]		
Miscible:	Organic solvents	
Partition coefficient:	No data available	
n-octanol/water:		
Autoignition temperature:	No data available	
Decomposition temperature:	No data available	
Dynamic Viscosity:	No data available	
Kinematic viscosity:	No data available	
9.2 Other safety information	No data available	

9.2 Other safety information

SECTION 10: Stability and reactivity	
10.1 Reactivity	No data available
10.2 Chemical stability	Stable under proper conditions.
10.3 Possibility of hazardous reactions	No special reactivity has been reported.
10.4 Conditions to avoid	Spark, Open flame, Static discharge
10.5 Incompatible materials	Oxidizing agents

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological information 11.1 Information on toxicological effects

1.1 Information on toxicological effects	
Acute Toxicity:	orl-mus LD50:2024 mg/kg
	orl-rat LD50:2130 mg/kg
Skin corrosion/irritation:	No data available
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available
RTECS Number:	DA6127300

SECTION 12: Ecological informat	ion
12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	0 % (by BOD) , 2 % (by GC)
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assess	ment
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available
SECTION 13: Disposal considerat	tions
13.1 Waste treatment methods	
	sult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an
afterburner and scrubber system. O	bserve all federal, state and local regulations when disposing of the substance.
SECTION 14: Transport information	on
14.1 UN number	2046
14.2 UN proper shipping name	
ADR/RID	Cymenes
IMDG/IMO	Cymenes
ICAO/IATA	Cymenes
14.3 Transport hazard class(es)	
ADR/RID	3: Flammable liquid
IMDG/IMO	3: Flammable liquid
ICAO/IATA	3: Flammable liquid
14.4 Packaging group	
ADR/RID	
IMDG/IMO	
ICAO/IATA	

14.6 Special precautions for user	

14.5 Environmental hazards Marine pollutant

No data available

Υ

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	10/02/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet