TCI EUROPE N.V.

G

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

•	Revision number: 1	Revision date: 10/02/201		
	e substance/mixture and of the company/underta	king		
.1 Product identifiers				
Product name: Chlorodimethylvinylsilane				
Product code:	C1208			
.2 Relevant identified uses of the s Identified uses:	ubstance or mixture and uses advised against Reagents.			
.3 Details of the supplier of the safe	ety data sheet			
TCI EUROPE N.V. Boerenveldseweg 6				
Haven 1063				
B-2070 Zwijndrecht				
Telephone: +32(0)3 735 07	00			
E-mail: sales-eu@tcichemic	cals.com			
4 Emergency telephone number:	+32(0)70 245 245			
SECTION 2: Hazards identificat				
.1 Classification of the substance of				
Flammable liquids	Category 2			
Corrosive to metals	Category 1			
Skin corrosion/irritation Serious eye damage/eye irritatio 2 Label elements Pictograms or hazard symbols	category 1B con Category 1			
Serious eye damage/eye irritatio				
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols	on Category 1			
Serious eye damage/eye irritatio	on Category 1 Danger			
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals.			
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word	on Category 1 Danger H225-Highly flammable liquid and vapour.			
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists.			
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P301+P330+P331+P310-IF SWALLOWED: Rinse m	nouth. Do NOT induce vomiting. Immediately call		
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P301+P330+P331+P310-IF SWALLOWED: Rinse m POISON CENTER or doctor.			
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P301+P330+P331+P310-IF SWALLOWED: Rinse m POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated clothing		
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P301+P330+P331+P310-IF SWALLOWED: Rinse m POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair Rinse skin with water or shower. Immediately call a l): Take off immediately all contaminated clothing		
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P301+P330+P331+P310-IF SWALLOWED: Rinse m POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair Rinse skin with water or shower. Immediately call a l clothing before reuse.): Take off immediately all contaminated clothing POISON CENTER or doctor. Wash contaminated		
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P301+P330+P331+P310-IF SWALLOWED: Rinse m POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair Rinse skin with water or shower. Immediately call a l clothing before reuse. P304+P340+P310-IF INHALED: Remove person to): Take off immediately all contaminated clothing. POISON CENTER or doctor. Wash contaminated		
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P301+P330+P331+P310-IF SWALLOWED: Rinse m POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair Rinse skin with water or shower. Immediately call a I clothing before reuse. P304+P340+P310-IF INHALED: Remove person to Immediately call a POISON CENTER or doctor.): Take off immediately all contaminated clothing. POISON CENTER or doctor. Wash contaminated fresh air and keep comfortable for breathing.		
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P301+P330+P331+P310-IF SWALLOWED: Rinse m POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair Rinse skin with water or shower. Immediately call a I clothing before reuse. P304+P340+P310-IF INHALED: Remove person to Immediately call a POISON CENTER or doctor. P305+P351+P338+P310-IF IN EYES: Rinse cautiou lenses, if present and easy to do. Continue rinsing. I): Take off immediately all contaminated clothing POISON CENTER or doctor. Wash contaminated fresh air and keep comfortable for breathing. Isly with water for several minutes. Remove conta mmediately call a POISON CENTER or doctor.		
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P301+P330+P331+P310-IF SWALLOWED: Rinse m POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair Rinse skin with water or shower. Immediately call a I clothing before reuse. P304+P340+P310-IF INHALED: Remove person to Immediately call a POISON CENTER or doctor. P305+P351+P338+P310-IF IN EYES: Rinse cautiou): Take off immediately all contaminated clothing. POISON CENTER or doctor. Wash contaminated fresh air and keep comfortable for breathing. Isly with water for several minutes. Remove conta mmediately call a POISON CENTER or doctor.		
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P301+P330+P331+P310-IF SWALLOWED: Rinse m POISON CENTER or doctor. P303+P361+P353+P310+IF SWALLOWED: Rinse m POISON CENTER or doctor. P303+P361+P353+P310+IF SWALLOWED: all a l clothing before reuse. P304+P340+P310-IF INHALED: Remove person to Immediately call a POISON CENTER or doctor. P305+P351+P338+P310-IF IN EYES: Rinse cautiou lenses, if present and easy to do. Continue rinsing. I P370+P378-In case of fire: Use dry chemical or dry set): Take off immediately all contaminated clothing POISON CENTER or doctor. Wash contaminated fresh air and keep comfortable for breathing. Isly with water for several minutes. Remove conta mmediately call a POISON CENTER or doctor.		
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 3 Other hazards	Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P301+P330+P331+P310-IF SWALLOWED: Rinse m POISON CENTER or doctor. P303+P361+P353+P310+IF SWALLOWED: Rinse m POISON CENTER or doctor. P303+P361+P353+P310+IF SWALLOWED: all a l clothing before reuse. P304+P340+P310-IF INHALED: Remove person to Immediately call a POISON CENTER or doctor. P305+P351+P338+P310-IF IN EYES: Rinse cautiou lenses, if present and easy to do. Continue rinsing. I P370+P378-In case of fire: Use dry chemical or dry set): Take off immediately all contaminated clothing. POISON CENTER or doctor. Wash contaminated fresh air and keep comfortable for breathing. Isly with water for several minutes. Remove conta mmediately call a POISON CENTER or doctor.		

SECTION 3: Composition/information on ingredients

3.1 Substances	
Components:	Chlorodimethylvinylsilane
Percent:	>97.0%(GC)
CAS RN:	1719-58-0
EC-No:	217-007-1
Synonyms:	Dimethylvinylchlorosilane, DMVS-Cl
Chemical Formula:	C4H9CISi

SECTION 4: First aid measures 4.1 Description of first aid measures Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician. Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Ingestion: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles. 4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures			
5.1 Extinguishing media			
Suitable extinguishing media:	Dry chemical, carbon dioxide.		
Unsuitable extinguishing media:	Water		
onsultable extinguishing media.	Water		
5.2 Special hazards arising from the	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fum		
substance or mixture	Carbon dioxide, Carbon monoxide, Hydrogen chloride, Silicon oxides		
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according		
5.5 Advice for menginers	to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of		
	o i i		
	fire in the surroundings: Keep containers cool by spraying with water but NO direct contact with water.		
	Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal		
	protective equipment		
SECTION 6: Accidental release mea			
6.1 Personal precautions, protective	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from		
equipment and emergency procedures	and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be		
	controlled around the leakage area by roping off, etc		
6.2 Environmental precautions	Prevent product from entering drains		
6.3 Methods and materials for	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In		

6.3 Methods and materials for containment and cleaning up Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Do not allow contact with water. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage			
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Ta measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hand and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. May develop pressure. Open carefully. Use corrosive resistant equipment.		
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents. Moisture-sensitive		
7.3 Specific end use(s)	No further relevant information available.		
SECTION 8: Exposure controls/per	sonal protection		
8.1 Control parameters	No data available		
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.		
Respiratory protection: Hand protection: Eye protection: Skin and body protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, et Use respirators approved under appropriate government standards and follow local and national regulations. Impervious gloves. Safety goggles. A face-shield, if the situation requires. Impervious protective clothing. Protective boots, if the situation requires.		
· · · · · · · · · · · · · · · · · · ·			

SECTION 9: Physical and chemical properties				
9.1 Information on basic physical and chemical properties				
Physical state (20°C):	Liquid			
Form:	Clear			
Colour:	Colorless - Pale reddish yellow			
Odour:	No data available			
pH:	No data available			
Melting point/freezing point:	No data available			
Boiling point/range:	82°C			
Flash point:	-6°C			
Evaporation rate(Butyl Acetate=1):	No data available			
Flammability(solid, gas):	No data available			
Flammability or explosive limits:				
Lower:	1.6%			
Upper:	No data available			
Vapour pressure:	No data available.			
Vapour density:	No data available			
Relative density:	0.89			
Solubility(ies):				
[Water]	No data available			
[Other solvents]	No data available			
Partition coefficient:	No data available			
n-octanol/water:				
Autoignition temperature:	No data available			
Decomposition temperature:	No data available			
Dynamic Viscosity:	No data available			
Kinematic viscosity:	No data available			
9.2 Other safety information	No data available			

SECTION 10: Stability and reactivity		
10.1 Reactivity	No data available	
10.2 Chemical stability	Stable under proper conditions.	
10.3 Possibility of hazardous reactions	Decomposes in contact with water and liberates toxic gases.	
10.4 Conditions to avoid	Spark, Open flame, Static discharge, Moisture	
10.5 Incompatible materials	Oxidizing agents	

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide, Hydrogen chloride, Silicon oxides

SECTION 11: Toxicological information 11.1 Information on toxicological effects Acute Toxicity: No data available Skin corrosion/irritation: No data available No data available Serious eye damage/irritation: No data available Respiratory or skin sensitization: No data available Germ cell mutagenicity: Carcinogenicity: IARC = No data available NTP = No data available **Reproductive toxicity:** No data available No data available STOT-single exposure: STOT-repeated exposure: No data available Aspiration hazard: No data available SECTION 12: Ecological information 12.1 Toxicity Fish: No data available Crustacea: No data available No data available Algae: No data available 12.2 Persistence and degradability 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available Log Pow: Soil adsorption (Koc): No data available Henry's Law (PaM 3/mol): No data available 12.5 Results of PBT and vPvB assessment Not applicable PBT: vPvB: Not applicable 12.6 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material is highly flammable. Observe all federal, state and local regulations when disposing of the substance

SECTION 14: Transport information	ion				
14.1 UN number	2985				
14.2 UN proper shipping name					
ADR/RID		Chlorosilanes, flammable, corrosive, n.o.s			
	IMDG/IMO Chlorosilanes, flammable, corrosive, n.o.s				
ICAO/IATA Chlorosilanes, flammable, corrosive, n.o.s					
14.3 Transport hazard class(es)					
ADR/RID	3: Flammable liquid				
Subsidiary risk:	8: Corrosive.				
IMDG/IMO	3: Flammable liquid				
Subsidiary risk:	8: Corrosive.				
ICAO/IATA	3: Flammable liquid				
Subsidiary risk:	8: Corrosive.				
14.4 Packaging group					
ADR/RID	П				
IMDG/IMO	П				
ICAO/IATA					
14.5 Environmental hazards					
Marine pollutant	-				
14.6 Special precautions for user	No data available				
SECTION 15: Regulatory informa					
15.1 Safety, health and environmenta	I regulations/legislation spe				
Water Hazard Classes (WGK) :		Class 1 - Low hazard to waters			
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No.1907/2006		Not listed			
,	1/2000				
15.2 Chemical safety assessment		A chemical safety assessment has not been carried out.			
SECTION 16: Other information					
Prepared by:	TCI EUROPE N.V.				
Issue date:	10/02/2018				
This SDS was prepared sincerely on the	e basis of the information we c	ould obtained, however, any warranty shall not be given regarding the data			
		lease investigate not only the hazards and toxicity information but also the			

laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet