TCI EUROPE N.V.

G

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

| R | evision number: 1 | Revision date: 10/02/201 |
|--|---|---|
| SECTION 1: Identification of the substance/mixture and of the company/undertaking | | |
| .1 Product identifiers | | |
| Product name: | 2-Chloro-5-fluorobenzyl Bromide | |
| Product code: | C2359 | |
| .2 Relevant identified uses of the so Identified uses: | ubstance or mixture and uses advised against Reagents. | |
| .3 Details of the supplier of the safe | ety data sheet | |
| Supplier: | | |
| TCI EUROPE N.V. | | |
| Boerenveldseweg 6 | | |
| Haven 1063 | | |
| B-2070 Zwijndrecht Telephone: +32(0)3 735 07 | 00 | |
| E-mail: sales-eu@tcichemic | | |
| .4 Emergency telephone number: | +32(0)70 245 245 | |
| SECTION 2: Hazards identificati | ion | |
| 1 Classification of the substance of | | |
| Flammable liquids | Category 2 | |
| Corrosive to metals | Category 1 | |
| | | |
| Skin corrosion/irritation Serious eye damage/eye irritatio | category 1B Category 1 | |
| Serious eye damage/eye irritatio | | |
| Serious eye damage/eye irritatio | | |
| Serious eye damage/eye irritatio | | |
| Serious eye damage/eye irritation. 2 Label elements Pictograms or hazard symbols | | |
| Serious eye damage/eye irritation. 2 Label elements Pictograms or hazard symbols | on Category 1 | |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word | Danger | |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols | Danger H225-Highly flammable liquid and vapour. | |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. | |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word | Danger H225-Highly flammable liquid and vapour. | |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. | tection. |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. | |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P280-Wear protective gloves, protective clothing, face prot P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. | Do NOT induce vomiting. Immediately call |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P280-Wear protective gloves, protective clothing, face prof P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take | Do NOT induce vomiting. Immediately call e off immediately all contaminated clothing |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P280-Wear protective gloves, protective clothing, face prof P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take Rinse skin with water or shower. Immediately call a POISO | Do NOT induce vomiting. Immediately call e off immediately all contaminated clothing. |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P280-Wear protective gloves, protective clothing, face prot P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Takk Rinse skin with water or shower. Immediately call a POISO clothing before reuse. | Do NOT induce vomiting. Immediately call e off immediately all contaminated clothing. DN CENTER or doctor. Wash contaminated |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P280-Wear protective gloves, protective clothing, face prot P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310-IF SWALLOWED: Rinse mouth. Rinse skin with water or shower. Immediately call a POISO clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh a | Do NOT induce vomiting. Immediately call e off immediately all contaminated clothing. DN CENTER or doctor. Wash contaminated |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P280-Wear protective gloves, protective clothing, face prot P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take Rinse skin with water or shower. Immediately call a POISO clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh a Immediately call a POISON CENTER or doctor. | Do NOT induce vomiting. Immediately call e off immediately all contaminated clothing. DN CENTER or doctor. Wash contaminated air and keep comfortable for breathing. |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P280-Wear protective gloves, protective clothing, face prot P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Takk Rinse skin with water or shower. Immediately call a POISO clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh a Immediately call a POISON CENTER or doctor. P305+P351+P338+P310-IF IN EYES: Rinse cautiously with | Do NOT induce vomiting. Immediately call e off immediately all contaminated clothing. DN CENTER or doctor. Wash contaminated air and keep comfortable for breathing. th water for several minutes. Remove conta |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P280-Wear protective gloves, protective clothing, face prot P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take Rinse skin with water or shower. Immediately call a POISO clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh a Immediately call a POISON CENTER or doctor. | Do NOT induce vomiting. Immediately call e off immediately all contaminated clothing DN CENTER or doctor. Wash contaminated air and keep comfortable for breathing. th water for several minutes. Remove conta |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P280-Wear protective gloves, protective clothing, face prot P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310+IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Takk Rinse skin with water or shower. Immediately call a POISO clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh a Immediately call a POISON CENTER or doctor. P305+P351+P338+P310-IF IN EYES: Rinse cautiously wit lenses, if present and easy to do. Continue rinsing. Immediately | Do NOT induce vomiting. Immediately call e off immediately all contaminated clothing DN CENTER or doctor. Wash contaminated air and keep comfortable for breathing. th water for several minutes. Remove conta |
| Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 3 Other hazards | Danger H225-Highly flammable liquid and vapour. H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage. P260-Do not breathe dusts or mists. P280-Wear protective gloves, protective clothing, face prot P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310+IF SWALLOWED: Rinse mouth. POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Takk Rinse skin with water or shower. Immediately call a POISO clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh a Immediately call a POISON CENTER or doctor. P305+P351+P338+P310-IF IN EYES: Rinse cautiously wit lenses, if present and easy to do. Continue rinsing. Immediately | Do NOT induce vomiting. Immediately call e off immediately all contaminated clothing. DN CENTER or doctor. Wash contaminated air and keep comfortable for breathing. th water for several minutes. Remove conta |

SECTION 3: Composition/information on ingredients

| 3.1 Substances | |
|-------------------|--|
| Components: | 2-Chloro-5-fluorobenzyl Bromide |
| Percent: | >96.0%(GC) |
| CAS RN: | 81778-09-8 |
| Synonyms: | 1-(Bromomethyl)-2-chloro-5-fluorobenzene |
| Chemical Formula: | C7H₅BrClF |
| | |

SECTION 4: First aid measures

| 4.1 Description of first aid measures | |
|---------------------------------------|--|
| Inhalation: | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. |
| Skin contact: | Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician. |
| Eye contact: | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician. |
| Ingestion: | Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. |
| Protection of first-aiders: | A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles. |

4.2 Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

| SECTION 5: Firefighting measures | |
|---|---|
| 5.1 Extinguishing media Suitable extinguishing media: Unsuitable extinguishing media: | Dry chemical, foam, water spray, carbon dioxide. Solid streams of water |
| 5.2 Special hazards arising from the substance or mixture | Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume. Carbon dioxide, Carbon monoxide, Hydrogen fluoride, Hydrogen chloride, Hydrogen bromide |
| 5.3 Advice for firefighters | Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment |
| SECTION 6: Accidental release mea | asures |
| 6.1 Personal precautions, protective equipment and emergency procedures | Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc |
| 6.2 Environmental precautions | Prevent product from entering drains |
| 6.3 Methods and materials for containment and cleaning up | Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. |
| 6.4 Reference to other sections | For disposal see section 13. |
| SECTION 7: Handling and storage | |
| 7.1 Precautions for safe handling | Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. May develop pressure. Open carefully. Use corrosive resistant equipment. |
| 7.2 Conditions for safe storage, including any incompatibilities | Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store locked up. Store away from incompatible materials such as oxidizing agents. |
| 7.3 Specific end use(s) | No further relevant information available. |
| | |

| SECTION 8: Exposure controls/personal protection | | |
|--|--|--|
| 8.1 Control parameters | No data available | |
| 8.2 Exposure controls | Install a closed system or local exhaust. Also install safety shower and eye bath. | |
| Respiratory protection: | Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations. | |
| Hand protection: | Impervious gloves. | |
| Eye protection: | Safety goggles. A face-shield, if the situation requires. | |
| Skin and body protection: | Impervious protective clothing. Protective boots, if the situation requires. | |

| OF OTION OF DU L | | |
|---------------------|--------------|--------------|
| SECTION 9: Physical | and chemical | l properties |

| SECTION 9. Physical and chemical properties | | |
|---|--------------------|--|
| 9.1 Information on basic physical and chemical properties | | |
| Physical state (20°C): | Liquid | |
| Form: | Clear | |
| Colour: | Colorless - Yellow | |
| Odour: | No data available | |
| pH: | No data available | |
| Melting point/freezing point: | No data available | |
| Boiling point/range: | 66°C /0.3kPa | |
| Flash point: | 18°C | |
| Evaporation rate(Butyl Acetate=1): | No data available | |
| Flammability(solid, gas): | No data available | |
| Flammability or explosive limits: | | |
| Lower: | No data available | |
| Upper: | No data available | |
| Vapour pressure: | No data available. | |
| Vapour density: | No data available | |
| Relative density: | 1.67 | |
| Solubility(ies): | | |
| [Water] | No data available | |
| [Other solvents] | No data available | |
| Partition coefficient: | No data available | |
| n-octanol/water: | | |
| Autoignition temperature: | No data available | |
| Decomposition temperature: | No data available | |
| Dynamic Viscosity: | No data available | |
| Kinematic viscosity: | No data available | |
| 9.2 Other safety information | No data available | |

| SECTION 10: Stability and reactivity | |
|---|--|
| 10.1 Reactivity | No data available |
| 10.2 Chemical stability | Stable under proper conditions. |
| 10.3 Possibility of hazardous reactions | No special reactivity has been reported. |
| 10.4 Conditions to avoid | Spark, Open flame, Static discharge |
| 10.5 Incompatible materials | Oxidizing agents |

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide, Hydrogen fluoride, Hydrogen chloride, Hydrogen bromide

SECTION 11: Toxicological information 1

| 1.1 Information on toxicological effects | |
|--|-------------------|
| Acute Toxicity: | No data available |
| Skin corrosion/irritation: | No data available |
| Serious eye damage/irritation: | No data available |
| Respiratory or skin sensitization: | No data available |
| Germ cell mutagenicity: | No data available |
| Carcinogenicity: | |
| IARC = | No data available |
| NTP = | No data available |
| Reproductive toxicity: | No data available |
| STOT-single exposure: | No data available |
| STOT-repeated exposure: | No data available |
| Aspiration hazard: | No data available |
| | |

SECTION 12: Ecological information

| 12.1 Toxicity | |
|---|-------------------|
| Fish: | No data available |
| Crustacea: | No data available |
| Algae: | No data available |
| 12.2 Persistence and degradability | No data available |
| 12.3 Bioaccumulative potential | No data available |
| 12.4 Mobility in soil | |
| Log Pow: | No data available |
| Soil adsorption (Koc): | No data available |
| Henry's Law (PaM ³ /mol): | No data available |
| 12.5 Results of PBT and vPvB assessme PBT: | |
| | Not applicable |
| vPvB: | Not applicable |
| 12.6 Other adverse effects | No data available |

12.6 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material is highly flammable. Observe all federal, state and local regulations when disposing of the substance

| SECTION 14: Transport information | |
|-----------------------------------|------------------------------------|
| 14.1 UN number | 2924 |
| 14.2 UN proper shipping name | |
| ADR/RID | Flammable liquid, corrosive, n.o.s |
| IMDG/IMO | Flammable liquid, corrosive, n.o.s |
| ICAO/IATA | Flammable liquid, corrosive, n.o.s |
| 14.3 Transport hazard class(es) | |
| ADR/RID | 3: Flammable liquid |
| Subsidiary risk: | 8: Corrosive. |
| IMDG/IMO | 3: Flammable liquid |
| Subsidiary risk: | 8: Corrosive. |
| ICAO/IATA | 3: Flammable liquid |
| Subsidiary risk: | 8: Corrosive. |
| 14.4 Packaging group | |
| ADR/RID | II |
| IMDG/IMO | II |
| ICAO/IATA | II |
| 14.5 Environmental hazards | |
| Marine pollutant | - |
| 14.6 Special precautions for user | No data available |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

| SECTION 16: Other information | |
|-------------------------------|-----------------|
| Prepared by: | TCI EUROPE N.V. |
| Issue date: | 10/02/2018 |

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet