SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

F	evision number: 1	Revision date: 10	02/201
SECTION 1: Identification of the	substance/mixture and	of the company/undertaking	
1.1 Product identifiers	_		
Product name:	1-Decyne		
Product code:	D0037		
1.2 Relevant identified uses of the s Identified uses:	ubstance or mixture and us Reagents.	es advised against	
I.3 Details of the supplier of the saf	ety data sheet		
Supplier:	-		
TCI EUROPE N.V.			
Boerenveldseweg 6			
Haven 1063			
B-2070 Zwijndrecht			
Telephone: +32(0)3 735 07 E-mail: sales-eu@tcichemi			
E-mail: sales-eu@tcichemi	als.com		
.4 Emergency telephone number:	+32(0)70 245 245		
SECTION 2: Hazards identificat			
.1 Classification of the substance	or mixture		
Flammable liquids		Category 3	
Skin corrosion/irritation		Category 2	
Serious eye damage/eye irritati			
	on	Category 2	
Aspiration hazard	on	Category 1	
Aspiration hazard Long-term aquatic hazard 2.2 Label elements	'n		
Aspiration hazard Long-term aquatic hazard	on	Category 1	
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols		Category 1	
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols	Danger	Category 1 Category 2	
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols		Category 1 Category 2 and vapour.	
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols	Danger H226-Flammable liquid	Category 1 Category 2 and vapour. titon.	
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw	Category 1 Category 2 and vapour. tition. aye irritation. vallowed and enters airways.	
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li	Category 1 Category 2 and vapour. titon. eye irritation. vallowed and enters airways. ife with long lasting effects.	
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from h	Category 1 Category 2 and vapour. ition. eye irritation. aye irritation. aye irritation. aye irritation. ife with long lasting effects. heat/sparks/open flames/hot surfaces No smoking.	
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from h P280-Wear protective g	Category 1 Category 2 and vapour. titon. eye irritation. // vallowed and enters airways. ife with long lasting effects. heat/sparks/open flames/hot surfaces No smoking. gloves, eye protection.	4
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from h P280-Wear protective g P301+P310+P331-IF S	Category 1 Category 2 and vapour. ition. eye irritation. aye irritation. aye irritation. aye irritation. ife with long lasting effects. heat/sparks/open flames/hot surfaces No smoking.	- induce
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from H P280-Wear protective g P301+P310+P331-IF S vomiting.	Category 1 Category 2 and vapour. tion. eye irritation. vallowed and enters airways. ife with long lasting effects. heat/sparks/open flames/hot surfaces No smoking. Joves, eye protection.	
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from H P280-Wear protective g P301+P310+P331-IF S vomiting. P302+P352+P332+P31	Category 1 Category 2 and vapour. ttion. eye irritation. vallowed and enters airways. ife with long lasting effects. heat/sparks/open flames/hot surfaces No smoking. Joves, eye protection. WALLOWED: Immediately call a POISON CENTER or doctor. Do NOT 13+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation	
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from H P280-Wear protective g P301+P310+P331-IF S vomiting. P302+P352+P332+P31 Get medical advice or a	Category 1 Category 2 and vapour. ttion. eye irritation. vallowed and enters airways. ife with long lasting effects. heat/sparks/open flames/hot surfaces No smoking. Joves, eye protection. WALLOWED: Immediately call a POISON CENTER or doctor. Do NOT 13+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation attention. Take off contaminated clothing and wash it before reuse.	occurs
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from H P280-Wear protective g P301+P310+P331-IF S vomiting. P302+P352+P332+P31 Get medical advice or a P305+P351+P338+P33	Category 1 Category 2 and vapour. ttion. eye irritation. vallowed and enters airways. ife with long lasting effects. heat/sparks/open flames/hot surfaces No smoking. Joves, eye protection. WALLOWED: Immediately call a POISON CENTER or doctor. Do NOT 13+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation	occurs Remove
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from H P280-Wear protective g P301+P310+P331-IF S vomiting. P302+P352+P332+P31 Get medical advice or a P305+P351+P338+P33	Category 1 Category 2 and vapour. ttion. eye irritation. vallowed and enters airways. ife with long lasting effects. heat/sparks/open flames/hot surfaces No smoking. gloves, eye protection. WALLOWED: Immediately call a POISON CENTER or doctor. Do NOT 13+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation attention. Take off contaminated clothing and wash it before reuse. 87+P313-IF IN EYES: Rinse cautiously with water for several minutes. F	occurs Remove
Aspiration hazard Long-term aquatic hazard 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from H P280-Wear protective g P301+P310+P331-IF S vomiting. P302+P352+P332+P31 Get medical advice or a P305+P351+P338+P33 contact lenses, if preser or attention.	Category 1 Category 2 and vapour. ttion. eye irritation. vallowed and enters airways. ife with long lasting effects. heat/sparks/open flames/hot surfaces No smoking. gloves, eye protection. WALLOWED: Immediately call a POISON CENTER or doctor. Do NOT 13+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation attention. Take off contaminated clothing and wash it before reuse. 87+P313-IF IN EYES: Rinse cautiously with water for several minutes. F	occurs Remove
Aspiration hazard Long-term aquatic hazard 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 3 Other hazards	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from H P280-Wear protective g P301+P310+P331-IF S vomiting. P302+P352+P332+P31 Get medical advice or a P305+P351+P338+P33 contact lenses, if preset or attention. P370+P378-In case of f	Category 1 Category 2	occurs: Remove
Aspiration hazard Long-term aquatic hazard 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 3 Other hazards Results of PBT and vPvB assess	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from H P280-Wear protective g P301+P310+P331-IF S vomiting. P302+P352+P332+P31 Get medical advice or a P305+P351+P338+P33 contact lenses, if preser or attention. P370+P378-In case of f	Category 1 Category 2	occurs Remove
Aspiration hazard Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Danger H226-Flammable liquid H315-Causes skin irrita H319-Causes serious e H304-May be fatal if sw H411-Toxic to aquatic li P210-Keep away from H P280-Wear protective g P301+P310+P331-IF S vomiting. P302+P352+P332+P31 Get medical advice or a P305+P351+P338+P33 contact lenses, if preset or attention. P370+P378-In case of f	Category 1 Category 2	occurs: Remove

G

SECTION 3: Composition/information on ingredients

3.1 Substances	
Components:	1-Decyne
Percent:	>95.0%(GC)
CAS RN:	764-93-2
EC-No:	212-132-8
Chemical Formula:	C10H18

SECTION 4: First aid measures	
4.1 Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

4.2 Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing media:	Dry chemical, foam, carbon dioxide.
Unsuitable extinguishing media:	Water (It may scatter and spread fire.)
5.2 Special hazards arising from the substance or mixture	Carbon dioxide, Carbon monoxide
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment
SECTION 6: Accidental release mea	asures
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc
6.2 Environmental precautions	Be careful not to let it flow into rivers, etc., since adverse effects on the environment are concerned
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
6.4 Reference to other sections	For disposal see section 13.
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store locked up. Store away from incompatible materials such as oxidizing agents.
7.3 Specific end use(s)	No further relevant information available.

SECTION 8: Exposure controls/personal protection		
8.1 Control parameters	No data available	
8.2 Exposure controls Install a closed system or local exhaust. Also install safety shower and eye bath.		
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.	
Hand protection: Impervious gloves.		
Eye protection: Safety goggles. A face-shield, if the situation requires.		
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.	

SECTION 9	Physical	and chemical	nroperties

9.1 Information on basic physical and cl	nemical properties
Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless - Very pale yellow
Odour:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Boiling point/range:	174°C
Flash point:	50°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	No data available.
Vapour density:	No data available
Relative density:	0.77
Solubility(ies):	
[Water]	No data available
[Other solvents]	No data available
Partition coefficient:	No data available
n-octanol/water:	
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
9.2 Other safety information	No data available

SECTION 10: Stability	/ and reactivity
-----------------------	------------------

10.1 Reactivity	No data available
10.2 Chemical stability	Stable under proper conditions.
10.3 Possibility of hazardous reactions	No special reactivity has been reported.
10.4 Conditions to avoid	Spark, Open flame, Static discharge
10.5 Incompatible materials	Oxidizing agents

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological information 1

11.1 Information on toxicological effects	
Acute Toxicity:	No data available
Skin corrosion/irritation:	No data available
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available

SECTION 12: Ecological information

12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³ /mol):	No data available
12.5 Results of PBT and vPvB assessme	
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available

12.6 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

SECTION 14: Transport information

14.1 UN number	3295
14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA	Hydrocarbons, liquid, n.o.s Hydrocarbons, liquid, n.o.s Hydrocarbons, liquid, n.o.s
14.3 Transport hazard class(es) ADR/RID IMDG/IMO ICAO/IATA	3: Flammable liquid 3: Flammable liquid 3: Flammable liquid
14.4 Packaging group ADR/RID IMDG/IMO ICAO/IATA	
14.5 Environmental hazards Marine pollutant	Y
14.6 Special precautions for user	No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	10/02/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet