**CI** TCI EUROPE N.V.

## SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Ke.	vision number: 1 Revision date: 10/02/201
SECTION 1: Identification of the s	substance/mixture and of the company/undertaking
1.1 Product identifiers	
Product name:	trans-1,2-Dichloroethylene (stabilized with MEHQ)
Product code:	D0368
2 Relevant identified uses of the sub Identified uses:	ostance or mixture and uses advised against Reagents.
.3 Details of the supplier of the safet	y data sheet
Supplier: TCI EUROPE N.V.	
Boerenveldseweg 6	
Haven 1063	
B-2070 Zwijndrecht	
Telephone: +32(0)3 735 07 0	
E-mail: sales-eu@tcichemical	ls.com
.4 Emergency telephone number:	+32(0)70 245 245
SECTION 2: Hazards identificatio	
2.1 Classification of the substance or Flammable liquids	mixture Category 2
Acute toxicity (Inhalation)	Category 4
Long-term aquatic hazard	Category 3
Long-term aquatic hazard	Category 5
Signal word Hazard statements Precautionary statements	Danger H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call
Hazard statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H332-Harmful if inhaled.</li> <li>H412-Harmful to aquatic life with long lasting effects.</li> <li>P210-Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P261-Avoid breathing mist, vapours or spray.</li> <li>P280-Wear protective gloves, eye protection.</li> <li>P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</li> <li>P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell.</li> </ul>
Hazard statements Precautionary statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H332-Harmful if inhaled.</li> <li>H412-Harmful to aquatic life with long lasting effects.</li> <li>P210-Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P261-Avoid breathing mist, vapours or spray.</li> <li>P280-Wear protective gloves, eye protection.</li> <li>P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</li> <li>P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell.</li> <li>P403+P235-Store in a well-ventilated place. Keep cool.</li> </ul>
Hazard statements Precautionary statements 2.3 Other hazards	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H332-Harmful if inhaled.</li> <li>H412-Harmful to aquatic life with long lasting effects.</li> <li>P210-Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P261-Avoid breathing mist, vapours or spray.</li> <li>P280-Wear protective gloves, eye protection.</li> <li>P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</li> <li>P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell.</li> <li>P403+P235-Store in a well-ventilated place. Keep cool.</li> <li>May cause polimerization.</li> </ul>
Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessme	H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization.
Hazard statements Precautionary statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H332-Harmful if inhaled.</li> <li>H412-Harmful to aquatic life with long lasting effects.</li> <li>P210-Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P261-Avoid breathing mist, vapours or spray.</li> <li>P280-Wear protective gloves, eye protection.</li> <li>P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</li> <li>P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell.</li> <li>P403+P235-Store in a well-ventilated place. Keep cool.</li> <li>May cause polimerization.</li> </ul>
Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessme PBT: vPvB:	H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization.
Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessme PBT: vPvB: SECTION 3: Composition/informa	H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization.
Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessme PBT: vPvB: SECTION 3: Composition/information	H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization.
Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessme PBT: vPvB: SECTION 3: Composition/informa 3.1 Substances	H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. ent Not applicable Not applicable
Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessme PBT: vPvB: <u>SECTION 3: Composition/informa</u> 3.1 Substances Components:	H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. ent Not applicable Not applicable trans-1,2-Dichloroethylene (stabilized with MEHQ)
Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessme PBT: vPvB: SECTION 3: Composition/informa 3.1 Substances Components: Percent:	H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. ent Not applicable Not applicable trans-1,2-Dichloroethylene (stabilized with MEHQ) >98.0%(GC)
Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessme PBT: vPvB: <u>SECTION 3: Composition/informa</u> 3.1 Substances Components: Percent: CAS RN:	H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. ent Not applicable Not applicable trans-1,2-Dichloroethylene (stabilized with MEHQ) >98.0%(GC) 156-60-5
Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessme PBT: vPvB: SECTION 3: Composition/informa 3.1 Substances Components: Percent: CAS RN: EC-No:	H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. ent Not applicable Not applicable trans-1,2-Dichloroethylene (stabilized with MEHQ) >98.0%(GC) 156-60-5 205-860-2
Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessme PBT: vPvB: SECTION 3: Composition/informa 3.1 Substances Components: Percent: CAS RN: EC-No: Synonyms: Chemical Formula:	H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P310-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. <b>ent</b> Not applicable Not applicable Not applicable trans-1,2-Dichloroethylene (stabilized with MEHQ) >98.0%(GC) 156-60-5 205-860-2 trans-Acetylene Dichloride (stabilized with MEHQ) C <sub>2</sub> H <sub>2</sub> Cl <sub>2</sub>
Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessme PBT: vPvB: SECTION 3: Composition/informa 3.1 Substances Components: Percent: CAS RN: EC-No: Synonyms:	H225-Highly flammable liquid and vapour. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. ent Not applicable Not applicable trans-1,2-Dichloroethylene (stabilized with MEHQ) >98.0%(GC) 156-60-5 205-860-2 trans-Acetylene Dichloride (stabilized with MEHQ)

SECTION 4: First aid measures			
4.1 Description of first aid measures			
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.		
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call a POISON CENTER or doctor/physician.		
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do Call a POISON CENTER or doctor/physician.		
Ingestion:	Call a POISON CENTER or doctor/physician. Rinse mouth.		
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.		
4.2 Most important symptoms and effec No data available	ts, both acute and delayed		
4.3 Indication of any immediate medical No data available	attention and special treatment needed		
SECTION 5: Firefighting measures			
5.1 Extinguishing media			
Suitable extinguishing media: Unsuitable extinguishing media:	Dry chemical, foam, water spray, carbon dioxide. Solid streams of water		
5.2 Special hazards arising from the substance or mixture	This substance may polimerize explosively when heated or involved in a fire. Container may explode when heated. Combat fire from a sheltered position. Carbon monoxide, carbon dioxide etc		
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment		
SECTION 6: Accidental release mea	asures		
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc		
6.2 Environmental precautions	Prevent product from entering drains		
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.		
6.4 Reference to other sections	For disposal see section 13.		
SECTION 7: Handling and storage			
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.		
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents. Light-sensitive, Moisture-sensitive		
7.3 Specific end use(s)	No further relevant information available.		

D0368	trans-1,2-Dichloroethylene	Page 2 of 5
	(stabilized with MEHQ)	

Γ

SECTION 8: Exposure controls/personal protection		
8.1 Control parameters	No data available	
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.	
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.	
Hand protection:	Impervious gloves.	
Eye protection:	Safety goggles. A face-shield, if the situation requires.	
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.	

9.1 Information on basic physical and ch	nemical properties
Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless - Almost colorless
Odour:	Characteristic
Odour threshold:	17 ppm
pH:	No data available
Melting point/freezing point:	No data available
Boiling point/range:	48°C
Flash point:	2°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	9.7%
Upper:	12.8%
Vapour pressure:	53kPa/30°C
Vapour density:	3.34
Relative density:	1.26
Solubility(ies):	
[Water]	Very slightly soluble
[Other solvents]	
Soluble:	Alcohols, Benzene, Acetone, Toluene
Partition coefficient:	1.92
n-octanol/water:	
Autoignition temperature:	460°C
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
9.2 Other safety information	No data available
SECTION 10: Stability and reactivity	/

10.1 Reactivity	No data available
10.2 Chemical stability	Polymerization may occur under the influences of heat, light or on contact with polymerization initiators such as peroxides etc.
10.3 Possibility of hazardous reactions	No special reactivity has been reported.
10.4 Conditions to avoid	Heat, Spark, Open flame, Static discharge, Light
10.5 Incompatible materials	Oxidizing agents, Bases, Copper, Copper alloys
10 C Hazardava dagampagitian products	Carbon manavida, aarban diavida ata

10.6 Hazardous decomposition products Carbon monoxide, carbon dioxide etc

## SECTION 11: Toxicological information 11.1 Information on toxicological effects

11.1 Information on toxicological effects	5
Acute Toxicity:	ihl-hmn TCLo:4800 mg/m³/10M
	ipr-rat LD50:7411 mg/kg
	orl-mus LD50:2122 mg/kg
	orl-rat LD50:1235 mg/kg
Skin corrosion/irritation:	skn-rbt 500 mg/24H MOD
Serious eye damage/irritation:	eye-rbt 10 mg MOD
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	mmo-sat 50 ug/plate (+S9)
	mrc-smc 80 mmol/L
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	ihl-rat TCLo:12000 ppm/6H (7-16D preg)
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available
RTECS Number:	KV9400000

SECTION 12: Ecological information	ion
12.1 Toxicity	
Fish:	No data available
Crustacea:	48h LC50:220 mg/L (Daphnia magna)
Algae:	48h EC50:36.36 mg/L (Selenastrum capricornutum)
12.2 Persistence and degradability	0 % (by BOD)
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	1.92
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assess	ment
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material is highly flammable. Observe all federal, state and local regulations when disposing of the substance

D0368	trans-1,2-Dichloroethylene	Page 4 of 5
20000		-
	(stabilized with MEHQ)	

SECTION 14: Transport information 14.1 UN number	1150		
	1150		
14.2 UN proper shipping name			
ADR/RID	1,2-Dichloroethylene		
IMDG/IMO	1,2-Dichloroethylene		
ICAO/IATA	1,2-Dichloroethylene		
14.3 Transport hazard class(es)			
ADR/RID	3: Flammable liquid		
IMDG/IMO	3: Flammable liquid		
ICAO/IATA	3: Flammable liquid		
14.4 Packaging group			
	II		
IMDG/IMO	II		
ICAO/IATA	II		
14.5 Environmental hazards			
Marine pollutant	-		
14.6 Special precautions for user	No data available		
SECTION 15: Regulatory information			
15.1 Safety, health and environmental reg Water Hazard Classes (WGK) :	ulations/legislation spec	class 2 - Hazard to waters	
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No.1907/2006		Not listed	
15.2 Chemical safety assessment		A chemical safety assessment has not been carried out.	
SECTION 16: Other information			
	TCI EUROPE N.V.		
	10/02/2018		

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

## End of Safety Data Sheet

D0368	trans-1,2-Dichloroethylene	Page 5 of 5
	(stabilized with MEHQ)	