CI TCI EUROPE N.V.

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

	vision number: 1	Revision date: 10/02/201
SECTION 1: Identification of the s	substance/mixture and of the company/undertaking	
.1 Product identifiers		
Product name:	2,5-Dimethyl-2,4-hexadiene (stabilized with BHT)	
Product code:	D0735	
.2 Relevant identified uses of the sul	bstance or mixture and uses advised against	
Identified uses:	Reagents.	
I.3 Details of the supplier of the safet	y data sheet	
Supplier:		
TCI EUROPE N.V.		
Boerenveldseweg 6		
Haven 1063		
B-2070 Zwijndrecht		
Telephone: +32(0)3 735 07 0		
E-mail: sales-eu@tcichemica	ls.com	
.4 Emergency telephone number:	+32(0)70 245 245	
SECTION 2: Hazards identificatio		
2.1 Classification of the substance or		
Flammable liquids	Category 3	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation 2.2 Label elements Pictograms or bazard symbols	Category 2	
2 Label elements Pictograms or hazard symbols	Warning	
2 Label elements Pictograms or hazard symbols	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation.	
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation.	smokina.
2.2 Label elements Pictograms or hazard symbols	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No	smoking.
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No P280-Wear protective gloves, eye protection.	C C
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with ple	nty of water. If skin irritation occurs
2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with ple Get medical advice or attention. Take off contaminated clothing an	nty of water. If skin irritation occurs d wash it before reuse.
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with ple Get medical advice or attention. Take off contaminated clothing an P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with	nty of water. If skin irritation occurs d wash it before reuse. water for several minutes. Remov
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with ple Get medical advice or attention. Take off contaminated clothing an	nty of water. If skin irritation occurs d wash it before reuse. water for several minutes. Remov
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with ple Get medical advice or attention. Take off contaminated clothing an P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with contact lenses, if present and easy to do. Continue rinsing. If eye ir or attention.	nty of water. If skin irritation occurs d wash it before reuse. water for several minutes. Remov ritation persists: Get medical advic
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with ple Get medical advice or attention. Take off contaminated clothing an P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with contact lenses, if present and easy to do. Continue rinsing. If eye ir or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extingu	nty of water. If skin irritation occurs d wash it before reuse. water for several minutes. Remov ritation persists: Get medical advic
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with ple Get medical advice or attention. Take off contaminated clothing an P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with contact lenses, if present and easy to do. Continue rinsing. If eye ir or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extingu P403+P235-Store in a well-ventilated place. Keep cool.	nty of water. If skin irritation occurs d wash it before reuse. water for several minutes. Remov ritation persists: Get medical advic
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with ple Get medical advice or attention. Take off contaminated clothing an P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with contact lenses, if present and easy to do. Continue rinsing. If eye ir or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extingu P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization.	nty of water. If skin irritation occurs d wash it before reuse. water for several minutes. Remov ritation persists: Get medical advic
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with ple Get medical advice or attention. Take off contaminated clothing an P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with contact lenses, if present and easy to do. Continue rinsing. If eye ir or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extingu P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization.	nty of water. If skin irritation occurs d wash it before reuse. water for several minutes. Remov ritation persists: Get medical advic
2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with ple Get medical advice or attention. Take off contaminated clothing an P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with contact lenses, if present and easy to do. Continue rinsing. If eye ir or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extingu P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization.	nty of water. If skin irritation occurs d wash it before reuse. water for several minutes. Remov ritation persists: Get medical advic

SECTION 3: Composition/information on ingredients

3.1 Substances	
Components:	2,5-Dimethyl-2,4-hexadiene (stabilized with BHT)
Percent:	>96.0%(GC)
CAS RN:	764-13-6
EC-No:	212-115-5
Synonyms:	Diisocrotyl (stabilized with BHT)
Chemical Formula:	C8H14

SECTION 4: First aid measures	
4.1 Description of first aid measures	S
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	Get medical advice/attention if you feel unwell. Rinse mouth.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

4.2 Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing media:	Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.)
Unsuitable extinguishing media:	water (it may scatter and spread me.)
5.2 Special hazards arising from the substance or mixture	This substance may polimerize explosively when heated or involved in a fire. Container may explode when heated. Combat fire from a sheltered position. Carbon dioxide, Carbon monoxide
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment
SECTION 6: Accidental release mea	asures
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc
6.2 Environmental precautions	Prevent product from entering drains
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
6.4 Reference to other sections	For disposal see section 13.
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store away from incompatible materials such as oxidizing agents.
7.3 Specific end use(s)	No further relevant information available.
D0735	2,5-Dimethyl-2,4-hexadiene Page 2 of 5

(stabilized with BHT)

SECTION 8: Exposure controls/personal protection		
8.1 Control parameters	No data available	
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.	
Respiratory protection: Hand protection: Eye protection: Skin and body protection:	Vapor respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires.	

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical prop

9.1 Information on basic physical and cl	
Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless - Slightly pale yellow
Odour:	No data available
pH:	No data available
Melting point/freezing point:	10°C (Freezing point)
Boiling point/range:	135°C
Flash point:	25°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	1.0kPa/20°C
Vapour density:	3.8
Relative density:	0.77
Solubility(ies):	
[Water]	Insoluble (32mg/L, 25°C)
[Other solvents]	
Soluble:	Methanol
Partition coefficient: n-octanol/water:	3.5
Autoignition temperature:	293°C
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
9.2 Other safety information	No data available

SECTION 10: Stability and reactivity		
10.1 Reactivity	No data available	
10.2 Chemical stability	Polymerization may occur under the influences of heat, light or on contact with polymerization initiators such as peroxides etc.	
10.3 Possibility of hazardous reactions	No special reactivity has been reported.	
10.4 Conditions to avoid	Heat, Spark, Open flame, Static discharge, Light	
10.5 Incompatible materials	Oxidizing agents	

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide

D0735	2,5-Dimethyl-2,4-hexadiene	Page 3 of 5
	(stabilized with BHT)	

SECTION 11: Toxicological information

11.1 Information on toxicological effects	6
Acute Toxicity:	No data available
Skin corrosion/irritation:	No data available
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available

2.1 Toxicity	
Fish:	48h LC50:4.30 mg/L (Oryzias latipes)
Crustacea:	No data available
Algae:	No data available
2.2 Persistence and degradability	3 - 4 % (by BOD)
2.3 Bioaccumulative potential	155 - 493 (conc. 40 ug/L) , 150 - 266 (conc. 4 ug/L)
2.4 Mobility in soil	
Log Pow:	3.5
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³ /mol):	No data available
2.5 Results of PBT and vPvB assess	ment
PBT:	Not applicable
vPvB:	Not applicable
2.6 Other adverse effects	No data available

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

SECTION 14: Transport information 14.1 UN number 3295 14.2 UN proper shipping name Hydrocarbons, liquid, n.o.s ADR/RID IMDG/IMO Hydrocarbons, liquid, n.o.s Hydrocarbons, liquid, n.o.s ICAO/IATA 14.3 Transport hazard class(es) ADR/RID 3: Flammable liquid IMDG/IMO 3: Flammable liquid ICAO/IATA 3: Flammable liquid 14.4 Packaging group ADR/RID Ш IMDG/IMO ш Ш ICAO/IATA 14.5 Environmental hazards Marine pollutant 14.6 Special precautions for user No data available

D0735	2,5-Dimethyl-2,4-hexadiene	Page 4 of 5
	(stabilized with BHT)	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	10/02/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet

D0735	2,5-Dimethyl-2,4-hexadiene	Page 5 of 5
	(stabilized with BHT)	