

# SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Revision number: 2 Revision date: 01/30/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: Diethylzinc (ca. 15% in Hexane, ca. 1mol/L)

Product code: D3214

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Reagents.

1.3 Details of the supplier of the safety data sheet

Supplier:

TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht

Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com

**1.4 Emergency telephone number:** +32(0)70 245 245

#### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids Category 2

Substances and mixtures which, in contact with water, emit flammable gases

Category 1

Skin corrosion/irritation Category 1B
Serious eye damage/eye irritation Category 1

Reproductive toxicity

Category 2

Specific target organ toxicity - Single exposure [Category 3]

Respiratory tract irritation, Narcotic effects

Specific target organ toxicity - Repeated exposure [Category 1] Central nervous system, Peripheral nervous system

Aspiration hazard Category 1

2.2 Label elements

Pictograms or hazard symbols









Signal word

Hazard statements H225-Highly flammable liquid and vapour.

H260-In contact with water releases flammable gases which may ignite spontaneously.

H314-Causes severe skin burns and eye damage.

H361fd-Suspected of damaging fertility. Suspected of damaging the unborn child.

H372-Causes damage to organs through prolonged or repeated exposure : Central nervous system

Peripheral nervous system

H335-May cause respiratory irritation. H336-May cause drowsiness or dizziness.

H304-May be fatal if swallowed and enters airways.

**Precautionary statements** P260-Do not breathe mist, vapours or spray.

Danger

P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a

POISON CENTER or doctor.

P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. Wash contaminated

clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

P305+P351+P338+P310-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Diethylzinc (ca. 15% in Hexane,

Page 1 of 6

P370+P378-In case of fire: Use dry chemical or dry sand to extinguish.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

## SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components: Diethylzinc (ca. 15% in Hexane, ca. 1mol/L)

Percent: ...

 CAS RN:
 557-20-0

 EC-No:
 209-161-3

 Chemical Formula:
 C4H<sub>10</sub>Zn

Hazardous composition: Chemical name: Hexane Conc.: < 83% CAS RN:110-54-3 EC No.: 203-777-6

Flam. Liq. 2, Skin Irrit. 2, Asp. Tox. 1, STOT SE 3, STOT RE 2, Aquatic Chronic 2, Repr. 2

H225: Highly flammable liquid and vapour. H361f: Suspected of damaging fertility. H304: May be fatal if swallowed and enters airways. H373: May cause damage to nervous system through prolonged or repeated exposure. H315: Causes skin irritation. H336: May cause drowsiness or dizziness. H411:

Toxic to aquatic life with long lasting effects. **Chemical name: Diethylzinc** Conc.: > 17% CAS RN:557-20-0 EC No.: 209-161-3

Pyr. Liq. 1, Water-react. 1, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1

H250: Catches fire spontaneously if exposed to air. H260: In contact with water releases flammable gases which may ignite spontaneously. H314: Causes severe skin burns and eye damage. H410: Very

toxic to aquatic life with long lasting effects.

## SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a

POISON CENTER or doctor/physician.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/physician.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.Immediately call a POISON CENTER or doctor/physician.

Ingestion: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Dry chemical, dry sand.

Unsuitable extinguishing media: Water

5.2 Special hazards arising from the

substance or mixture

Carbon monoxide, carbon dioxide etc

**5.3 Advice for firefighters** Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according

to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water but NO direct contact with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal

protective equipment

ca. 1mol/L)

Diethylzinc (ca. 15% in Hexane,

Page 2 of 6

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be

controlled around the leakage area by roping off, etc

6.2 Environmental precautions

Prevent product from entering drains

6.3 Methods and materials for containment and cleaning up

Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Do not allow contact with water. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Since there is a possibility of igniting behind when removal of a leakage thing is imperfect, it is careful enough.

6.4 Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact! Keep away from any possible contact with water, because of violent reaction and possible flash fire.

Use well-dried equipment. Handle under inert gas.

Don't leave used equipment or rag. This product may ignite if it is left stuck on combustibles such as paper, rags, etc.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas.

Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc.

Protect from moisture.

Store locked up. Store away from incompatible materials such as oxidizing agents.

Moisture-sensitive

7.3 Specific end use(s)

No further relevant information available.

# SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No data available

(Hexane)

ACGIH TLV(TWA):400 ppm (skin) OSHA PEL(TWA):500 ppm

8.2 Exposure controls

Respiratory protection:

Install a closed system or local exhaust. Also install safety shower and eye bath.

Use respirators approved under appropriate government standards and follow local and national regulations.

Hand protection: Impervious gloves.

**Eye protection:** Safety goggles. A face-shield, if the situation requires.

Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.

Diethylzinc (ca. 15% in Hexane, ca. 1mol/L)

Page 3 of 6

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state (20°C): Liquid

Form: Clear - Cloudy

Colorless - Almost colorless

Odour: Characteristic
pH: No data available
Melting point/freezing point: No data available
(Hexane) -95°C

No data available

(Hexane) 68°C Flash point: No data available

(Hexane) -22°C

Evaporation rate(Butyl Acetate=1): No data available Flammability(solid, gas): No data available

Flammability or explosive limits:

Lower:No data availableUpper:No data availableVapour pressure:No data availableVapour density:No data available

Relative density: 0.73

Solubility(ies):

Boiling point/range:

[Water] No data available [Other solvents] No data available

Partition coefficient: No data available (Hexane) 3.9

n-octanol/water:

Autoignition temperature:No data availableDecomposition temperature:No data availableDynamic Viscosity:No data availableKinematic viscosity:No data available

**9.2 Other safety information** No data available

## SECTION 10: Stability and reactivity

10.1 Reactivity No data available

**10.2 Chemical stability** Stable under proper conditions.

**10.3 Possibility of hazardous reactions** May spontaneously ignite or release flammable gases when in contact with water.

**10.4 Conditions to avoid** Spark, Open flame, Static discharge, Moisture

**10.5 Incompatible materials** Oxidizing agents, Acids, Bases, Water, Halogens, Alcohols

10.6 Hazardous decomposition products Carbon monoxide, carbon dioxide etc

Diethylzinc (ca. 15% in Hexane, ca. 1mol/L)

## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

Respiratory or skin sensitization:

Germ cell mutagenicity:

Acute Toxicity: No data available

(Hexane)

orl-rat LD50:25 g/kg ihl-rat LC50:48000 ppm/4H ipr-rat LDLo:9100 mg/kg No data available

Skin corrosion/irritation: No data available Serious eye damage/irritation: No data available

(Hexane)

eye-rbt 10 mg MLD No data available

No data available

(Hexane) cyt-ham-fbr 500 mg/L

cyt-rat-scu 7.5 mL/kg/12W-I

Carcinogenicity:

IARC = No data available
NTP = No data available

(Hexane)

ihl-rat TCLo:1000 ppm/4H/59W-I

Reproductive toxicity:

STOT-single exposure:

STOT-repeated exposure:

Aspiration hazard:

No data available
No data available
No data available

## SECTION 12: Ecological information

# 12.1 Toxicity

Fish: No data available
Crustacea: No data available
Algae: No data available

12.2 Persistence and degradability No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

Log Pow: No data available
Soil adsorption (Koc): No data available
Henry's Law (PaM ³/mol): No data available

12.5 Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

12.6 Other adverse effects No data available

#### SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. Take precautions against ignition. Observe all federal, state and local regulations when disposing of the substance

Diethylzinc (ca. 15% in Hexane,

ca. 1mol/L)

Page 5 of 6

#### SECTION 14: Transport information

**14.1 UN number** 3399

14.2 UN proper shipping name

ADR/RID Organometallic substance, liquid, water-reactive, flammable
IMDG/IMO Organometallic substance, liquid, water-reactive, flammable
ICAO/IATA Organometallic substance, liquid, water-reactive, flammable

14.3 Transport hazard class(es)

ADR/RID 4.3: Substance which, in contact with water, emit flammable gases

Subsidiary risk: 3: Flammable liquid.

IMDG/IMO 4.3: Substance which, in contact with water, emit flammable gases

Subsidiary risk: 3: Flammable liquid.

ICAO/IATA 4.3: Substance which, in contact with water, emit flammable gases

Subsidiary risk: 3: Flammable liquid.

14.4 Packaging group

ADR/RID | IMDG/IMO | ICAO/IATA | I

14.5 Environmental hazards

Marine pollutant -

14.6 Special precautions for user No data available

#### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Substance of Very High Concern (SVHC) according to the Not listed

REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

Prepared by: TCI EUROPE N.V. Issue date: 01/30/2024

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

**End of Safety Data Sheet**