SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Rev	ision number: 1		Revision date: 10/24/2	2019
SECTION 1: Identification of the su	ubstance/mixture and of the	e company/undertaking		
1.1 Product identifiers				
Product name:	Diethyltrisulfane			
Product code:	D5749			
1.2 Relevant identified uses of the sub- Identified uses:	stance or mixture and uses adv Reagents.	vised against		
1.3 Details of the supplier of the safety	data sheet			
Supplier:				
TCI EUROPE N.V.				
Boerenveldseweg 6 Haven 1063				
B-2070 Zwijndrecht				
Telephone: +32(0)3 735 07 00				
E-mail: sales-eu@tcichemicals				
1.4 Emergency telephone number:	+32(0)70 245 245			
SECTION 2: Hazards identification	1			
2.1 Classification of the substance or r	nixture			
		class according to Regulation (EC) No 1272	2/2008	
Skin corrosion/irritation		Category 2		
Serious eye damage/eye irritation		Category 2		
Signal word Hazard statements	Warning H315-Causes skin irritation.			
nazaru statements	H319-Causes serious eye irrit	ation		
Precautionary statements	P264-Wash hands and face th			
·····	P280-Wear protective gloves,			
		2+P364-IF ON SKIN: Wash with plenty of w		urs:
		n. Take off contaminated clothing and wash		
	P305+P351+P338+P337+P3	3-IF IN EYES: Rinse cautiously with water f easy to do. Continue rinsing. If eye irritation	or several minutes. Remo	ove
	or attention.	easy to do. Continue finsing. If eye initation	persists. Get medical au	VICE
2.3 Other hazards				
Results of PBT and vPvB assessme				
PBT:	Not applicable			
vPvB:	Not applicable			
SECTION 3: Composition/information	ion on ingredients			
3.1 Substances	Diothyltricylfere			_
Components:	Diethyltrisulfane			
Percent: CAS RN:	>98.0%(GC) 3600-24-6			
EC-No:	3600-24-6 222-754-1			
Synonyms:	3,4,5-Trithiaheptane, Diethyl	Trisulfide		
Chemical Formula:	C <sub>4</sub> H <sub>10</sub> S <sub>3</sub>	noundo		
c.ioiniouri erindidi.				

D5749

G

Page 1 of 5

SECTION 4: First aid measures	
4.1 Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	Get medical advice/attention if you feel unwell. Rinse mouth.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

**<sup>4.2</sup> Most important symptoms and effects, both acute and delayed** No data available

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

substance or mixture       Carbon monoxide, Carbon dioxide, Sulfur oxides         5.3 Advice for firefighters       Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accord to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, be to wear personal protective equipment         SECTION 6: Accidental release measures       Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adecord ventilation. Entry to non-involved personnel should be controlled around the leakage area by ropinetco         6.1 Personal precautions, protective equipment. Entry to non-involved personnel should be controlled around the leakage area by ropinetco       Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adecord ventilation. Entry to non-involved personnel should be controlled around the leakage area by ropinetco         6.2 Environmental precautions       Prevent product from entering drains         6.3 Methods and materials for containment and cleaning up       Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large arount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.         6.4 Reference to other sections       For disposal see section 13.         SECTION 7: Handling and storage       Handling is p	SECTION 5: Firefighting measures		
substance or mixture       Carbon monoxide, Carbon dioxide, Sulfur oxides         5.3 Advice for firefighters       Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accd to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, be to wear personal protective equipment         SECTION 6: Accidental release measures       Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adec ventilation. Entry to non-involved personnel should be controlled around the leakage area by ropir etc         6.2 Environmental precautions       Prevent product from entering drains         6.3 Methods and materials for containners of spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of larg around to spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.         6.4 Reference to other sections       For disposal see section 13.         SECTION 7: Handling and storage       Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from fiames and hot surfaces. Take measures to preven build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or arerosol wil generated. Avoid contact with skin, eyes and clothing. </th <th>Suitable extinguishing media:</th> <th></th>	Suitable extinguishing media:		
to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, be to wear personal protective equipmentSECTION 6: Accidental release measuresUse personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adec ventilation. Entry to non-involved personnel should be controlled around the leakage area by ropin etc6.2 Environmental precautionsPrevent product from entering drains6.3 Methods and materials for containment and cleaning upAbsorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of larg amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.6.4 Reference to other sectionsFor disposal see section 13.SECTION 7: Handling and storageHandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to preven build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol wil generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert ga Store away from incompatible materials such as oxidizing agents. Air-sensitive <th></th> <th colspan="2">Take care as it may decompose upon combustion or in high temperatures to generate poisonous fu Carbon monoxide, Carbon dioxide, Sulfur oxides</th>		Take care as it may decompose upon combustion or in high temperatures to generate poisonous fu Carbon monoxide, Carbon dioxide, Sulfur oxides	
6.1 Personal precautions, protective equipment and emergency procedures       Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adec ventilation. Entry to non-involved personnel should be controlled around the leakage area by ropinetcomental precautions         6.2 Environmental precautions       Prevent product from entering drains         6.3 Methods and materials for containment and cleaning up       Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of larg amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.         6.4 Reference to other sections       For disposal see section 13.         SECTION 7: Handling and storage       Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol wil generated. Avoid contact with skin, eyes and clothing.         7.2 Conditions for safe storage, including any incompatibilities       Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert ga Store away from incompatible materials such as oxidizing agents. Air-sensitive	5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordin to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, be sur- to wear personal protective equipment	
equipment and emergency procedures       ventilation. Entry to non-involved personnel should be controlled around the leakage area by ropinet         6.2 Environmental precautions       Prevent product from entering drains         6.3 Methods and materials for containment and cleaning up       Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.         6.4 Reference to other sections       For disposal see section 13.         SECTION 7: Handling and storage       Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol wil generated. Avoid contact with skin, eyes and clothing.         7.2 Conditions for safe storage, including any incompatibilities       Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas Store away from incompatible materials such as oxidizing agents. Air-sensitive	SECTION 6: Accidental release me	asures	
6.3 Methods and materials for containment and cleaning up       Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of lar amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.         6.4 Reference to other sections       For disposal see section 13.         SECTION 7: Handling and storage       T.1 Precautions for safe handling         Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will generated. Avoid contact with skin, eyes and clothing.         7.2 Conditions for safe storage, including any incompatibilities       Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas Store away from incompatible materials such as oxidizing agents. Air-sensitive		Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequative ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping of etc	
containment and cleaning upamount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.6.4 Reference to other sectionsFor disposal see section 13.SECTION 7: Handling and storageHandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert ga Store away from incompatible materials such as oxidizing agents. Air-sensitive	6.2 Environmental precautions	Prevent product from entering drains	
SECTION 7: Handling and storage         7.1 Precautions for safe handling         Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will generated. Avoid contact with skin, eyes and clothing.         7.2 Conditions for safe storage, including any incompatibilities       Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas store away from incompatible materials such as oxidizing agents. Air-sensitive		disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and	
<ul> <li>7.1 Precautions for safe handling</li> <li>Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol wil generated. Avoid contact with skin, eyes and clothing.</li> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas from incompatible materials such as oxidizing agents. Air-sensitive</li> </ul>	6.4 Reference to other sections	For disposal see section 13.	
<ul> <li>generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will generated. Avoid contact with skin, eyes and clothing.</li> <li><b>7.2 Conditions for safe storage, including any incompatibilities</b></li> <li>Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas Store away from incompatible materials such as oxidizing agents. Air-sensitive</li> </ul>	SECTION 7: Handling and storage		
including any incompatibilities Store away from incompatible materials such as oxidizing agents. Air-sensitive	7.1 Precautions for safe handling	generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly aft handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be	
7.3 Specific end use(s) No further relevant information available.		, , , , , , , , , , , , , , , , , , , ,	
	7.3 Specific end use(s)	No further relevant information available.	
SECTION 8: Exposure controls/personal protection	SECTION 8: Exposure controls/per	sonal protection	
8.1 Control parameters No data available			
8.2 Exposure controls Install a closed system or local exhaust as possible so that workers should not be exposed directly Also install safety shower and eye bath.	8.2 Exposure controls	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath.	
Respiratory protection:Vapor respirator. Follow local and national regulations.Hand protection:Protective gloves.Eye protection:Safety glasses. A face-shield, if the situation requires.Skin and body protection:Protective clothing. Protective boots, if the situation requires.	Hand protection: Eye protection:	Protective gloves. Safety glasses. A face-shield, if the situation requires.	
D5749 Diethyltrisulfane Page	D5749	Diethyltrisulfane Page 2 o	

SECTION 9: Physical and chemical properties		
9.1 Information on basic physical and chemical properties		
Physical state (20°C):	Liquid	
Form:	Clear	
Colour:	Colorless - Pale yellow	
Odour:	No data available	
pH:	No data available	
Melting point/freezing point:	-73°C	
Boiling point/range:	204°C	
Flash point:	No data available	
Evaporation rate(Butyl Acetate=1):	No data available	
Flammability(solid, gas):	No data available	
Flammability or explosive limits:		
Lower:	No data available	
Upper:	No data available	
Vapour pressure:	No data available.	
Vapour density:	No data available	
Relative density:	1.11	
Solubility(ies):		
[Water]	No data available	
[Other solvents]	No data available	
Partition coefficient:	No data available	
n-octanol/water:		
Autoignition temperature:	No data available	
Decomposition temperature:	No data available	
Dynamic Viscosity:	1.66mPa · s (20°C)	
Kinematic viscosity:	No data available	
9.2 Other safety information	No data available	

SECTION 10: Stability and reactivity		
10.1 Reactivity	No data available	
10.2 Chemical stability	Stable under proper conditions.	
10.3 Possibility of hazardous reactions	No special reactivity has been reported.	
10.4 Conditions to avoid	Open flame	
10.5 Incompatible materials	Oxidizing agents	

10.6 Hazardous decomposition products Carbon monoxide, Carbon dioxide, Sulfur oxides

SECTION 11: Toxicological information		
11.1 Information on toxicological effect	s	
Acute Toxicity:	No data available	
Skin corrosion/irritation:	No data available	
Serious eye damage/irritation:	No data available	
Respiratory or skin sensitization:	No data available	
Germ cell mutagenicity:	No data available	
Carcinogenicity:		
IARC =	No data available	
NTP =	No data available	
Reproductive toxicity:	No data available	
STOT-single exposure:	No data available	
STOT-repeated exposure:	No data available	
Aspiration hazard:	No data available	

SECTION 12: Ecological information	on
12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assessm	nent
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available
SECTION 13: Disposal considerati	ons
13.1 Waste treatment methods	
	ult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an serve all federal, state and local regulations when disposing of the substance.
SECTION 14: Transport informatio	n
14.1 UN number	Not listed
14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA	Not listed Not listed Not listed
14.3 Transport hazard class(es) ADR/RID IMDG/IMO ICAO/IATA	Does not correspond to the classification standard of the United Nations Does not correspond to the classification standard of the United Nations Does not correspond to the classification standard of the United Nations

14.2 UN proper shipping name	
ADR/RID	Not listed
IMDG/IMO	Not listed
ICAO/IATA	Not listed
14.3 Transport hazard class(es)	
ADR/RID	Does not correspond to the classification standard of the United Nations
IMDG/IMO	Does not correspond to the classification standard of the United Nations
ICAO/IATA	Does not correspond to the classification standard of the United Nations
14.4 Packaging group	
ADR/RID	-
IMDG/IMO	-
ICAO/IATA	-
14.5 Environmental hazards	
Marine pollutant	-
14.6 Special precautions for user	No data available
SECTION 15: Regulatory informa	tion

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	10/24/2019

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet