CI TCI EUROPE N.V.

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

r	Revision number: 2		Revision date: 01/08/2019
SECTION 1: Identification of the	e substance/mixture and of	the company/undertaking	
1.1 Product identifiers	Ethering and show Describe	(000) () - Ether Ethern and Oracl/II)	
Product name: Product code:	Ethylmagnesium Bromide E0134	(39% in Ethyl Ether, ca. 3mol/L)	
	20101		
1.2 Relevant identified uses of the s Identified uses:	substance or mixture and uses Reagents.	advised against	
1.3 Details of the supplier of the sat	ety data sheet		
Supplier:			
TCI EUROPE N.V. Boerenveldseweg 6			
Haven 1063			
B-2070 Zwijndrecht			
Telephone: +32(0)3 735 07	00		
E-mail: sales-eu@tcichemi	cals.com		
1.4 Emergency telephone number:	+32(0)70 245 245		
SECTION 2: Hazards identificat	ion		
2.1 Classification of the substance Flammable liquids	or mixture	Catagony 1	
Substances and mixtures which	h in contact with water emit	Category 1 Category 1	
flammable gases	in, in contact with water, child		
Acute toxicity (Oral)		Category 4	
Skin corrosion/irritation		Category 1B	
Serious eye damage/eye irritati	on	Category 1	
Reproductive toxicity		Category 2	
Specific target organ toxicity -	Single exposure [Category 3]	Respiratory tract irritation, Narcotic effect	ts
Pictograms or hazard symbols	!		
Signal word	Danger		
Hazard statements	H224-Extremely flammable	e liquid and vapour	
Hazaru statements		r releases flammable gases which may ignite	e spontaneously
	H302-Harmful if swallowed		o opontanoodoly.
	H314-Causes severe skin	burns and eye damage.	
H361fd-Suspected of damaging fertility. Suspected of		aging fertility. Suspected of damaging the ur	nborn child.
	H335-May cause respirato		
	H336-May cause drowsine		
Precautionary statements	P260-Do not breathe dusts		was versiting Immediately call a
	POISON CENTER or doct	IF SWALLOWED: Rinse mouth. Do NOT ind	luce vomiting. Immediately call a
		P363-IF ON SKIN (or hair): Take off immedi	ately all contaminated clothing
		nower. Immediately call a POISON CENTER	
	clothing before reuse.	······································	
	P304+P340+P310-IF INH	ALED: Remove person to fresh air and keep	comfortable for breathing.
	Immediately call a POISO	N CENTER or doctor.	
		F IN EYES: Rinse cautiously with water for s	
		y to do. Continue rinsing. Immediately call a : Use dry chemical or dry sand to extinguish	
2.3 Other hazards	May form explosive peroxi		
Results of PBT and vPvB assess	, i i		
E0134	Ethylmagnociu	ım Bromide (39%	Page 1 of 6
	5 6	-	
	in Ethyl Ether,	ca. 3moi/L)	

PBT:	Not applicable
vPvB:	Not applicable

SECTION 3: Composition/infor	mation on ingredients
3.2 Mixtures	
Components:	Ethylmagnesium Bromide (39% in Ethyl Ether, ca. 3mol/L)
Percent:	
CAS RN:	925-90-6
EC-No:	213-127-3
Chemical Formula:	C₂H₅BrMg
Hazardous composition:	 Chemical name: Ethyl Ether Conc.: < 61% CAS RN:60-29-7 EC No.: 200-467-2 Flam. Liq. 1, Acute Tox. 4, STOT SE 3 H224: Extremely flammable liquid and vapour. H302: Harmful if swallowed.H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.EUH019: May form explosive peroxides. EUH066: Repeated exposure may cause skin dryness or cracking. Chemical name: Ethylmagnesium Bromide Conc.: > 39% CAS RN:925-90-6 EC No.: 213-127-3 Water-react. 1, Skin Corr. 1B, Eye Dam. 1 H260: In contact with water releases flammable gases which may ignite spontaneously. H314: Causes severe skin burns and eye damage.

SECTION 4: First aid measures 4.1 Description of first aid measures Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Skin contact: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Eye contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician. Ingestion: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER or doctor/physician. Ingestion: Immediately call a POISON CENTER or doctor/physician. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

4.2 Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing media:	Dry chemical, dry sand.
Unsuitable extinguishing media:	Water
5.2 Special hazards arising from the substance or mixture	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume. Carbon dioxide, Carbon monoxide, Hydrogen bromide
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water but NO direct contact with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment

E0134	Ethylmagnesium Bromide (39%	Page 2 of 6
	in Ethyl Ether, ca. 3mol/L)	

SECTION 6: Accidental release mea	asures		
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc		
6.2 Environmental precautions	Prevent product from entering drains		
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Do not allow contact with water. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Since there is a possibility of igniting behind when removal of a leakage thing is imperfect, it is careful enough.		
6.4 Reference to other sections	For disposal see section 13.		
SECTION 7: Handling and storage			
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact! Confirm in advance if peroxides exist when operations involving heating such as distillation are carried out. Keep away from any possible contact with water, because of violent reaction and possible flash fire. Use well-dried equipment. Handle under inert gas. Don't leave used equipment or rag. This product may ignite if it is left stuck on combustibles such as paper, rags, etc.		
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents. Moisture-sensitive		
7.3 Specific end use(s)	No further relevant information available.		
SECTION 8: Exposure controls/per	sonal protection		
8.1 Control parameters	No data available (Ethyl Ether) ACGIH TLV(TWA):400 ppm ACGIH TLV(STEL):500 ppm OSHA PEL(TWA):400 ppm		
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.		
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.		
Hand protection: Eye protection: Skin and body protection:	Impervious gloves. Safety goggles. A face-shield, if the situation requires. Impervious protective clothing. Protective boots, if the situation requires.		

E0134	Ethylmagnesium Bromide (39%	Page 3 of 6
	in Ethyl Ether, ca. 3mol/L)	

SECTION 9: Physical and chemical properties

SECTION 9. Physical and chemical properties			
9.1 Information on basic physical and cl	nemical properties		
Physical state (20°C):	Liquid		
Odour:	No data available		
pH:	No data available		
Melting point/freezing point:	No data available		
	(Ethyl Ether) -116°C		
Boiling point/range:	No data available		
	(Ethyl Ether) 35°C		
Flash point:	No data available		
	(Ethyl Ether) -45°C		
Evaporation rate(Butyl Acetate=1):	No data available		
Flammability(solid, gas):	No data available		
Flammability or explosive limits:			
Lower:	No data available		
Upper:	No data available		
Vapour pressure:	No data available.		
Vapour density:	No data available		
Relative density:	No data available		
Solubility(ies):			
[Water]	No data available		
[Other solvents]	No data available		
Partition coefficient:	No data available (Ethyl Ether) 0.89		
n-octanol/water:			
Autoignition temperature:	No data available		
Decomposition temperature:	No data available		
Dynamic Viscosity:	No data available		
Kinematic viscosity:	No data available		
9.2 Other safety information	No data available		
SECTION 10: Stability and reactivity			
10.1 Reactivity	No data available		
-			
10.2 Chemical stability	May form explosive peroxides.		

10.2 Chemical stability	May form explosive peroxides.
10.3 Possibility of hazardous reactions	May spontaneously ignite or release flammable gases when in contact with water.
10.4 Conditions to avoid	Spark, Open flame, Static discharge, Air, Moisture
10.5 Incompatible materials	Oxidizing agents, Acids, Water, Alcohols, Amines

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide, Hydrogen bromide

Γ

E0134	Ethylmagnesium Bromide (39%	Page 4 of 6
	in Éthyl Ether, ca. 3mol/L)	

SECTION 11: Toxicological information

11.1 Information on toxicological effect	s	
Acute Toxicity:	No data available	
-	(Ethyl Ether)	
	orl-man LDLo:260 mg/kg	
	orl-rat LD50:1215 mg/kg	
	ihl-mus LC50:31000 ppm/30M	
	skn-rbt LD50:>20 mL/kg	
Skin corrosion/irritation:	No data available	
	(Ethyl Ether)	
	skn-rbt 360 mg open MLD	
Serious eye damage/irritation:	No data available	
	(Ethyl Ether)	
	eye-hmn 100 ppm	
	eye-rbt 100 mg MOD	
Respiratory or skin sensitization:	No data available	
Germ cell mutagenicity:	No data available	
	(Ethyl Ether)	
	oms-ham-fbr 1 pph	
	dnr-esc 35670 ug/well/16H	
	dni-mus-emb 2850 mg/L	
Carcinogenicity:		
IARC =	No data available	
NTP =	No data available	
Reproductive toxicity:	No data available	
STOT-single exposure:	No data available	
STOT-repeated exposure:	No data available	
Aspiration hazard:	No data available	
-		

SECTION 12: Ecological information

12.1 Toxicity		
Fish:	No data available	
Crustacea:	No data available	
Algae:	No data available	
12.2 Persistence and degradability	No data available	
12.3 Bioaccumulative potential	No data available	
12.4 Mobility in soil		
Log Pow:	No data available	
Soil adsorption (Koc):	No data available	
Henry's Law (PaM ³ /mol):	No data available	
12.5 Results of PBT and vPvB assessment		
PBT:	Not applicable	
vPvB:	Not applicable	
12.6 Other adverse effects	No data available	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. Take precautions against ignition. Observe all federal, state and local regulations when disposing of the substance

E0134	Ethylmagnesium Bromide (39%	Page 5 of 6
	in Éthyl Ether, ca. 3mol/L)	

SECTION 14: Transport informati	on			
14.1 UN number	3399			
14.2 UN proper shipping name				
ADR/RID	Organometallic substance	, liquid, water-reactive, flammable		
IMDG/IMO	Organometallic substance	, liquid, water-reactive, flammable		
ICAO/IATA	Organometallic substance, liquid, water-reactive, flammable			
14.3 Transport hazard class(es)				
ADR/RID	4.3: Substance which, in c	ontact with water, emit flammable gases		
Subsidiary risk:	3: Flammable liquid.			
IMDG/IMO	4.3: Substance which, in contact with water, emit flammable gases			
Subsidiary risk:	3: Flammable liquid.			
ICAO/IATA	4.3: Substance which, in c	4.3: Substance which, in contact with water, emit flammable gases		
Subsidiary risk:	3: Flammable liquid.			
14.4 Packaging group				
ADR/RID	I			
IMDG/IMO	I			
ΙCAO/ΙΑΤΑ	I			
14.5 Environmental hazards				
Marine pollutant	-			
14.6 Special precautions for user	No data available			
SECTION 15: Regulatory informa	tion			
15.1 Safety, health and environmenta	l regulations/legislation spec			
Water Hazard Classes (WGK) :		Class 1 - Low hazard to waters		
Substance of Very High Concern		Not listed		
REACH Regulations (EC) No.1907	7/2006			
15.2 Chemical safety assessment		A chemical safety assessment has not been carried out.		
SECTION 16: Other information				
Prepared by:	TCI EUROPE N.V.			
Issue date:	01/08/2019			
		ould obtained, however, any warranty shall not be given regarding the data		
contained and the assessment of hazard	ts and toxicity. Prior to use, pl	ease investigate not only the hazards and toxicity information but also the		

laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet

E0134	Ethylmagnesium Bromide (39%	Page 6 of 6
	in Ethyl Ether, ca. 3mol/L)	