SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Re	evision number: 1	Revision date: 10/03/2018
SECTION 1: Identification of the	substance/mixture and of the company/undertaki	ng
1.1 Product identifiers		
Product name:	Ethyl Formate	
Product code:	F0053	
I.2 Relevant identified uses of the su Identified uses:	Ibstance or mixture and uses advised against Reagents.	
I.3 Details of the supplier of the safe	ty data sheet	
Supplier: TCI EUROPE N.V.		
Boerenveldseweg 6		
Haven 1063		
B-2070 Zwijndrecht		
Telephone: +32(0)3 735 07 (00	
E-mail: sales-eu@tcichemica	als.com	
I.4 Emergency telephone number:	+32(0)70 245 245	
SECTION 2: Hazards identification	n	
2.1 Classification of the substance of		
Flammable liquids	Category 2	
•		
Acute toxicity (Oral)	Category 4	
Acute toxicity (Oral) Acute toxicity (Inhalation)	Category 4 Category 4	
Acute toxicity (Inhalation)	Category 4	
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements	n Category 4 Category 2	
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation	
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word	n Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger	
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour.	
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled.	
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation.	
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation.	
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray.	
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection.	diately all contaminated clothing. Rinse skin
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray.	diately all contaminated clothing. Rinse skin
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off imme	
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off imme with water or shower.	
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off imme with water or shower. P304+P340+P312-IF INHALED: Remove person to frest POISON CENTER or doctor if you feel unwell. P305+P351+P338+P337+P313-IF IN EYES: Rinse cau	sh air and keep comfortable for breathing. Call tiously with water for several minutes. Remove
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off imme with water or shower. P304+P340+P312-IF INHALED: Remove person to frest POISON CENTER or doctor if you feel unwell. P305+P351+P338+P337+P313-IF IN EYES: Rinse cau contact lenses, if present and easy to do. Continue rins	sh air and keep comfortable for breathing. Call tiously with water for several minutes. Remove
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off imme with water or shower. P304+P340+P312-IF INHALED: Remove person to fres POISON CENTER or doctor if you feel unwell. P305+P351+P338+P337+P313-IF IN EYES: Rinse cau contact lenses, if present and easy to do. Continue rins or attention.	sh air and keep comfortable for breathing. Call tiously with water for several minutes. Remove ing. If eye irritation persists: Get medical advice
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off imme with water or shower. P304+P340+P312-IF INHALED: Remove person to frest POISON CENTER or doctor if you feel unwell. P305+P351+P338+P337+P313-IF IN EYES: Rinse cau contact lenses, if present and easy to do. Continue rins	sh air and keep comfortable for breathing. Call tiously with water for several minutes. Remove ing. If eye irritation persists: Get medical advice
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off imme with water or shower. P304+P340+P312-IF INHALED: Remove person to frest POISON CENTER or doctor if you feel unwell. P305+P351+P338+P337+P313-IF IN EYES: Rinse cau contact lenses, if present and easy to do. Continue rins or attention. P370+P378-In case of fire: Use dry chemical or dry sar	sh air and keep comfortable for breathing. Call tiously with water for several minutes. Remove ing. If eye irritation persists: Get medical advice
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements Precautionary statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation Danger H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off imme with water or shower. P304+P340+P312-IF INHALED: Remove person to fres POISON CENTER or doctor if you feel unwell. P305+P351+P338+P337+P313-IF IN EYES: Rinse cau contact lenses, if present and easy to do. Continue rins or attention. P370+P378-In case of fire: Use dry chemical or dry sar	sh air and keep comfortable for breathing. Call tiously with water for several minutes. Remove ing. If eye irritation persists: Get medical advice
Acute toxicity (Inhalation) Serious eye damage/eye irritation Specific target organ toxicity - Si 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Category 4 n Category 2 ingle exposure [Category 3] Respiratory tract irritation H225-Highly flammable liquid and vapour. H302+H332-Harmful if swallowed or if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. H335-May cause respiratory irritation. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off imme with water or shower. P304+P340+P312-IF INHALED: Remove person to frest POISON CENTER or doctor if you feel unwell. P305+P351+P338+P337+P313-IF IN EYES: Rinse cau contact lenses, if present and easy to do. Continue rins or attention. P370+P378-In case of fire: Use dry chemical or dry sar	sh air and keep comfortable for breathing. Call tiously with water for several minutes. Remove ing. If eye irritation persists: Get medical advice

G

TCI EUROPE N.V.

SECTION 3: Composition/information on ingredients

3.1 Substances	
Components:	Ethyl Formate
Percent:	>98.0%(GC)
CAS RN:	109-94-4
EC-No:	203-721-0
Synonyms:	Formic Acid Ethyl Ester
Chemical Formula:	C3H6O2

SECTION 4: First aid measures 4.1 Description of first aid measures Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Skin contact: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Eye contact: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Ingestion: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

4.2 Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures		
5.1 Extinguishing media Suitable extinguishing media: Unsuitable extinguishing media:	Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.)	
5.2 Special hazards arising from the substance or mixture	Carbon dioxide, Carbon monoxide	
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment	
SECTION 6: Accidental release mea	asures	
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc	
6.2 Environmental precautions	Prevent product from entering drains	
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.	
6.4 Reference to other sections	For disposal see section 13.	
SECTION 7: Handling and storage		
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.	
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store locked up. Store away from incompatible materials such as oxidizing agents.	
7.3 Specific end use(s)	No further relevant information available.	

SECTION 8: Exposure controls/personal protection			
8.1 Control parameters	3.1 Control parameters		
ACGIH TLV(STEL):	100 ppm		
OSHA PEL(TWA):	100 ppm		
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.		
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.		
Hand protection:	nd protection: Impervious gloves.		
Eye protection:	Safety goggles. A face-shield, if the situation requires.		
Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.			

SECTION 9: Physical and chemical properties		
9.1 Information on basic physical and chemical properties		
Physical state (20°C): Liquid		
Form:	Clear	
Colour:	Colorless - Almost colorless	
Odour:	Fruity	
Odour threshold:	31 ppm	
pH:	No data available	
Melting point/freezing point:	-80°C	
Boiling point/range:	54°C	
Flash point:	-20°C	
Evaporation rate(Butyl Acetate=1):	No data available	
Flammability(solid, gas):	No data available	
Flammability or explosive limits:		
Lower:	2.7%	
Upper:	16.5%	
Vapour pressure:	25.6kPa/20°C	
Vapour density:	2.55	
Relative density:	0.92	
Solubility(ies):		
[Water]	Soluble (10.5g/100mL, 20°C)	
[Other solvents]		
Miscible:	Ether, Alcohols, Benzene, Acetone	
Soluble:	Many organic solvents	
Partition coefficient:	0.23	
n-octanol/water:	0.20	
Autoignition temperature:	440°C	
Decomposition temperature:	No data available	
Dynamic Viscosity:	No data available	
Kinematic viscosity:	No data available	
9.2 Other safety information	No data available	
SECTION 10: Stability and reactivity		
10.1 Reactivity No data available		

lott nedolivity	
10.2 Chemical stability	Stable under proper conditions.
10.3 Possibility of hazardous reactions	No special reactivity has been reported.
10.4 Conditions to avoid	Spark, Open flame, Static discharge
10.5 Incompatible materials	Oxidizing agents, Acids, Bases

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects	5
Acute Toxicity:	ihl-rat LCLo:8000 ppm/4H
-	orl-rat LD50:1850 mg/kg
	skn-rbt LD50:>20 mL/kg
Skin corrosion/irritation:	skn-rbt 460 mg open MLD
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	skn-mus TDLo:110 g/kg/9W-I
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available
RTECS Number:	LQ8400000

SECTION 12: Ecological information

12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	0.88
12.4 Mobility in soil	
Log Pow:	0.23
Soil adsorption (Koc):	8
Henry's Law (PaM ³/mol):	39.0
12.5 Results of PBT and vPvB assessm	nent
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material is highly flammable. Observe all federal, state and local regulations when disposing of the substance

SECTION 14: Transport information		
14.1 UN number	1190	
14.2 UN proper shipping name		
ADR/RID	Ethyl formate	
IMDG/IMO	Ethyl formate	
ICAO/IATA	Ethyl formate	
14.3 Transport hazard class(es)		
ADR/RID	3: Flammable liquid	
IMDG/IMO	3: Flammable liquid	
ICAO/IATA	3: Flammable liquid	
14.4 Packaging group		
ADR/RID	П	
IMDG/IMO	Ш	
ICAO/IATA	II	
14.5 Environmental hazards		
Marine pollutant	-	
14.6 Special precautions for user	No data available	
SECTION 15: Regulatory informa		
15.1 Safety, health and environmental	regulations/legislation spec	
Water Hazard Classes (WGK) :		Class 1 - Low hazard to waters
Substance of Very High Concern REACH Regulations (EC) No.1907		Not listed
15.2 Chemical safety assessment		A chemical safety assessment has not been carried out.
SECTION 16: Other information		
Prepared by:	TCI EUROPE N.V.	
Issue date:	10/03/2018	

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet