



TCI EUROPE N.V.

# SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Revision number: 1

Revision date: 10/03/2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

**Product name:** Isopropyl Alcohol [for HPLC Solvent]  
**Product code:** I0277

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Reagents.

### 1.3 Details of the supplier of the safety data sheet

**Supplier:**

TCI EUROPE N.V.  
Boerenveldseweg 6  
Haven 1063  
B-2070 Zwijndrecht  
Telephone: +32(0)3 735 07 00  
E-mail: sales-eu@tcichemicals.com

**1.4 Emergency telephone number:** +32(0)70 245 245

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

<b>Flammable liquids</b>	Category 2
<b>Serious eye damage/eye irritation</b>	Category 2
<b>Specific target organ toxicity - Single exposure [Category 3]</b>	Narcotic effects

### 2.2 Label elements

**Pictograms or hazard symbols**



**Signal word**

**Hazard statements**

**Precautionary statements**

Danger

H225-Highly flammable liquid and vapour.

H319-Causes serious eye irritation.

H336-May cause drowsiness or dizziness.

P210-Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261-Avoid breathing mist, vapours or spray.

P280-Wear protective gloves, eye protection.

P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

### 2.3 Other hazards

**Results of PBT and vPvB assessment**

**PBT:** Not applicable

**vPvB:** Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

<b>Components:</b>	Isopropyl Alcohol [for HPLC Solvent]
<b>Percent:</b>	>99.5%(GC)
<b>CAS RN:</b>	67-63-0
<b>EC-No:</b>	200-661-7
<b>Synonyms:</b>	2-Propanol , IPA , Isopropanol
<b>Chemical Formula:</b>	C <sub>3</sub> H <sub>8</sub> O

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.
<b>Skin contact:</b>	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call a POISON CENTER or doctor/physician.
<b>Eye contact:</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Call a POISON CENTER or doctor/physician.
<b>Ingestion:</b>	Call a POISON CENTER or doctor/physician. Rinse mouth.
<b>Protection of first-aiders:</b>	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing media:** Dry chemical, foam, water in large amounts, carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon dioxide, Carbon monoxide

#### 5.3 Advice for firefighters

Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc

#### 6.2 Environmental precautions

Prevent product from entering drains

#### 6.3 Methods and materials for containment and cleaning up

Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.

#### 6.4 Reference to other sections

For disposal see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact!

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store locked up. Store away from incompatible materials such as oxidizing agents.

#### 7.3 Specific end use(s)

No further relevant information available.

## SECTION 8: Exposure controls/personal protection

<b>8.1 Control parameters</b>	
ACGIH TLV(TWA):	200 ppm
ACGIH TLV(STEL):	400 ppm
OSHA PEL(TWA):	400 ppm
JSOH OELs(CL):	400 ppm
<b>8.2 Exposure controls</b>	Install a closed system or local exhaust. Also install safety shower and eye bath.
<b>Respiratory protection:</b>	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
<b>Hand protection:</b>	Impervious gloves.
<b>Eye protection:</b>	Safety goggles. A face-shield, if the situation requires.
<b>Skin and body protection:</b>	Impervious protective clothing. Protective boots, if the situation requires.

## SECTION 9: Physical and chemical properties

<b>9.1 Information on basic physical and chemical properties</b>	
Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless
Odour:	Alcoholic
Odour threshold:	22 ppm
pH:	No data available
Melting point/freezing point:	No data available
Boiling point/range:	82°C
Flash point:	15°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	2%
Upper:	12%
Vapour pressure:	4.4kPa/20°C
Vapour density:	2.1
Relative density:	0.79
Solubility(ies):	
[Water]	Miscible
[Other solvents]	
Miscible:	Ether, Alcohols, Acetone, Chloroform, Many organic solvents
Soluble:	Benzene
Partition coefficient: n-octanol/water:	0.05
Autoignition temperature:	456°C
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
<b>9.2 Other safety information</b>	No data available

## SECTION 10: Stability and reactivity

<b>10.1 Reactivity</b>	No data available
<b>10.2 Chemical stability</b>	Stable under proper conditions.
<b>10.3 Possibility of hazardous reactions</b>	No special reactivity has been reported.
<b>10.4 Conditions to avoid</b>	Spark, Open flame, Static discharge
<b>10.5 Incompatible materials</b>	Oxidizing agents, Acids, Halogens, Aluminium
<b>10.6 Hazardous decomposition products</b>	Carbon dioxide, Carbon monoxide

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

<b>Acute Toxicity:</b>	ihl-rat LC50:16000 ppm/8H orl-hmn TDLo:223 mg/kg orl-rat LD50:5045 mg/kg skn-rbt LD50:12800 mg/kg
<b>Skin corrosion/irritation:</b>	skn-rbt 500 mg MLD
<b>Serious eye damage/irritation:</b>	eye-rbt 10 mg MOD
<b>Respiratory or skin sensitization:</b>	No data available
<b>Germ cell mutagenicity:</b>	cyt-rat-ihl 1030 ug/m <sup>3</sup> /16W-I
<b>Carcinogenicity:</b>	
<b>IARC =</b>	Group 3 (Not classifiable as carcinogenic to humans)
<b>NTP =</b>	No data available
<b>Reproductive toxicity:</b>	ihl-rat TCLo:3500 ppm/7H (1-19D preg) orl-rat TDLo:32400 ug/kg (26W pre) orl-rat TDLo:3500 g/kg (multigeneration)
<b>STOT-single exposure:</b>	No data available
<b>STOT-repeated exposure:</b>	No data available
<b>Aspiration hazard:</b>	No data available
<b>RTECS Number:</b>	NT8050000

## SECTION 12: Ecological information

### 12.1 Toxicity

<b>Fish:</b>	96h LC50:>100 mg/L (Oryzias latipes)
<b>Crustacea:</b>	48h EC50:>1000 mg/L (Daphnia magna)
<b>Algae:</b>	72h EC50:>1000 mg/L (Selenastrum capricornutum)

**12.2 Persistence and degradability** 86% (by BOD) , 94% (by TOC) , 100% (by GC)

**12.3 Bioaccumulative potential** 3

### 12.4 Mobility in soil

<b>Log Pow:</b>	0.05
<b>Soil adsorption (Koc):</b>	25
<b>Henry's Law (PaM<sup>3</sup>/mol):</b>	0.82

### 12.5 Results of PBT and vPvB assessment

<b>PBT:</b>	Not applicable
<b>vPvB:</b>	Not applicable

**12.6 Other adverse effects** No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material is highly flammable. Observe all federal, state and local regulations when disposing of the substance

**SECTION 14: Transport information**

<b>14.1 UN number</b>	1219
<b>14.2 UN proper shipping name</b>	
ADR/RID	Isopropyl alcohol
IMDG/IMO	Isopropyl alcohol
ICAO/IATA	Isopropyl alcohol
<b>14.3 Transport hazard class(es)</b>	
ADR/RID	3: Flammable liquid
IMDG/IMO	3: Flammable liquid
ICAO/IATA	3: Flammable liquid
<b>14.4 Packaging group</b>	
ADR/RID	II
IMDG/IMO	II
ICAO/IATA	II
<b>14.5 Environmental hazards</b>	
Marine pollutant	-
<b>14.6 Special precautions for user</b>	No data available

**SECTION 15: Regulatory information**

<b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
Water Hazard Classes (WGK) :	Class 1 - Low hazard to waters
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No.1907/2006	Not listed
<b>15.2 Chemical safety assessment</b>	A chemical safety assessment has not been carried out.

**SECTION 16: Other information**

<b>Prepared by:</b>	TCI EUROPE N.V.
<b>Issue date:</b>	10/03/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

**End of Safety Data Sheet**