**CI** TCI EUROPE N.V.

# SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

	Revision number: 2 Revision date	e: 01/08/201
	e substance/mixture and of the company/undertaking	
.1 Product identifiers		
Product name:	Isobutene (ca. 15% in Tetrahydrofuran)	
Product code:	10911	
2 Relevant identified uses of the so Identified uses:	ubstance or mixture and uses advised against Reagents.	
.3 Details of the supplier of the safe	ety data sheet	
Supplier:		
TCI EUROPE N.V.		
Boerenveldseweg 6 Haven 1063		
B-2070 Zwijndrecht		
Telephone: +32(0)3 735 07	00	
E-mail: sales-eu@tcichemic		
4 Emergency telephone number:	+32(0)70 245 245	
ECTION 2: Hazards identificati	ion	
.1 Classification of the substance of		
Flammable liquids	Category 2	
Acute toxicity (Oral)	Category 4	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritatio	• •	
Carcinogenicity	Category 2	
Specific target organ toxicity - S Specific target organ toxicity - S		
Pictograms or hazard symbols		
	<b>Sensor</b>	
Signal word	Danger H225-Highly flammable liquid and vapour	
	H225-Highly flammable liquid and vapour.	
Signal word	5	
Signal word	H225-Highly flammable liquid and vapour. H302-Harmful if swallowed.	
Signal word	H225-Highly flammable liquid and vapour. H302-Harmful if swallowed. H315-Causes skin irritation.	
Signal word	H225-Highly flammable liquid and vapour. H302-Harmful if swallowed. H315-Causes skin irritation. H319-Causes serious eye irritation. H351-Suspected of causing cancer. H371-May cause damage to organs : Nervous system	
Signal word	H225-Highly flammable liquid and vapour. H302-Harmful if swallowed. H315-Causes skin irritation. H319-Causes serious eye irritation. H351-Suspected of causing cancer. H371-May cause damage to organs : Nervous system H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous	system
Signal word	H225-Highly flammable liquid and vapour. H302-Harmful if swallowed. H315-Causes skin irritation. H319-Causes serious eye irritation. H351-Suspected of causing cancer. H371-May cause damage to organs : Nervous system H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney	system
Signal word Hazard statements	H225-Highly flammable liquid and vapour. H302-Harmful if swallowed. H315-Causes skin irritation. H319-Causes serious eye irritation. H351-Suspected of causing cancer. H371-May cause damage to organs : Nervous system H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney H335-May cause respiratory irritation.	system
Signal word	H225-Highly flammable liquid and vapour. H302-Harmful if swallowed. H315-Causes skin irritation. H319-Causes serious eye irritation. H351-Suspected of causing cancer. H371-May cause damage to organs : Nervous system H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney H335-May cause respiratory irritation. P260-Do not breathe mist, vapours or spray.	system
Signal word Hazard statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H302-Harmful if swallowed.</li> <li>H315-Causes skin irritation.</li> <li>H319-Causes serious eye irritation.</li> <li>H351-Suspected of causing cancer.</li> <li>H371-May cause damage to organs : Nervous system</li> <li>H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney</li> <li>H335-May cause respiratory irritation.</li> <li>P260-Do not breathe mist, vapours or spray.</li> <li>P280-Wear protective gloves, protective clothing, face protection.</li> </ul>	·
Signal word Hazard statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H302-Harmful if swallowed.</li> <li>H315-Causes skin irritation.</li> <li>H319-Causes serious eye irritation.</li> <li>H351-Suspected of causing cancer.</li> <li>H371-May cause damage to organs : Nervous system</li> <li>H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney</li> <li>H335-May cause respiratory irritation.</li> <li>P260-Do not breathe mist, vapours or spray.</li> <li>P280-Wear protective gloves, protective clothing, face protection.</li> <li>P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation.</li> </ul>	ation occurs
Signal word Hazard statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H302-Harmful if swallowed.</li> <li>H315-Causes skin irritation.</li> <li>H319-Causes serious eye irritation.</li> <li>H351-Suspected of causing cancer.</li> <li>H371-May cause damage to organs : Nervous system</li> <li>H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney</li> <li>H335-May cause respiratory irritation.</li> <li>P260-Do not breathe mist, vapours or spray.</li> <li>P280-Wear protective gloves, protective clothing, face protection.</li> <li>P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritt Get medical advice or attention. Take off contaminated clothing and wash it before reuse.</li> </ul>	ation occurs
Signal word Hazard statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H302-Harmful if swallowed.</li> <li>H315-Causes skin irritation.</li> <li>H319-Causes serious eye irritation.</li> <li>H351-Suspected of causing cancer.</li> <li>H371-May cause damage to organs : Nervous system</li> <li>H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney</li> <li>H335-May cause respiratory irritation.</li> <li>P260-Do not breathe mist, vapours or spray.</li> <li>P280-Wear protective gloves, protective clothing, face protection.</li> <li>P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation.</li> </ul>	ation occurs:
Signal word Hazard statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H302-Harmful if swallowed.</li> <li>H315-Causes skin irritation.</li> <li>H319-Causes serious eye irritation.</li> <li>H351-Suspected of causing cancer.</li> <li>H371-May cause damage to organs : Nervous system</li> <li>H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney</li> <li>H335-May cause respiratory irritation.</li> <li>P260-Do not breathe mist, vapours or spray.</li> <li>P280-Wear protective gloves, protective clothing, face protection.</li> <li>P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irrit: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.</li> <li>P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for bree POISON CENTER or doctor if you feel unwell.</li> <li>P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minu</li> </ul>	ation occurs: eathing. Call tes. Remove
Signal word Hazard statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H302-Harmful if swallowed.</li> <li>H315-Causes skin irritation.</li> <li>H319-Causes serious eye irritation.</li> <li>H351-Suspected of causing cancer.</li> <li>H371-May cause damage to organs : Nervous system</li> <li>H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney</li> <li>H335-May cause respiratory irritation.</li> <li>P260-Do not breathe mist, vapours or spray.</li> <li>P280-Wear protective gloves, protective clothing, face protection.</li> <li>P302+P352+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irrit: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.</li> <li>P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for bree</li> </ul>	ation occurs eathing. Call tes. Remove
Signal word Hazard statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H302-Harmful if swallowed.</li> <li>H315-Causes skin irritation.</li> <li>H319-Causes serious eye irritation.</li> <li>H351-Suspected of causing cancer.</li> <li>H371-May cause damage to organs : Nervous system</li> <li>H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney</li> <li>H335-May cause respiratory irritation.</li> <li>P260-Do not breathe mist, vapours or spray.</li> <li>P280-Wear protective gloves, protective clothing, face protection.</li> <li>P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irrit: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.</li> <li>P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for bree POISON CENTER or doctor if you feel unwell.</li> <li>P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minu contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get m or attention.</li> </ul>	ation occurs: eathing. Call tes. Remove
Signal word Hazard statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H302-Harmful if swallowed.</li> <li>H315-Causes skin irritation.</li> <li>H319-Causes serious eye irritation.</li> <li>H351-Suspected of causing cancer.</li> <li>H371-May cause damage to organs : Nervous system</li> <li>H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney</li> <li>H335-May cause respiratory irritation.</li> <li>P260-Do not breathe mist, vapours or spray.</li> <li>P280-Wear protective gloves, protective clothing, face protection.</li> <li>P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irrit: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.</li> <li>P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for bree POISON CENTER or doctor if you feel unwell.</li> <li>P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minu contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get m or attention.</li> <li>P370+P378-In case of fire: Use dry chemical or dry sand to extinguish.</li> </ul>	ation occurs: eathing. Call tes. Remove
Signal word Hazard statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H302-Harmful if swallowed.</li> <li>H315-Causes skin irritation.</li> <li>H319-Causes serious eye irritation.</li> <li>H351-Suspected of causing cancer.</li> <li>H371-May cause damage to organs : Nervous system</li> <li>H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney</li> <li>H335-May cause respiratory irritation.</li> <li>P260-Do not breathe mist, vapours or spray.</li> <li>P280-Wear protective gloves, protective clothing, face protection.</li> <li>P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irrit: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.</li> <li>P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for bree POISON CENTER or doctor if you feel unwell.</li> <li>P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minu contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get m or attention.</li> </ul>	ation occurs: eathing. Call tes. Remove
Signal word Hazard statements	<ul> <li>H225-Highly flammable liquid and vapour.</li> <li>H302-Harmful if swallowed.</li> <li>H315-Causes skin irritation.</li> <li>H319-Causes serious eye irritation.</li> <li>H351-Suspected of causing cancer.</li> <li>H371-May cause damage to organs : Nervous system</li> <li>H372-Causes damage to organs through prolonged or repeated exposure : Liver Nervous Kidney</li> <li>H335-May cause respiratory irritation.</li> <li>P260-Do not breathe mist, vapours or spray.</li> <li>P280-Wear protective gloves, protective clothing, face protection.</li> <li>P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irrit: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.</li> <li>P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for bree POISON CENTER or doctor if you feel unwell.</li> <li>P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minu contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get m or attention.</li> <li>P370+P378-In case of fire: Use dry chemical or dry sand to extinguish.</li> </ul>	ation occurs: eathing. Call tes. Remove

SECTION 3: Composition/infor	mation on ingredients
3.2 Mixtures	
Components:	Isobutene (ca. 15% in Tetrahydrofuran)
Percent:	
CAS RN:	115-11-7
EC-No:	204-066-3
Synonyms:	2-Methylpropene (ca. 15% in Tetrahydrofuran) , Isobutylene (ca. 15% in Tetrahydrofuran)
Chemical Formula:	C4H8
Hazardous composition:	Chemical name: Tetrahydrofuran Conc.: 84-86%
	CAS RN:109-99-9 EC No.: 203-726-8
	Flam. Liq. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Carc. 2, STOT SE 2, STOT SE 3, STOT RE 1 H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H315: Causes skin irritation. H319: Causes serious eye irritation. H351: Suspected of causing cancer. H371: May cause damage to Nervous system. H335: May cause respiratory irritation. H372: Causes damage to Liver, Nervous system and Kidney through prolonged or repeated exposure. EUH019: May form explosive peroxides.

SECTION 4: First aid measures	
4.1 Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Call a POISON CENTER or doctor/physician.
Ingestion:	Call a POISON CENTER or doctor/physician. Rinse mouth.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

**4.2 Most important symptoms and effects, both acute and delayed** No data available

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing media:	Dry chemical, foam, carbon dioxide.
Unsuitable extinguishing media:	Water (It may scatter and spread fire.)
5.2 Special hazards arising from the substance or mixture	Carbon dioxide, Carbon monoxide
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment

SECTION 6: Accidental release measures	
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc
6.2 Environmental precautions	Prevent product from entering drains
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
6.4 Reference to other sections	For disposal see section 13.

10911	Isobutene (ca. 15% in	Page 2 of 5
	Tetrahydrofuran)	

SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact! May develop pressure. Open carefully. Confirm in advance if peroxides exist when operations involving heating such as distillation are carried out.
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in an explosion-poof refregerator. Store locked up. Store away from incompatible materials such as oxidizing agents. Heat-sensitive
7.3 Specific end use(s)	No further relevant information available.
SECTION 8: Exposure controls/pers	sonal protection
8.1 Control parameters	No data available (THF) ACGIH TLV(TWA):50 ppm (skin) ACGIH TLV(STEL):100 ppm (skin) OSHA PEL(TWA):200 ppm
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection: Eye protection: Skin and body protection:	Impervious gloves. Safety goggles. A face-shield, if the situation requires. Impervious protective clothing. Protective boots, if the situation requires.

## SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical prop

9.1 Information on basic physical and cl	hemical properties
Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless - Almost colorless
Odour:	No data available
pH:	No data available
Melting point/freezing point:	No data available (THF) -108°C
Boiling point/range:	No data available (THF) 65°C
Flash point:	No data available (THF) -15°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	No data available.
Vapour density:	No data available
Relative density:	0.83
Solubility(ies):	
[Water]	No data available
[Other solvents]	No data available
Partition coefficient:	No data available (THF) 0.46
n-octanol/water:	
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
9.2 Other safety information	No data available

SECTION 10: Stability and reactivity		
10.1 Reactivity	No data available	
10.2 Chemical stability	May form explosive peroxides.	
10.3 Possibility of hazardous reactions	No special reactivity has been reported.	
10.4 Conditions to avoid	Spark, Open flame, Static discharge, Air	
10.5 Incompatible materials	Oxidizing agents, Strong acids, Strong bases, Halogens	

 $\label{eq:composition products} \mbox{ Carbon dioxide, Carbon monoxide}$ 

### SECTION 11: Toxicological information

I Information on toxicological effect	ts
Acute Toxicity:	No data available
	(THF)
	orl-rat LD50:1650 mg/kg
	ihl-rat LC50:21000 ppm/3H
	ipr-rat LD50:2900 mg/kg
Skin corrosion/irritation:	No data available
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
0 ,	(THF)
	mmo-esc 1 umol/L (-S9)
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
	(THF)
	ihl-rat TCLo:18900 mg/kg/105W-l
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available

SECTION 12: Ecological information

12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM <sup>3</sup> /mol):	No data available
12.5 Results of PBT and vPvB assessme	ent
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available

#### 13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material is highly flammable. Observe all federal, state and local regulations when disposing of the substance

10911	Isobutene (ca. 15% in	Page 4 of 5
	Tetrahydrofuran)	

SECTION 14: Transport information				
14.1 UN number	1993			
14.2 UN proper shipping name				
ADR/RID	Flammable liquid, n.o.s			
IMDG/IMO	Flammable liquid, n.o.s			
ICAO/IATA	Flammable liquid, n.o.s			
14.3 Transport hazard class(es)				
ADR/RID	3: Flammable liquid			
IMDG/IMO	3: Flammable liquid			
ICAO/IATA	3: Flammable liquid			
14.4 Packaging group				
ADR/RID	11			
IMDG/IMO	11			
ICAO/IATA	II			
14.5 Environmental hazards				
Marine pollutant	-			
14.6 Special precautions for user	No data available			
SECTION 15: Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006				

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	01/08/2019

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

#### End of Safety Data Sheet

10911	Isobutene (ca. 15% in	Page 5 of 5
	Tetrahydrofuran)	