CI TCI EUROPE N.V.

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Revision number: 2		Revision date: 01/08/2019	
SECTION 1: Identification of the	e substance/mixture and of	the company/undertaking	
1.1 Product identifiers	Lithium Developedride (ee. (
Product name: Product code:	Lithium Borohydride (ca. 4 L0186	mol/L in Tetranydrofuran)	
Trouble code.	20100		
1.2 Relevant identified uses of the s Identified uses:	ubstance or mixture and uses Reagents.	advised against	
1.3 Details of the supplier of the saf	ety data sheet		
Supplier: TCI EUROPE N.V.			
Boerenveldseweg 6			
Haven 1063			
B-2070 Zwijndrecht	20		
Telephone: +32(0)3 735 07 E-mail: sales-eu@tcichemi			
1.4 Emergency telephone number:	+32(0)70 245 245		
SECTION 2: Hazards identificat 2.1 Classification of the substance			
Flammable liquids		Category 2	
Substances and mixtures which	n, in contact with water, emit	Category 1	
flammable gases			
Acute toxicity (Oral)		Category 4	
Skin corrosion/irritation Serious eye damage/eye irritati	20	Category 1B Category 1	
Specific target organ toxicity -		Nervous system	
Specific target organ toxicity -		Respiratory tract irritation	
		1] Liver, Nervous system, Kidney	
Pictograms or hazard symbols	!		
Signal word	Danger		
Hazard statements	H225-Highly flammable lic H260-In contact with wate	luid and vapour. r releases flammable gases which may igi	nite spontaneously
	H302-Harmful if swallowed	d.	
	H314-Causes severe skin		
		to organs : Nervous system organs through prolonged or repeated exp	osure : Liver Nervous system
	Kidney	Jigans infough profonged of repeated exp	Soure . Liver Nervous system
	H335-May cause respirate		
Precautionary statements	P260-Do not breathe mist		
	POISON CENTER or doct	IF SWALLOWED: Rinse mouth. Do NOT i	nduce vomiting. Immediately call a
		-P363-IF ON SKIN (or hair): Take off imme	ediately all contaminated clothing.
		hower. Immediately call a POISON CENTI	ER or doctor. Wash contaminated
	clothing before reuse.	ALED: Remove person to fresh air and ke	on comfortable for breathing
	Immediately call a POISO		ep connortable for breathing.
	P305+P351+P338+P310-	IF IN EYES: Rinse cautiously with water for	
	lenses, if present and eas	y to do. Continue rinsing. Immediately call	a POISON CENTER or doctor.
	P370+P378-In case of fire	: Use dry chemical or dry sand to extingui	sn
1.010/			Page 1 of
L0186	LITNIUM BOROH	ydride (ca. 4mol/L	Faye 1010

in Tetrahydrofuran)

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: vPvB: Not applicable Not applicable

2 Mixtures	
Components:	Lithium Borohydride (ca. 4mol/L in Tetrahydrofuran)
Percent:	·····
CAS RN:	16949-15-8
EC-No:	241-021-7
Synonyms:	Lithium Tetrahydridoborate (ca. 4mol/L in Tetrahydrofuran), Lithium Tetrahydroborate (ca. 4mol/L in Tetrahydrofuran)
Chemical Formula:	H₄BLi
Hazardous composition:	Chemical name: Tetrahydrofuran Conc.: ca. 90% CAS RN:109-99-9 EC No.: 203-726-8 Flam. Liq. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Carc. 2, STOT SE 2, STOT SE 3, STOT RE 1 H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H315: Causes skin irritation.
	H319: Causes serious eye irritation. H351: Suspected of causing cancer. H371: May cause damage in Nervous system. H335: May cause respiratory irritation. H372: Causes damage to Liver, Nervous system and Kidney through prolonged or repeated exposure. EUH019: May form explosive peroxides Chemical name: Lithium Borohydride Conc.: ca. 10% CAS RN:16949-15-8 EC No.: 241-021-7
	CAS RN: 10949-15-8 EC No.: 241-021-7 Water-react. 1, Skin Corr. 1B, Eve Dam. 1
	H260: In contact with water releases flammable gases which may ignite spontaneously. H314: Cause severe skin burns and eye damage.
ECTION 4: First aid measures	
I Description of first aid measure	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER or doctor/physician.
Ingestion:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.
2 Most important symptoms and	effects, both acute and delayed
No data available	
Indication of any immediate me No data available	dical attention and special treatment needed
ECTION 5: Firefighting measu	Ires
1 Extinguishing media	
Suitable extinguishing media:	Dry chemical, dry sand.

Suitable extinguishing media: Unsuitable extinguishing media:	Dry chemical, dry sand. Water
5.2 Special hazards arising from the substance or mixture	Carbon monoxide, carbon dioxide etc
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water but NO direct contact with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment

L0186	Lithium Borohydride (ca. 4mol/L	Page 2 of 6
	in Tetrahydrofuran)	

SECTION 6: Accidental release mea	asures			
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from			
6.2 Environmental precautions	Prevent product from entering drains			
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Do not allow contact with water. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Since there is a possibility of igniting behind when removal of a leakage thing is imperfect, it is careful enough.			
6.4 Reference to other sections	For disposal see section 13.			
SECTION 7: Handling and storage				
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep away from any possible contact with water, because of violent reaction and possible flash fire. Use well-dried equipment. Handle under inert gas. Don't leave used equipment or rag. This product may ignite if it is left stuck on combustibles such as paper, rags, etc.			
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents. Moisture-sensitive			
7.3 Specific end use(s)	No further relevant information available.			
SECTION 8: Exposure controls/per	sonal protection			
8.1 Control parameters	No data available (THF) ACGIH TLV(TWA):50 ppm (skin) ACGIH TLV(STEL):100 ppm (skin) OSHA PEL(TWA):200 ppm			
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.			
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.			
Hand protection: Eye protection: Skin and body protection:	Impervious gloves. Safety goggles. A face-shield, if the situation requires. Impervious protective clothing. Protective boots, if the situation requires.			

L0186	Lithium Borohydride (ca. 4mol/L	Page 3 of 6
	in Tetrahydrofuran)	

SECTION 9: Physical and chemical	
9.1 Information on basic physical and c	
Physical state (20°C):	Liquid
Form:	Clear - Cloudy
Colour:	Colorless - Brown
Odour:	Characteristic
pH:	No data available
Melting point/freezing point:	No data available
	(THF) -108°C
Boiling point/range:	No data available
	(THF) 65°C
Flash point:	-18°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	No. data ana tabla
Lower:	No data available
Upper:	No data available
Vapour pressure:	No data available.
Vapour density:	No data available
Relative density:	No data available
Solubility(ies):	
[Water]	No data available No data available
[Other solvents] Partition coefficient:	
n-octanol/water:	No data available (THF) 0.46
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
ranomalo neccony:	
9.2 Other safety information	No data available
SECTION 10: Stability and reactivit	
10.1 Reactivity	No data available
10.2 Chemical stability	Stable under proper conditions.
10.3 Possibility of hazardous reactions	May spontaneously ignite or release flammable gases when in contact with water.
10.4 Conditions to avoid	Spark, Open flame, Static discharge, Moisture
10.5 Incompatible materials	Oxidizing agents, Acids, Water, Alcohols

10.6 Hazardous decomposition products Carbon monoxide, carbon dioxide etc

L0186	Lithium Borohydride (ca. 4mol/L
	in Tetrahydrofuran)

SECTION 11: Toxicological information

11.1 Information on toxicological effects	S
Acute Toxicity:	No data available
	(THF)
	orl-rat LD50:1650 mg/kg
	ihl-rat LC50:21000 ppm/3H
	ipr-rat LD50:2900 mg/kg
Skin corrosion/irritation:	No data available
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
	(THF)
	mmo-esc 1 umol/L (-S9)
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
	(THF)
	ihl-rat TCLo:18900 mg/kg/105W-I
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available

SECTION 12: Ecological information

12.1 LOXICITY	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assess	
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available

12.6 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. Take precautions against ignition. Observe all federal, state and local regulations when disposing of the substance

Lithium Borohydride (ca. 4mol/L in Tetrahydrofuran)

SECTION 14: Transport informati	on		
14.1 UN number	3399		
14.2 UN proper shipping name			
ADR/RID	5	, liquid, water-reactive, flammable	
IMDG/IMO	Organometallic substance	, liquid, water-reactive, flammable	
ICAO/IATA	Organometallic substance	, liquid, water-reactive, flammable	
14.3 Transport hazard class(es)			
ADR/RID	4.3: Substance which, in c	ontact with water, emit flammable gases	
Subsidiary risk:	3: Flammable liquid.		
IMDG/IMO	4.3: Substance which, in c	ontact with water, emit flammable gases	
Subsidiary risk:	3: Flammable liquid.		
ICAO/IATA	4.3: Substance which, in contact with water, emit flammable gases		
Subsidiary risk:	3: Flammable liquid.		
14.4 Packaging group			
ADR/RID	I		
IMDG/IMO	I		
ΙCAO/ΙΑΤΑ	I		
14.5 Environmental hazards			
Marine pollutant	-		
14.6 Special precautions for user	No data available		
SECTION 15: Regulatory informa	tion		
15.1 Safety, health and environmenta	l regulations/legislation spec	ific for the substance or mixture	
Water Hazard Classes (WGK) :		Class 2 - Hazard to waters	
Substance of Very High Concern		Not listed	
REACH Regulations (EC) No.1907	7/2006		
15.2 Chemical safety assessment		A chemical safety assessment has not been carried out.	
SECTION 16: Other information			
Prepared by:	TCI EUROPE N.V.		
Issue date:	01/08/2019		
		ould obtained, however, any warranty shall not be given regarding the data	
contained and the assessment of hazard	and toxicity. Prior to use, pl	ease investigate not only the hazards and toxicity information but also the	

laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet

0	1	86	

Lithium Borohydride (ca. 4mol/L in Tetrahydrofuran)