

# SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Revision number: 1 Revision date: 10/03/2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

**Product name:** Butyl Methacrylate (stabilized with HQ)

Product code: M0081

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Reagents.

1.3 Details of the supplier of the safety data sheet

Supplier:

TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht

Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com

**1.4 Emergency telephone number:** +32(0)70 245 245

#### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

Category 2

Skin sensitization

Category 1

Category 1

Specific target organ toxicity - Single exposure [Category 3] Respiratory tract irritation

2.2 Label elements

Pictograms or hazard symbols





Signal word Warning

**Hazard statements** H226-Flammable liquid and vapour.

H315-Causes skin irritation. H319-Causes serious eye irritation. H317-May cause an allergic skin reaction. H335-May cause respiratory irritation.

Precautionary statements
P261-Avoid breathing mist, vapours or spray.
P280-Wear protective gloves, eye protection.

P302+P352+P333+P313+P362+P364-IF ON SKIN: Wash with plenty of soap and water. If skin

irritation or rash occurs: Take off contaminated clothing. And wash it before reuse.

P304+P3102-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER or doctor if you feel unwell.

P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice

P370+P378-In case of fire: Use dry chemical or dry sand to extinguish.

2.3 Other hazards May cause polimerization.

Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

Butyl Methacrylate (stabilized with HQ)

Page 1 of 5

### SECTION 3: Composition/information on ingredients

3.1 Substances

Components: Butyl Methacrylate (stabilized with HQ)

 Percent:
 >99.0%(GC)

 CAS RN:
 97-88-1

 EC-No:
 202-615-1

Synonyms: Methacrylic Acid Butyl Ester (stabilized with HQ)

Chemical Formula: C8H14O2

### SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

advice/attention.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Get medical advice/attention.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Get

medical advice/attention.

**Ingestion:** Get medical advice/attention.Rinse mouth.

Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Dry chemical, foam, carbon dioxide.
Unsuitable extinguishing media: Water (It may scatter and spread fire.)

5.2 Special hazards arising from the

substance or mixture

This substance may polimerize explosively when heated or involved in a fire. Container may explode

when heated. Combat fire from a sheltered position. Carbon dioxide, Carbon monoxide

5.3 Advice for firefighters

Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc

6.2 Environmental precautions

Prevent product from entering drains

6.3 Methods and materials for containment and cleaning up

Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-exit or spillage areas are proof tools and appropriate areas area

explosion-proof equipment.

6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact!

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store locked up. Store away from incompatible materials such as oxidizing agents.

7.3 Specific end use(s)

No further relevant information available.

Butyl Methacrylate (stabilized with HQ)

Page 2 of 5

### SECTION 8: Exposure controls/personal protection

8.1 Control parameters No data available

8.2 Exposure controls Install a closed system or local exhaust. Also install safety shower and eye bath.

Respiratory protection: Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc.

Use respirators approved under appropriate government standards and follow local and national

regulations.

Hand protection: Impervious gloves.

**Eye protection:** Safety goggles. A face-shield, if the situation requires.

**Skin and body protection:** Impervious protective clothing. Protective boots, if the situation requires.

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state (20°C):

Form:
Clear
Colour:
Codour:
Characteristic
PH:
Liquid
Clear
Colorless
Colorless
No data available

Melting point/freezing point: -25°C
Boiling point/range: 164°C
Flash point: 51°C

**Evaporation rate(Butyl Acetate=1):** No data available **Flammability(solid, gas):** No data available

Flammability or explosive limits:

Lower: 2% Upper: 8%

Vapour pressure: 0.3kPa/25°C Vapour density: 4.9 Relative density: 0.90

Solubility(ies):

[Water] Very slightly soluble (0.6g/100mL)

[Other solvents]
Miscible: Ether, Ethanol

Soluble: Many organic solvents

Partition coefficient: 2.26 - 3.01

n-octanol/water:

Autoignition temperature: 290°C

Decomposition temperature:No data availableDynamic Viscosity:No data availableKinematic viscosity:No data available

9.2 Other safety information No data available

# SECTION 10: Stability and reactivity

**10.1 Reactivity** No data available

10.2 Chemical stability Polymerization may occur under the influences of heat, light or on contact with polymerization initiators

such as peroxides etc.

10.3 Possibility of hazardous reactions No special reactivity has been reported.

**10.4 Conditions to avoid** Heat, Spark, Open flame, Static discharge, Light

10.5 Incompatible materials Oxidizing agents

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide

Butyl Methacrylate (stabilized with HQ)

Page 3 of 5

### SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute Toxicity: ihl-rat LC50:4910 ppm/4H

orl-mus LD50:12900 mg/kg orl-rat LD50:16 g/kg skn-rbt LD50:11300 uL/kg

Skin corrosion/irritation: skn-rbt 500 uL MLD
Serious eye damage/irritation: No data available
Respiratory or skin sensitization: No data available
Germ cell mutagenicity: No data available

Carcinogenicity:

IARC = No data available
NTP = No data available

Reproductive toxicity: ipr-rat TDLo:690 mg/kg (5-15D preg)

ihl-rat TCLo:600 ppm/6H (6-20D preg)

STOT-single exposure: No data available
STOT-repeated exposure: No data available
Aspiration hazard: No data available
RTECS Number: OZ3675000

# SECTION 12: Ecological information

## 12.1 Toxicity

Fish:96h LC50:5.6 mg/L (Oryzias latipes)Crustacea:48h EC50:25 mg/L (Daphnia magna)

Algae: 72h EC50:14 mg/L (Selenastrum capricornutum)

12.2 Persistence and degradability 88% (by BOD), 100% (by GC)

12.3 Bioaccumulative potential 91

12.4 Mobility in soil

 Log Pow:
 2.26 - 3.01

 Soil adsorption (Koc):
 880

 Henry's Law (PaM³/mol):
 80

#### 12.5 Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

**12.6 Other adverse effects**No data available

### SECTION 13: Disposal considerations

# 13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

Butyl Methacrylate (stabilized with HQ)

### SECTION 14: Transport information

14.1 UN number 2227

14.2 UN proper shipping name

ADR/RID n-Butyl methacrylate, stabilized IMDG/IMO n-Butyl methacrylate, stabilized ICAO/IATA n-Butyl methacrylate, stabilized

14.3 Transport hazard class(es)

ADR/RID 3: Flammable liquid IMDG/IMO 3: Flammable liquid ICAO/IATA 3: Flammable liquid

14.4 Packaging group

ADR/RID III
IMDG/IMO III
ICAO/IATA III

14.5 Environmental hazards

Marine pollutant -

14.6 Special precautions for user No data available

#### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Water Hazard Classes (WGK): Class 1 - Low hazard to waters

Substance of Very High Concern (SVHC) according to the Not listed

REACH Regulations (EC) No.1907/2006

A chemical safety assessment has not been carried out.

15.2 Chemical safety assessment

SECTION 16: Other information

Prepared by: TCI EUROPE N.V. Issue date: 10/03/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

**End of Safety Data Sheet**