**C**I TCI EUROPE N.V.

# SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

SECTION 1: Identification of the	substance/mixture and of the compan	y/undertaking
.1 Product identifiers	·	
Product name:	Isobutyl Methacrylate (stabilized with HQ	)
Product code:	M0132	
.2 Relevant identified uses of the s Identified uses:	ubstance or mixture and uses advised again Reagents.	nst
	-	
I.3 Details of the supplier of the safe Supplier:	ety data sheet	
TCI EUROPE N.V.		
Boerenveldseweg 6		
Haven 1063		
B-2070 Zwijndrecht		
Telephone: +32(0)3 735 07		
E-mail: sales-eu@tcichemic	cals.com	
1.4 Emergency telephone number:	+32(0)70 245 245	
SECTION 2: Hazards identificati	ion	
2.1 Classification of the substance of	or mixture	
Flammable liquids	Category 3	
Skin corrosion/irritation	Category 2	
Skin sensitization	Category 1	
Skin sensitization Specific target organ toxicity - S 2.2 Label elements	Category 1	r tract irritation
Skin sensitization Specific target organ toxicity - S	Category 1	
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols	Category 1 Single exposure [Category 3] Respiratory	
Skin sensitization Specific target organ toxicity - S 2.2 Label elements	Category 1 Single exposure [Category 3] Respiratory Warning	
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols Signal word	Category 1 Single exposure [Category 3] Respiratory	
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation.	r tract irritation
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior	r tract irritation
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols Of the symbols Signal word Hazard statements	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior H335-May cause respiratory irritation.	r tract irritation
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior	r tract irritation n. flames/hot surfaces No smoking.
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols Of the symbols Signal word Hazard statements	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior H335-May cause respiratory irritation. P210-Keep away from heat/sparks/open P261-Avoid breathing mist, vapours or sp P280-Wear protective gloves, eye protective	r tract irritation n. flames/hot surfaces No smoking. oray. tion.
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols Of the symbols Signal word Hazard statements	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior H335-May cause respiratory irritation. P210-Keep away from heat/sparks/open P261-Avoid breathing mist, vapours or sp P280-Wear protective gloves, eye protective	r tract irritation n. flames/hot surfaces No smoking. oray.
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior H335-May cause respiratory irritation. P210-Keep away from heat/sparks/open P261-Avoid breathing mist, vapours or sp P280-Wear protective gloves, eye protec P302+P352+P333+P313+P362+P364-IF irritation or rash occurs: Take off contami	r tract irritation n. flames/hot surfaces No smoking. oray. tion. 'ON SKIN: Wash with plenty of soap and water. If skin nated clothing. And wash it before reuse.
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior H335-May cause respiratory irritation. P210-Keep away from heat/sparks/open P261-Avoid breathing mist, vapours or sp P280-Wear protective gloves, eye protec P302+P352+P333+P313+P362+P364-IF irritation or rash occurs: Take off contami P304+P340+P312-IF INHALED: Remove	r tract irritation flames/hot surfaces No smoking. pray. tion. ON SKIN: Wash with plenty of soap and water. If skin nated clothing. And wash it before reuse. e person to fresh air and keep comfortable for breathing. Call
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior H335-May cause respiratory irritation. P210-Keep away from heat/sparks/open P261-Avoid breathing mist, vapours or sp P280-Wear protective gloves, eye protect P302+P352+P333+P313+P362+P364-IF irritation or rash occurs: Take off contami P304+P340+P312-IF INHALED: Remove POISON CENTER or doctor if you feel un	r tract irritation flames/hot surfaces No smoking. pray. tion. ON SKIN: Wash with plenty of soap and water. If skin nated clothing. And wash it before reuse. person to fresh air and keep comfortable for breathing. Call hwell.
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior H335-May cause respiratory irritation. P210-Keep away from heat/sparks/open P261-Avoid breathing mist, vapours or sp P280-Wear protective gloves, eye protect P302+P352+P333+P313+P362+P364-IF irritation or rash occurs: Take off contami P304+P340+P312-IF INHALED: Remove POISON CENTER or doctor if you feel un P370+P378-In case of fire: Use dry chem	r tract irritation flames/hot surfaces No smoking. pray. tion. ON SKIN: Wash with plenty of soap and water. If skin nated clothing. And wash it before reuse. person to fresh air and keep comfortable for breathing. Call hwell.
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior H335-May cause respiratory irritation. P210-Keep away from heat/sparks/open P261-Avoid breathing mist, vapours or sp P280-Wear protective gloves, eye protec P302+P352+P333+P313+P362+P364-IF irritation or rash occurs: Take off contami P304+P340+P312-IF INHALED: Remove POISON CENTER or doctor if you feel u P370+P378-In case of fire: Use dry cherr May cause polimerization.	r tract irritation flames/hot surfaces No smoking. pray. tion. ON SKIN: Wash with plenty of soap and water. If skin nated clothing. And wash it before reuse. person to fresh air and keep comfortable for breathing. Call hwell.
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessi	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior H335-May cause respiratory irritation. P210-Keep away from heat/sparks/open P261-Avoid breathing mist, vapours or sp P280-Wear protective gloves, eye protect P302+P352+P333+P313+P362+P364-IF irritation or rash occurs: Take off contamin P304+P340+P312-IF INHALED: Remove POISON CENTER or doctor if you feel un P370+P378-In case of fire: Use dry cherr May cause polimerization.	r tract irritation flames/hot surfaces No smoking. pray. tion. ON SKIN: Wash with plenty of soap and water. If skin nated clothing. And wash it before reuse. person to fresh air and keep comfortable for breathing. Call hwell.
Skin sensitization Specific target organ toxicity - S 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Category 1 Single exposure [Category 3] Respiratory Warning H226-Flammable liquid and vapour. H315-Causes skin irritation. H317-May cause an allergic skin reactior H335-May cause respiratory irritation. P210-Keep away from heat/sparks/open P261-Avoid breathing mist, vapours or sp P280-Wear protective gloves, eye protec P302+P352+P333+P313+P362+P364-IF irritation or rash occurs: Take off contami P304+P340+P312-IF INHALED: Remove POISON CENTER or doctor if you feel u P370+P378-In case of fire: Use dry cherr May cause polimerization.	r tract irritation flames/hot surfaces No smoking. pray. tion. ON SKIN: Wash with plenty of soap and water. If skin nated clothing. And wash it before reuse. person to fresh air and keep comfortable for breathing. Call hwell.

### SECTION 3: Composition/information on ingredients

3.1 Substances	
Components:	Isobutyl Methacrylate (stabilized with HQ)
Percent:	>98.0%(GC)
CAS RN:	97-86-9
EC-No:	202-613-0
Synonyms:	Methacrylic Acid Isobutyl Ester (stabilized with HQ)
Chemical Formula:	C8H14O2

# SECTION 4: First aid measures 4.1 Description of first aid measures Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Ingestion: Get medical advice/attention if you feel unwell. Rinse mouth. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

# 4.2 Most important symptoms and effects, both acute and delayed No data available

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures	
5.1 Extinguishing media Suitable extinguishing media: Unsuitable extinguishing media:	Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.)
5.2 Special hazards arising from the substance or mixture	This substance may polimerize explosively when heated or involved in a fire. Container may explode when heated. Combat fire from a sheltered position. Carbon dioxide, Carbon monoxide
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment
SECTION 6: Accidental release mea	asures
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc
6.2 Environmental precautions	Be careful not to let it flow into rivers, etc., since adverse effects on the environment are concerned
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
6.4 Reference to other sections	For disposal see section 13.
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store locked up. Store away from incompatible materials such as oxidizing agents.
7.3 Specific end use(s)	No further relevant information available.
M0132	Isobutyl Methacrylate (stabilized Page 2 of 5

with HQ)

SECTION 8: Exposure controls/personal protection		
8.1 Control parameters	No data available	
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.	
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.	
Hand protection:	Impervious gloves.	
Eye protection:	Safety goggles. A face-shield, if the situation requires.	
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.	

SECT	ION 9: Phy	sical and	chemical	propertie

9.1 Information on basic physical and chemical	
Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless
Odour:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Boiling point/range:	155°C
Flash point:	42°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	0.24kPa/20°C
Vapour density:	4.9
Relative density:	0.89
Solubility(ies):	
[Water]	Very slightly soluble
[Other solvents]	
Miscible:	Ether, Ethanol
Partition coefficient:	No data available
n-octanol/water:	
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
9.2 Other safety information	No data available
SECTION 10: Stability and reactivity	V

SECTION 10: Stability and reactivity				
10.1 Reactivity	No data available			
10.2 Chemical stability	Polymerization may occur under the influences of heat, light or on contact with polymerization initiators such as peroxides etc.			
10.3 Possibility of hazardous reactions	No special reactivity has been reported.			
10.4 Conditions to avoid	Heat, Spark, Open flame, Static discharge, Light			
10.5 Incompatible materials	Oxidizing agents			
10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide				

### SECTION 11: Toxicological information 11.1 Information on toxicological effects

1.1 Information on toxicological effects	
Acute Toxicity:	ipr-mus LD50:1340 mg/kg
	orl-rat LDLo:6400 mg/kg
Skin corrosion/irritation:	No data available
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	ipr-rat TDLo: 420 mg/kg (5-15D preg)
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available
RTECS Number:	OZ4900000

# SECTION 12: Ecological information 12.1 Toxicity

12.1 IOXICITY	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assessme	ent
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available

### SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

Г

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

SECTION 14: Transport informat	tion	
14.1 UN number	2283	
14.2 UN proper shipping name		
ADR/RID	Isobutyl methacrylate, stabilized	
IMDG/IMO	Isobutyl methacrylate, stabilized	
ICAO/IATA	Isobutyl methacrylate, stabilized	
14.3 Transport hazard class(es)		
ADR/RID	3: Flammable liquid	
IMDG/IMO	3: Flammable liquid	
ICAO/IATA	3: Flammable liquid	
14.4 Packaging group		
ADR/RID	III	
IMDG/IMO	III	
ICAO/IATA	III	
14.5 Environmental hazards		
Marine pollutant	-	
14.6 Special precautions for user	No data available	
M0132	Isobutyl Methacrylate (stabilized with HQ)	Page 4 of 5

SECTION 15: Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
Water Hazard Classes (WGK) :	Class 1 - Low hazard to waters			
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No.1907/2006	Not listed			
15.2 Chemical safety assessment	A chemical safety assessment has not been carried out.			
SECTION 16: Other information				

SECTION 16: Other info	rmation	
Prepared by:	TCI EUROPE N.V.	
Issue date:	04/11/2019	

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet