TCI EUROPE N.V.

G

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Rev	ision number: 1		Revision date:	10/03/2018
SECTION 1: Identification of the s	ubstance/mixture and of t	he company/undertaking		
1.1 Product identifiers				
Product name: Product code:	α-Methylstyrene (stabilized M0429	with TBC)		
1.2 Relevant identified uses of the sub Identified uses:	stance or mixture and uses a Reagents.	dvised against		
1.3 Details of the supplier of the safety Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals				
1.4 Emergency telephone number:	+32(0)70 245 245			
SECTION 2: Hazards identification	1			
2.1 Classification of the substance or Flammable liquids Serious eye damage/eye irritation Specific target organ toxicity - Sin Long-term aquatic hazard		Category 3 Category 2 Respiratory tract irritation Category 2		
2.2 Label elements Pictograms or hazard symbols				
Signal word	Warning			
Hazard statements	H226-Flammable liquid and vapour. H319-Causes serious eye irritation. H335-May cause respiratory irritation. H411-Toxic to aquatic life with long lasting effects.			
Precautionary statements	 P411-10xic to aquatic life with folg lasting effects. P261-Avoid breathing mist, vapours or spray. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340+P312-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. 			
2.3 Other hazards	May cause polimerization.			
Results of PBT and vPvB assessme				
PBT:	Not applicable			
vPvB:	Not applicable			

α-Methylstyrene (stabilized with TBC)

SECTION 3: Composition/information on ingredients

3.1 Substances	
Components:	α-Methylstyrene (stabilized with TBC)
Percent:	>99.0%(GC)
CAS RN:	98-83-9
EC-No:	202-705-0
Synonyms:	2-Phenyl-1-propene (stabilized with TBC), Isopropenylbenzene (stabilized with TBC)
Chemical Formula:	C9H10

SECTION 4: First aid measures 4.1 Description of first aid measures Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call a POISON CENTER or doctor/physician. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Call a POISON CENTER or doctor/physician. Immediately call a POISON CENTER or doctor/physician. Ingestion: Immediately call a POISON CENTER or doctor/physician. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

4.2 Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures	
5.1 Extinguishing media Suitable extinguishing media: Unsuitable extinguishing media:	Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.)
5.2 Special hazards arising from the substance or mixture	This substance may polimerize explosively when heated or involved in a fire. Container may explode when heated. Combat fire from a sheltered position. Carbon dioxide, Carbon monoxide
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment
SECTION 6: Accidental release mea	asures
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc
6.2 Environmental precautions	Be careful not to let it flow into rivers, etc., since adverse effects on the environment are concerned
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
6.4 Reference to other sections	For disposal see section 13.
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact!
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in an explosion-poof refregerator. Store locked up. Store away from incompatible materials such as oxidizing agents. Heat-sensitive
7.3 Specific end use(s)	No further relevant information available.
M0429	α-Methylstyrene (stabilized with Page 2 of 5 TBC)

SECTION 8: Exposure control	s/personal protection
8.1 Control parameters	
ACGIH TLV(TWA):	50 ppm
ACGIH TLV(STEL):	100 ppm
OSHA PEL(CL):	100 ppm
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

SECTION 9: Pł	ysical and chemica	l properties
---------------	--------------------	--------------

9.1 Information on basic physical and chemical properties			
Physical state (20°C):	Liquid		
Form:	Clear		
Colour:	Colorless - Almost colorless		
Odour:	Characteristic		
Odour threshold:	0.29 ppm		
pH:	No data available		
Melting point/freezing point:	-23°C		
Boiling point/range:	162°C		
Flash point:	48°C		
Evaporation rate(Butyl Acetate=1):	No data available		
Flammability(solid, gas):	No data available		
Flammability or explosive limits:			
Lower:	0.9%		
Upper:	6.6%		
Vapour pressure:	0.3kPa/20°C		
Vapour density:	4.08		
Relative density:	0.91		
Solubility(ies):			
[Water]	Insoluble (0.012g/100mL, 20°C)		
[Other solvents]			
Miscible:	Acetone, Carbon tetrachloride		
Soluble:	Ether, Alcohols, Benzene, Chloroform, Heptane		
Partition coefficient:	3.38		
n-octanol/water:			
Autoignition temperature:	574°C		
Decomposition temperature:	No data available		
Dynamic Viscosity:	No data available		
Kinematic viscosity:	No data available		
9.2 Other safety information	No data available		
SECTION 10: Stability and reactivity	y		
10.1 Reactivity	No data available		
10.2 Chemical stability	Polymerization may occur under the influences of heat, light or on contact with polymerization initiators such as peroxides etc.		
10.3 Possibility of hazardous reactions	No special reactivity has been reported.		

10.4 Conditions to avoid	Heat, Spark, Open flame, Static discharge, Light
10.5 Incompatible materials	Oxidizing agents, Halogens, Copper, Aluminium, Peroxides

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological information 11.1 Information on toxicological effects

11.1 Information on toxicological effects	
Acute Toxicity:	skn-rbt LDLo:16 mL/kg
	orl-rat LD50:4900 mg/kg
	ihl-rat LCLo:3000 ppm
Skin corrosion/irritation:	skn-rbt 100 % MOD
Serious eye damage/irritation:	eye-rbt 91 mg MLD
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	sce-hmn-lym 330 umol/L
Carcinogenicity:	
IARC =	Group 2B (Possibly carcinogenic to humans)
NTP =	No data available
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available
RTECS Number:	WL5075300

SECTION 12: Ecological information

12.1 Toxicity	
Fish:	48h LC50:6.8 ppm (Oryzias latipes)
	96h LC50:7.28 mg/L (Oryzias latipes)
Crustacea:	48h EC50:2.62 mg/L (Daphnia magna)
Algae:	72h EC50:6.88 mg/L (Selenastrum capricornutum)
12.2 Persistence and degradability	0 % (by BOD)
12.3 Bioaccumulative potential	15 - 140 (conc. 0.3 ppm) , 12 - 113 (conc. 0.03 ppm)
10.4 Mahility in sail	
12.4 Mobility in soil	
Log Pow:	3.38
Soil adsorption (Koc):	1900
Henry's Law (PaM ³ /mol):	263
12.5 Results of PBT and vPvB assessme	ent
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

M0429
10727

SECTION 14: Transport informatio	n	
14.1 UN number	2303	
14.2 UN proper shipping name		
ADR/RID	Isopropenylbenzene	
IMDG/IMO	Isopropenylbenzene	
ICAO/IATA	Isopropenylbenzene	
14.3 Transport hazard class(es)		
ADR/RID	3: Flammable liquid	
IMDG/IMO	3: Flammable liquid	
ICAO/IATA	3: Flammable liquid	
14.4 Packaging group		
ADR/RID	Ш	
IMDG/IMO	111	
ICAO/IATA	III	
14.5 Environmental hazards		
Marine pollutant	Y	
14.6 Special precautions for user	No data available	
SECTION 15: Regulatory information	on	
15.1 Safety, health and environmental r		ific for the substance or mixture
Water Hazard Classes (WGK) :		Class 2 - Hazard to waters
Substance of Very High Concern (S REACH Regulations (EC) No.1907/2		Not listed
15.2 Chemical safety assessment		A chemical safety assessment has not been carried out.
SECTION 16: Other information		
Prepared by:	TCI EUROPE N.V.	
Issue date:	10/03/2018	

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet

M0429	
10121	