CI TCI EUROPE N.V.

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifiers Product name: 3-(Trimethoxysilyl)propyl Methacrylate (stabilized with BHT) Product code: M0725 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B - 2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards Identification Category 2 2.1 Classification of the substance or mixture Skin corrosion/irritation Category 2 2.2 Label elements Pictograms or hazard symbols Varning Hazard statements Signal word Hazard statements Varning H315-Causes skin irritation.	
1.1 Product identifiers Product name: 3-(TrimethoxysilyI)propyl Methacrylate (stabilized with BHT) Product code: M0725 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Signal word Warning	
Product code: M0725 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: + 32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Varning	
1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Skin corrosion/Irritation Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Varning Signal word Varning	
Identified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Warning	
Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Skin corrosion/irritation Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Signal word Warning	
TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Signal word Warning	
Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Signal word Warning	
B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 <u>SECTION 2: Hazards identification</u> 2.1 Classification of the substance or mixture Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Signal word Warning	
Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 <u>SECTION 2: Hazards identification</u> 2.1 Classification of the substance or mixture Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Jictograms or hazard symbols Varning	
E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Signal word Warning	
1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification End of the substance or mixture Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Serious eye damage/eye irritation Category 2 Serious eye damage/eye irritation Category 2 Signal word Warning	
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Category 2 Signal word Warning	
2.1 Classification of the substance or mixture Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Fictograms or hazard symbols Signal word Warning	
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Fictograms or hazard symbols Warning	
Serious eye damage/eye irritation Category 2 2.2 Label elements Pictograms or hazard symbols Signal word Warning	
2.2 Label elements Pictograms or hazard symbols Signal word Warning	
Pictograms or hazard symbols Signal word Warning	
5	
5	
H319-Causes serious eye irritation.	
Precautionary statements P264-Wash hands and face thoroughly after handling. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin in Get medical advice or attention. Take off contaminated clothing and wash it before reus P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several mic contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get or attention.	e. nutes. Remove
2.3 Other hazards May cause polimerization.	
Results of PBT and vPvB assessment	
PBT: Not applicable	
vPvB: Not applicable	
SECTION 3: Composition/information on ingredients	
3.1 Substances	
Components: 3-(Trimethoxysilyl)propyl Methacrylate (stabilized with BHT)	
Percent: >98.0%(GC)	
CAS RN: 2530-85-0	
EC-No:219-785-8Synonyms:3-(Methacryloyloxy)propyltrimethoxysilane (stabilized with BHT) , Methacrylic Acid	
3-(Trimethoxysilyl)propyl Ester (stabilized with BHT)	
Chemical Formula: C10H20O5Si	
M0725 3-(Trimethoxysilyl)propyl	Page 1 of 5
Methacrylate (stabilized with	
BHT)	

SECTION 4: First aid measures	
4.1 Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	Get medical advice/attention if you feel unwell. Rinse mouth.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

^{4.2} Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures		
5.1 Extinguishing media		
Suitable extinguishing media: Unsuitable extinguishing media:	Dry chemical, foam, water spray, carbon dioxide. Solid streams of water	
5.2 Special hazards arising from the substance or mixture	This substance may polimerize explosively when heated or involved in a fire. Container may explode when heated. Combat fire from a sheltered position. Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume Carbon dioxide, Carbon monoxide, Silicon oxides	
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method acc to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition source safe to do so. When extinguishing fire, be sure to wear personal protective equipment	
SECTION 6: Accidental release me	asures	
6.1 Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc	
6.2 Environmental precautions	Prevent product from entering drains	
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.	
6.4 Reference to other sections	For disposal see section 13.	
SECTION 7: Handling and storage		
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.	
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool and dark place. Store under inert gas. Protect from moisture. Store away from incompatible materials such as oxidizing agents. Light-sensitive, Moisture-sensitive	
7.3 Specific end use(s)	No further relevant information available.	
SECTION 8: Exposure controls/pe	rsonal protection	
8.1 Control parameters	No data available	
8.2 Exposure controls	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath.	
Respiratory protection: Hand protection: Eye protection: Skin and body protection:	Vapor respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires.	
M0725	3-(Trimethoxysilyl)propyl Page 2 of 5 Methacrylate (stabilized with BHT)	

SECTION 9: Physical and chemical		
9.1 Information on basic physical and cl		
Physical state (20°C):	Liquid	
Form:	Clear	
Colour:	Colorless - Almost colorless	
Odour:	Characteristic	
pH:	No data available	
Melting point/freezing point:	No data available	
Boiling point/range:	110°C /0.7kPa	
Flash point:	92°C	
Evaporation rate(Butyl Acetate=1):	No data available	
Flammability(solid, gas):	No data available	
Flammability or explosive limits:		
Lower:	0.9%	
Upper:	5.4%	
Vapour pressure:	1.3kPa/130°C	
Vapour density:	No data available	
Relative density:	1.05	
Solubility(ies):		
[Water]	Insoluble	
[Other solvents]		
Soluble:	Methanol, Ether, Benzene, Acetone	
Partition coefficient:	No data available	
n-octanol/water:		
Autoignition temperature:	265°C	
Decomposition temperature:	No data available	
Dynamic Viscosity:	No data available	
Kinematic viscosity:	No data available	
9.2 Other safety information	No data available	
SECTION 10: Stability and reactivity		
10.1 Reactivity	No data available	
10.2 Chemical stability	Polymerization may occur under the influences of heat, light or on contact with polymerization initiators such as peroxides etc.	
10.3 Possibility of hazardous reactions	No special reactivity has been reported.	
10.4 Conditions to avoid	Heat, Light	
10.5 Incompatible materials	Oxidizing agents, Strong acids, Strong bases, Metals	
10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide, Silicon oxides		

SECTION 11: Toxicological information

1.1 Information on toxicological effect	(S
Acute Toxicity:	ivn-rat LDLo:226 mg/kg
	orl-rat LD50:22600 uL/kg
	skn-rbt LD:>20 mL/kg
Skin corrosion/irritation:	skn-rbt 500 mg/24H MLD
Serious eye damage/irritation:	eye-rbt 500 mg/24H MLD
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available
RTECS Number:	UC0230000

M0725	3-(Trimethoxysilyl)propyl	Page 3 of 5
	Methacrylate (stabilized with	
	BHT)	

SECTION 12: Ecological informat	ion
12.1 Toxicity	
Fish:	48h LC50:>500 mg/L (Oryzias latipes)
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	72% (by BOD) , 70% (by TOC) , 100% (by GC)
12.3 Bioaccumulative potential	<3.5 (conc. 5 mg/L) , <34 (conc. 0.5 mg/L)
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assess	ment
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available
SECTION 13: Disposal considera	tions
13.1 Waste treatment methods	

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

SECTION 14: Transport information		
14.1 UN number	Not listed	
14.2 UN proper shipping name		
ADR/RID	Not listed	
IMDG/IMO	Not listed	
ICAO/IATA	Not listed	
14.3 Transport hazard class(es)		
ADR/RID	Does not correspond to the classification standard of the United Nations	
IMDG/IMO	Does not correspond to the classification standard of the United Nations	
ICAO/IATA	Does not correspond to the classification standard of the United Nations	
14.4 Packaging group		
ADR/RID	-	
IMDG/IMO	-	
ICAO/IATA	_	
14.5 Environmental hazards		
Marine pollutant	_	
14.6 Special precautions for user	No data available	
SECTION 15: Regulatory information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
Water Hazard Classes (WGK) : Class 1 - Low hazard to waters		
Substance of Very High Concern (SVHC) according to the Not listed		
REACH Regulations (EC) No.1907/2006		

15.2 Chemical safety assessment A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	10/03/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used for behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet

M0725	3-(Trimethoxysilyl)propyl Methacrylate (stabilized with	Page 5 of 5
	BHT)	