TCI EUROPE N.V.

G

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Rev	rision number: 1 Revision date: 10/03.	2018
SECTION 1: Identification of the s	ubstance/mixture and of the company/undertaking	
1.1 Product identifiers		
Product name:	10-Methylacridinium Perchlorate	
Product code:	M1787	
1.2 Relevant identified uses of the sub Identified uses:	stance or mixture and uses advised against Reagents.	
1.3 Details of the supplier of the safety	v data sheet	
Supplier: TCI EUROPE N.V.		
Boerenveldseweg 6		
Haven 1063		
B-2070 Zwijndrecht		
Telephone: +32(0)3 735 07 00		
E-mail: sales-eu@tcichemicals	s.com	
.4 Emergency telephone number:	+32(0)70 245 245	
SECTION 2: Hazards identificatior		
2.1 Classification of the substance or r Oxidizing solids	mixture Category 3	
•	Category 2	
Skin corrosion/irritation Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols	Category 2	
Serious eye damage/eye irritation		
Serious eye damage/eye irritation	Category 2 Warning	
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols	Category 2 Warning H272-May intensify fire; oxidiser.	
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols	Category 2 Warning H272-May intensify fire; oxidiser. H315-Causes skin irritation.	
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Category 2 Warning H272-May intensify fire; oxidiser.	
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols	Varning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials.	
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Varning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P221-Take any precaution to avoid mixing with combustibles.	
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Office of the symbols Signal word Hazard statements	Varning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P221-Take any precaution to avoid mixing with combustibles. P280-Wear protective gloves, eye protection.	ire.
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Office of the symbols Signal word Hazard statements	Varning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P221-Take any precaution to avoid mixing with combustibles. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occ	urs:
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Varning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P221-Take any precaution to avoid mixing with combustibles. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occo Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Rem	ove
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Warning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P220-Keep/Store away from clothing/combustible materials. P230-H232+P332+P332+P313-H2362+P364-HF ON SKIN: Wash with plenty of water. If skin irritation occ Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention and easy to do. Continue rinsing. If eye irritation persists: Cet medical advice or attention advice advice advice or attention advice or attention advice or attention advice or attention.	ove
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Varning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P221-Take any precaution to avoid mixing with combustibles. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occo Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Rem	ove
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessment	Varning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P220-Keep/Store away from clothing/combustible materials. P230-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occ Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.	ove
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessment PBT:	Varning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P221-Take any precaution to avoid mixing with combustibles. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occ Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Renr contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.	ove
Serious eye damage/eye irritation 2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 3 Other hazards Results of PBT and vPvB assessments	Varning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P220-Keep/Store away from clothing/combustible materials. P230-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occ Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.	ove
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessment PBT: vPvB:	Varning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. H319-Causes serious eye irritation. P210-Keep Away from heat. P220-Keep/Store away from clothing/combustible materials. P220-Keep/Store away from clothing/combustible materials. P220-Keep/Store away from clothing/combustibles. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occ Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical ad or attention. nt Not applicable	ove
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessment PBT: vPvB: SECTION 3: Composition/information	Warning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P221-Take any precaution to avoid mixing with combustibles. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occ Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Ren contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical action or attention. nt Not applicable Not applicable	ove
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessment PBT: vPvB: SECTION 3: Composition/information	Warning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P221-Take any precaution to avoid mixing with combustibles. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occ Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical ad or attention. nt Not applicable Not applicable Not applicable 10-Methylacridinium Perchlorate	ove
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessment PBT: vPvB: SECTION 3: Composition/information 3.1 Substances Components: Percent:	Warning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P221-Take any precaution to avoid mixing with combustibles. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occ Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Ren contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical act or attention. nt Not applicable Not applicable Not applicable 10-Methylacridinium Perchlorate >98.0%(N)	ove
Serious eye damage/eye irritation 2.2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessment PBT: vPvB: SECTION 3: Composition/information 3.1 Substances Components:	Warning H272-May intensify fire; oxidiser. H315-Causes skin irritation. H319-Causes serious eye irritation. P210-Keep away from heat. P220-Keep/Store away from clothing/combustible materials. P221-Take any precaution to avoid mixing with combustibles. P280-Wear protective gloves, eye protection. P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occ Get medical advice or attention. Take off contaminated clothing and wash it before reuse. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical ad or attention. nt Not applicable Not applicable Not applicable 10-Methylacridinium Perchlorate	ove

M1787

Page 1 of 5

SECTION 4: First aid measures	
4.1 Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	Get medical advice/attention if you feel unwell. Rinse mouth.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

^{4.2} Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing media:	Dry chemical, foam, water spray, carbon dioxide.
5.2 Special hazards arising from the substance or mixture	Explosion risk in case of fire. Fight fire remotely due to the risk of explosion. Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume. Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx), Hydrogen chloride
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment
SECTION 6: Accidental release mea	asures
6.1 Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Keep people away from and upwind of spill/leak. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc
6.2 Environmental precautions	Prevent product from entering drains
6.3 Methods and materials for containment and cleaning up	Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Ensure all leaks are completely removed to prevent subsequent ignition.
6.4 Reference to other sections	For disposal see section 13.
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Keep away from heat. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. Don't leave used equipment or rag. This product may ignite if it is left stuck on combustibles such as paper, rags, etc.
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool and dark place. Be sure not to give the container unexpected impacts, such as falling down or falling off. Store away from combustibles.
7.3 Specific end use(s)	No further relevant information available.
SECTION 8: Exposure controls/per	sonal protection
8.1 Control parameters	No data available
8.2 Exposure controls	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath.
Respiratory protection: Hand protection: Eye protection: Skin and body protection:	Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and ch	
Physical state (20°C):	Solid
Form:	Crystal - Powder
Colour:	Yellow - Deep yellow red
Odour:	No data available
pH:	No data available
Melting point/freezing point:	241°C (dec.)
Boiling point/range:	No data available
Flash point:	No data available
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	No data available.
Vapour density:	No data available
Relative density:	No data available
Solubility(ies):	
[Water]	No data available
[Other solvents]	
Soluble:	Acetonitrile
Partition coefficient:	No data available
n-octanol/water:	
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
9.2 Other safety information	No data available

SECTION 10: Stability and reactivity	
10.1 Reactivity	No data available
10.2 Chemical stability	Stable under proper conditions.
10.3 Possibility of hazardous reactions	May cause fire or explosion on contact with reducing agents or mixing with combustibles.
10.4 Conditions to avoid	Heat, Shock, Friction, Light
10.5 Incompatible materials	Oxidizing agents, Strong acids, Reducing agents, Combustibles

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx), Hydrogen chloride

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute Toxicity:	No data available	
Skin corrosion/irritation:	No data available	
Serious eye damage/irritation:	No data available	
Respiratory or skin sensitization:	No data available	
Germ cell mutagenicity:	No data available	
Carcinogenicity:		
IARC =	No data available	
NTP =	No data available	
Reproductive toxicity:	No data available	
STOT-single exposure:	No data available	
STOT-repeated exposure:	No data available	
Aspiration hazard:	No data available	

SECTION 12: Ecological informat	tion
12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assess	
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available
SECTION 13: Disposal considera	tions
	nsult your local regional authorities and an expert of disposal. If it mixes with inflammable solvents, it may and local regulations when disposing of the substance.
SECTION 14: Transport informati	on
14.1 UN number	1479
14.2 UN proper shipping name	
ADR/RID	Oxidizing solid, n.o.s
IMDG/IMO	Oxidizing solid, n.o.s
ICAO/IATA	Oxidizing solid, n.o.s
14.3 Transport hazard class(es)	
ADR/RID	5.1: Oxidizer
IMDG/IMO	5.1: Oxidizer

ICAO/IATA	5.1: Oxidizer
14.4 Packaging group	
ADR/RID	111
IMDG/IMO	III
ICAO/IATA	111
14.5 Environmental hazards	
Marine pollutant	-
14.6 Special precautions for user	No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	10/03/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet