CI TCI EUROPE N.V.

P0613

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

R	
SECTION 1: Identification of the	e substance/mixture and of the company/undertaking
1.1 Product identifiers	
Product name: Product code:	Vinyl Propionate (stabilized with MEHQ) P0613
1.2 Relevant identified uses of the s Identified uses:	ubstance or mixture and uses advised against Reagents.
1.3 Details of the supplier of the safe Supplier:	ety data sheet
TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht	
Telephone: +32(0)3 735 07 E-mail: sales-eu@tcichemic	
1.4 Emergency telephone number:	+32(0)70 245 245
SECTION 2: Hazards identificati	ion
2.1 Classification of the substance of	
Flammable liquids	Category 2
Serious eye damage/eye irritatio	
2.2 Label elements Pictograms or hazard symbols	
Pictograms or hazard symbols	Danger
	Danger H225-Highly flammable liquid and vapour. H319-Causes serious eve irritation.
Pictograms or hazard symbols	8
Pictograms or hazard symbols	H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
Pictograms or hazard symbols	 H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish.
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	 H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool.
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards	 H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization.
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessed	 H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization.
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assess PBT:	 H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. Not applicable
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assessed	 H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization.
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assess PBT: vPvB:	 H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. Not applicable Not applicable
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assess PBT: vPvB: SECTION 3: Composition/inform	 H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. Mot applicable Not applicable Not applicable
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assess PBT: vPvB: SECTION 3: Composition/inform 3.1 Substances Components:	 H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. Mot applicable Not applicable Not applicable Not applicable Vinyl Propionate (stabilized with MEHQ)
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assess PBT: vPvB: SECTION 3: Composition/inform 3.1 Substances Components: Percent:	H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. nent Not applicable Not applicable Vinyl Propionate (stabilized with MEHQ) >98.0%(GC)
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assess PBT: vPvB: SECTION 3: Composition/inform 3.1 Substances Components: Percent: CAS RN:	H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. nent Not applicable Not applicable Not applicable Vinyl Propionate (stabilized with MEHQ) >98.0%(GC) 105-38-4
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assess PBT: vPvB: SECTION 3: Composition/inform 3.1 Substances Components: Percent: CAS RN: EC-No:	H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. nent Not applicable Not applicable Vinyl Propionate (stabilized with MEHQ) >98.0%(GC) 105-38-4 203-293-5
Pictograms or hazard symbols Signal word Hazard statements Precautionary statements Precautionary statements 2.3 Other hazards Results of PBT and vPvB assess PBT: vPvB: SECTION 3: Composition/inform 3.1 Substances Components: Percent: CAS RN:	H225-Highly flammable liquid and vapour. H319-Causes serious eye irritation. P210-Keep away from heat/sparks/open flames/hot surfaces No smoking. P280-Wear protective gloves, eye protection. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. P370+P378-In case of fire: Use dry chemical or dry sand to extinguish. P403+P235-Store in a well-ventilated place. Keep cool. May cause polimerization. nent Not applicable Not applicable Not applicable Vinyl Propionate (stabilized with MEHQ) >98.0%(GC) 105-38-4

Vinyl Propionate (stabilized with

MEHQ)

Page 1 of 5

SECTION 4: First aid measures	
4.1 Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact:	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	Get medical advice/attention if you feel unwell. Rinse mouth.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

^{4.2} Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing media:	Dry chemical, foam, carbon dioxide.
Unsuitable extinguishing media:	Water (It may scatter and spread fire.)
5.2 Special hazards arising from the substance or mixture	This substance may polimerize explosively when heated or involved in a fire. Container may explode when heated. Combat fire from a sheltered position. Carbon dioxide, Carbon monoxide
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment
SECTION 6: Accidental release me	asures
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc
6.2 Environmental precautions	Prevent product from entering drains
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
6.4 Reference to other sections	For disposal see section 13.
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store away from incompatible materials such as oxidizing agents.
7.3 Specific end use(s)	No further relevant information available.
SECTION 8: Exposure controls/per	sonal protection
8.1 Control parameters	No data available
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.
Respiratory protection: Hand protection:	Vapor respirator. Follow local and national regulations. Protective gloves.
Eye protection:	Safety glasses. A face-shield, if the situation requires.
Skin and body protection:	Protective clothing. Protective boots, if the situation requires.

P0613	Vinyl Propionate (stabilized with	Page 2 of 5
	MEHQ)	

nformation on basic physical and c		
Physical state (20°C):	Liquid	
Form:	Clear	
Colour:	Colorless - Almost colorless	
Odour:	No data available	
pH:	No data available	
Melting point/freezing point:	-80°C	
Boiling point/range:	95°C	
Flash point:	8°C	
Evaporation rate(Butyl Acetate=1):	No data available	
Flammability(solid, gas):	No data available	
Flammability or explosive limits:		
Lower:	2.5%	
Upper:	15.5%	
Vapour pressure:	4.6kPa/20°C	
Vapour density:	3.3	
Relative density:	0.92	
Solubility(ies):		
[Water]	Very slightly soluble	
[Other solvents]		
Soluble:	Many organic solvents	
Partition coefficient:	No data available	
n-octanol/water:		
Autoignition temperature:	360°C	
Decomposition temperature:	No data available	
Dynamic Viscosity:	No data available	
Kinematic viscosity:	No data available	

SECTION 10: Stability and reactivity	y .
10.1 Reactivity	No data available
10.2 Chemical stability	Polymerization may occur under the influences of heat, light or on contact with polymerization initiators such as peroxides etc.
10.3 Possibility of hazardous reactions	No special reactivity has been reported.
10.4 Conditions to avoid	Heat, Spark, Open flame, Static discharge, Light
10.5 Incompatible materials	Oxidizing agents

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological information

44.4 Information on toxical affect		
11.1 Information on toxicological effect		
Acute Toxicity:	ihl-rat LCLo:4000 ppm/4H	
-	orl-rat LD50:4760 mg/kg	
Skin corrosion/irritation:	No data available	
Serious eye damage/irritation:	No data available	
Respiratory or skin sensitization:	No data available	
Germ cell mutagenicity:	sce-hmn-lym 400 umol/L	
Carcinogenicity:		
IARC =	No data available	
NTP =	No data available	
Reproductive toxicity:	No data available	
STOT-single exposure:	No data available	
STOT-repeated exposure:	No data available	
Aspiration hazard:	No data available	
RTECS Number:	UF8575000	

D0/12	View Drawie wate (atabilized with	Page 3 of
P0613	Vinyl Propionate (stabilized with	Fage 3 0
	MEHQ)	

SECTION 12: Ecological informat	ion
12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	93% (by BOD)
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assess	ment
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available
SECTION 13: Disposal considera	tions
13.1 Waste treatment methods	
	sult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an t exert extra care in igniting as this material is highly flammable. Observe all federal, state and local ubstance

4.1 UN number	3272	
4.1 ON number	3212	
4.2 UN proper shipping name		
ADR/RID	Esters, n.o.s	
IMDG/IMO	Esters, n.o.s	
ICAO/IATA	Esters, n.o.s	
4.3 Transport hazard class(es)		
ADR/RID	3: Flammable liquid	
IMDG/IMO	3: Flammable liquid	
ICAO/IATA	3: Flammable liquid	
4.4 Packaging group		
ADR/RID	II	
IMDG/IMO	II	
ICAO/IATA	II	
4.5 Environmental hazards		
Marine pollutant	-	
4.6 Special precautions for user	No data available	

See Hold Tol Rogalatory Information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
Water Hazard Classes (WGK) :	Class 1 - Low hazard to waters	
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No.1907/2006	Not listed	

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	10/03/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet