CI TCI EUROPE N.V.

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Revi	sion number: 1	Revision date: 10/03/2018
	ibstance/mixture and of the company/undertaking	
1.1 Product identifiers Product name: Product code:	(S)-(-)-1-Phenylethyl Alcohol P0796	
1.2 Relevant identified uses of the subs Identified uses:	stance or mixture and uses advised against Reagents.	
1.3 Details of the supplier of the safety	data sheet	
Supplier:		
TCI EUROPE N.V. Boerenveldseweg 6		
Haven 1063		
B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00		
E-mail: sales-eu@tcichemicals	com	
1.4 Emergency telephone number:	+32(0)70 245 245	
SECTION 2: Hazards identification		
2.1 Classification of the substance or n Acute toxicity (Oral)	Category 4	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2	
	Worsing	
Signal word Hazard statements	Warning H302-Harmful if swallowed.	
nazaru statements	H315-Causes skin irritation.	
Precautionary statements	H319-Causes serious eye irritation. P270-Do not eat, drink or smoke when using this product.	
	P264-Wash hands and face thoroughly after handling.	
	P280-Wear protective gloves, eye protection. P301+P312+P330-IF SWALLOWED: Call a POISON CENTE	P or doctor if you feel upwell Pipse
	mouth.	
	P302+P352+P332+P313+P362+P364-IF ON SKIN: Wash wit Get medical advice or attention. Take off contaminated clothir P305+P351+P338+P337+P313-IF IN EYES: Rinse cautiously contact lenses, if present and easy to do. Continue rinsing. If or attention.	ng and wash it before reuse. / with water for several minutes. Remove
2.3 Other hazards		
Results of PBT and vPvB assessmer		
PBT: vPvB:	Not applicable Not applicable	
VFVB.	Not applicable	
SECTION 3: Composition/informat	ion on ingredients	
3.1 Substances Components:	(S)-(-)-1-Phenylethyl Alcohol	
Percent:	>98.0%(GC)	
CAS RN:	1445-91-6	
Synonyms: Chemical Formula:	(S)-(-)- α -Methylbenzyl Alcohol , (S)-(-)-1-Phenylethanol , (S)-(C_8H_{10}O	(-)-sec-Phenethyl Alcohol

SECTION 4: First aid measures inhalation: Remove vicitim to fresh air and keep at rest in a position comfortable for breathing. Gett wedical advice/attention if you feel unwell. Skin contact: Remove fake off immediately all contaminated clothing. Gently wash with plenty of soap and w skin initiation or rans occurs: Get medical advice/attention. Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to Continue rinsing. If yee initiation presiss: Get medical advice/attention. Ingestion: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggl 4.2 Most important symptoms and effects, both acute and delayed No data available Dry chemical, foam, water spray, carbon dioxide. SECTION 5: Fireflighting media: Dry chemical, foam, water spray, carbon dioxide. Suitable extinguishing media: Dry chemical, foam, water spray, carbon dioxide. 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing metha substance or mixture 5.4 Extinguishing media: Use personal protective equipment. SECTION 6: Accidental release measures dupiment and emergency procedures Fire-extinguishing work is done from the windward and the suitable fire-extinguishing fire, to wear personal protective equipment. 6.1 Personal preceutions, protective equip
Inhalation: Remove vicim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention in you feel unwell. Skin contact: Remove/Take off immediately all contaminated clothing. Genthy wash with plenty of scap and wish intrilation or rates occurs: Get medical advice/attention. Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to a Continue rinsing. If yee inritation presists: Get medical advice/attention. Ingestion: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggl 4.2 Most important symptoms and effects, both acute and delayed No data available No data available SciECTION 5: Firefighting media: Diry chemical, foam, water spray, carbon dioxide. Suitable extinguishing media: Diry chemical, foam, water spray, carbon dioxide. 5.2 Special hazards arising from the surge of firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method as to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cast fire in the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cast fire in the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cast fire in the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cast fire in the surrounding situation is used. Uninvo
Skin contact: Remove/Take off immediately all contaminated clothing. Genulty wash with plenty of scap and wash in plenty of scap and wash occurs. Gen medical advice/attention. Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to a Continue rinsing. If yes intration presists: Get medical advice/attention. Ingestion: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggl 4.2 Most important symptoms and effects, both acute and delayed No data available Descuer should wear personal protective equipment, such as rubber gloves and air-tight goggl 4.3 Indication of any immediate medical attention and special treatment needed No data available Descuer should wear personal protective equipment. Sector NS : Firefighting media: Dry chemical, foam, water spray, carbon dioxide. Unsuitable extinguishing media: Suitable extinguishing media: Dry chemical, foam, water spray, carbon dioxide. Solid streams of water 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method action the surroundings: Remove movable containers if safe to do so. When extinguishing fire, to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, to wear personal protective equip
Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to a Continue rinsing. If eye irritation persists: Gate medical advice/attention. Ingestion: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight gogg! 4.2 Most important symptoms and effects, both acute and delayed No data available A rescuer should wear personal protective equipment, such as rubber gloves and air-tight gogg! 4.3 Indication of any immediate medical attention and special treatment needed No data available Dry chemical, foam, water spray, carbon dioxide. SECTION 5: Firefighting measures Solid streams of water 5.1 Extinguishing media: Dry chemical, foam, water spray, carbon dioxide. Subtable extinguishing media: Solid streams of water 5.3 Advice for firefighters Carbon dioxide, Carbon monoxide substance or mixture 5.4 Presonal precautions, protective equipment and emergency procedures Use personal protective equipment. 6.1 Personal precautions, protective equipment and emergency procedures Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up anount of spillage, contain a spill by bunding. Adhered or collected material should be promptive disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignite Fire-extinguishing devices
Ingestion: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggl 4.2 Most important symptoms and effects, both acute and delayed No data available A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggl 4.3 Indication of any immediate medical attention and special treatment needed No data available Sectron 5: Firefighting media: Suitable extinguishing media: Dry chemical, foam, water spray, carbon dioxide. Solid streams of water 5.1 Extinguishing media: Suitable extinguishing media: Suitable extinguishing media: Solid streams of water Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method ac to the surroundings: Remove movable containers if safe to do so. When extinguishing fire, to wear personal protective equipment. SECTION 6: Accidental release measures Second protective equipment. Keep people away from and upwind of spill/leak. Ensure ad ventilation. Entry to non-involved personnel should be controlled around the leakage area by rop etc 6.1 Personal protective equipment and emergency procedures Venterproduct from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of is rescuestinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
4.2 Most important symptoms and effects, both acute and delayed No data available 4.3 Indication of any immediate medical attention and special treatment needed No data available 4.3 Indication of any immediate medical attention and special treatment needed No data available 5.5 Eriefighting measures 5.1 Extinguishing media Suitable extinguishing media: Dry chemical, foam, water spray, carbon dioxide. 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method ac to the surrounding six karbon extrement is used. Uninvolved persons should evacuate to a safe place. In cas fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, to to wear personal protective equipment. 5.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ad ventilation. Entry to non-involved personnel should be controlled around the leakage area by rog etc 6.1 Personal precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la mount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove al sources of upinet explosion-proof equipment. 6.4 Reference to other sections For disp
No data available 4.3 Indication of any immediate medical attention and special treatment needed No data available SECTION 5: Firefighting measures 5.1 Extinguishing media: Suitable extinguishing media: Dry chemical, foam, water spray, carbon dioxide. Suitable extinguishing media: Solid streams of water 5.2 Special hazards arising from the substance or mixture 5.3 Advice for firefighters Carbon dioxide, Carbon monoxide Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method ac to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cas fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, t to wear personal protective equipment. SECTION 6: Accidental release measures 9.1 Personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ad ventilation. Entry to non-involved personnel should be controlled around the leakage area by rog etc 6.1 Personal precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up disposed of in accordance with appropriate laws and regulations. Remove all sources of ignitio Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Tareastion of vapou
No data available SECTION 5: Firefighting media: Suitable extinguishing media: Unsuitable extinguishing media: Solid streams of water 5.1 Extinguishing media: Suitable extinguishing media: Unsuitable extinguishing media: Solid streams of water 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method ac to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cas fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, t to wear personal protective equipment. SECTION 6: Accidental release measures Use personal protective equipment. Keep people away from and upwind of spiil/leak. Ensure ad ventilation. Entry to non-involved personnel should be controlled around the leakage area by rog etc 6.1 Personal precautions, protective equipment and emergency procedures Ves personal protective equipment. Keep people away from and upwind of spiil/leak. Ensure ad ventilation. Entry to non-involved personnel should be controlled around the leakage area by rog etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spiiled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of It amount of spiilage, contain a spiil by bunding. Adhered or collected material should be promptly disposed of, in accordance with
5.1 Extinguishing media Dry chemical, foam, water spray, carbon dioxide. Unsuitable extinguishing media: Dry chemical, foam, water spray, carbon dioxide. 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Cire-extinguishing work is done from the windward and the suitable fire-extinguishing method actor the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cast fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, to wear personal protective equipment. SECTION 6: Accidental release measures Use personal protective equipment. 6.1 Personal precautions, protective Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ad ventilation. Entry to non-involved personnel should be controlled around the leakage area by rogetc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignitio Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in
Suitable extinguishing media: Unsuitable extinguishing media: Dry chemical, foam, water spray, carbon dioxide. Solid streams of water 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Carbon dioxide, Carbon monoxide 5.4 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method actor to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, to to wear personal protective equipment SECTION 6: Accidental release measures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ad ventilation. Entry to non-involved personnel should be controlled around the leakage area by rop etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignitio Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent genera
Unsuitable extinguishing media: Solid streams of water 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method act to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, to wear personal protective equipment SECTION 6: Accidental release measures 6.1 Personal precautions, protective quipment. Keep people away from and upwind of spill/leak. Ensure ad ventilation. Entry to non-involved personnel should be controlled around the leakage area by rop etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of the amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignitio Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prove build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thorough
substance or mixture 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method ac to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cas fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, to to wear personal protective equipment SECTION 6: Accidental release measures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ad equipment and emergency procedures 6.1 Personal precautions Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ad eventilation. Entry to non-involved personnel should be controlled around the leakage area by ropetc. 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of the amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to preveus build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face t
to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, to wear personal protective equipment SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ad ventilation. Entry to non-involved personnel should be controlled around the leakage area by rogetic 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignitio Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prever build up of electrostatic charge. Use explosion-proof equipment. Wash and face thorough handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aresol versel bandling.
 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ad ventilation. Entry to non-involved personnel should be controlled around the leakage area by ropetc 6.2 Environmental precautions 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage 7.1 Precautions for safe handling Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thorough handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol of the section.
 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ad ventilation. Entry to non-involved personnel should be controlled around the leakage area by ropetc 6.2 Environmental precautions 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage 7.1 Precautions for safe handling Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thorough handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol of the section.
equipment and emergency proceduresventilation. Entry to non-involved personnel should be controlled around the leakage area by ropet6.2 Environmental precautionsPrevent product from entering drains6.3 Methods and materials for containment and cleaning upAbsorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.6.4 Reference to other sectionsFor disposal see section 13.SECTION 7: Handling and storageHandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to preve build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thorough handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol of handling.
 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignitio Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 6.4 Reference to other sections For disposal see section 13. <u>SECTION 7: Handling and storage</u> T.1 Precautions for safe handling Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to preve build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thorough handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol of the prevent is the prevent of the prevent is possible. Use a ventilation, local exhaust if vapour or aerosol of the prevent is possible. Use a ventilation, local exhaust if vapour or aerosol of the prevent is possible. Use a ventilation, local exhaust if vapour or aerosol of the prevent is prevent in the prevent in the prevent is prevent.
containment and cleaning upamount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignitio Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.6.4 Reference to other sectionsFor disposal see section 13.SECTION 7: Handling and storageHandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to preve build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thorough handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol version
SECTION 7: Handling and storage 7.1 Precautions for safe handling Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prever build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thorough handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol variable.
7.1 Precautions for safe handling Beneration of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thorough handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol v
7.1 Precautions for safe handling Beneration of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thorough handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol v
generated. Avoid contact with skin, eyes and clothing.
7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool, dark and well-ventilated place. Store away from incompatible materials such as oxidizing agents.
7.3 Specific end use(s) No further relevant information available.
SECTION 8: Exposure controls/personal protection
8.1 Control parameters No data available
8.2 Exposure controls Install a closed system or local exhaust as possible so that workers should not be exposed direct Also install safety shower and eye bath.
Respiratory protection: Vapor respirator. Follow local and national regulations.
Hand protection: Protective gloves.
Eye protection:Safety glasses. A face-shield, if the situation requires.Skin and body protection:Protective clothing. Protective boots, if the situation requires.
P0796 (S)-(-)-1-Phenylethyl Alcohol Pag

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical area

9.1 Information on basic physical and chemical properties		
Physical state (20°C):	Liquid	
Form:	Clear	
Colour:	Colorless - Almost colorless	
Odour:	No data available	
pH:	No data available	
Melting point/freezing point:	No data available	
Boiling point/range:	98°C /2.7kPa	
Flash point:	85°C	
Evaporation rate(Butyl Acetate=1):	No data available	
Flammability(solid, gas):	No data available	
Flammability or explosive limits:		
Lower:	No data available	
Upper:	No data available	
Vapour pressure:	No data available.	
Vapour density:	No data available	
Relative density:	1.01	
Solubility(ies):		
[Water]	No data available	
[Other solvents]	No data available	
Partition coefficient:	No data available	
n-octanol/water:		
Autoignition temperature:	No data available	
Decomposition temperature:	No data available	
Dynamic Viscosity:	No data available	
Kinematic viscosity:	No data available	
9.2 Other safety information	No data available	

SECTION 10: Stability and reactivity		
10.1 Reactivity	No data available	
10.2 Chemical stability	Stable under proper conditions.	
10.3 Possibility of hazardous reactions	No special reactivity has been reported.	
10.4 Conditions to avoid	Open flame	
10.5 Incompatible materials	Oxidizing agents	

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological information 11.1 Information on toxicological effects Acute Toxicity: orl-rat LD50:400 mg/kg No data available Skin corrosion/irritation: No data available Serious eye damage/irritation: Respiratory or skin sensitization: No data available Germ cell mutagenicity: msc-mus-lym 250 mg/kg cyt-ham-ovr 1 g/L Carcinogenicity: IARC = No data available NTP = No data available Reproductive toxicity: No data available

STOT-single exposure: STOT-repeated exposure: Aspiration hazard: **RTECS Number:** DO9275000

No data available No data available No data available

SECTION 12: Ecological informa	
12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB asses	
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available
SECTION 13: Disposal consider	
SECTION 13: Disposal consider 13.1 Waste treatment methods	
SECTION 13: Disposal consider 13.1 Waste treatment methods Recycle to process, if possible. Co	ations
SECTION 13: Disposal consider 13.1 Waste treatment methods Recycle to process, if possible. Co	ations onsult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance.
SECTION 13: Disposal consider 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (ations onsult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance.
SECTION 13: Disposal consider 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (SECTION 14: Transport informa	ations onsult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance.
SECTION 13: Disposal consider. 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (SECTION 14: Transport informa 14.1 UN number	ations onsult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an Observe all federal, state and local regulations when disposing of the substance.
SECTION 13: Disposal consider. 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (SECTION 14: Transport informa 14.1 UN number 14.2 UN proper shipping name	ations ations ations ations ations ations ation
SECTION 13: Disposal consider. 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (SECTION 14: Transport informa 14.1 UN number 14.2 UN proper shipping name ADR/RID	ations ations ations ations ations ations ation
SECTION 13: Disposal consider. 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (SECTION 14: Transport informa 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO	ations ations ations ations ations ations ations ation attended at
SECTION 13: Disposal consider. 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (SECTION 14: Transport informa 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA	ations ations ations ations ations ations ations ation attended at
SECTION 13: Disposal consider. 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (SECTION 14: Transport informa 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA	ations ations ations ations ations ations ations ation attended at
SECTION 13: Disposal consider. 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (SECTION 14: Transport informa 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID	ations ations ations ations ations ations ations ations ations attended att
SECTION 13: Disposal consider. 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (SECTION 14: Transport informa 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID IMDG/IMO IMDG/IMO	ations attended attende
SECTION 13: Disposal consider. 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (SECTION 14: Transport informa 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID IMDG/IMO ICAO/IATA	ations attended attende
SECTION 13: Disposal consider. 13.1 Waste treatment methods Recycle to process, if possible. Co afterburner and scrubber system. (SECTION 14: Transport information 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID IMDG/IMO ICAO/IATA 14.4 Packaging group	ations ations ations ations ations ations ations ation approximate ation approximate ation approximate ation approximate appro

14.5 Environmental hazards Marine pollutant	-
14.6 Special precautions for user	No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	10/03/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet