TCI EUROPE N.V.

G

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Revision number: 1 Revision date: 10/0		Revision date: 10/03/2018
SECTION 1: Identification of the s	substance/mixture and of the company/undertaking	<u>,</u>
1.1 Product identifiers		
Product name:	Diethyl Sebacate	
Product code:	S0024	
1.2 Relevant identified uses of the sul Identified uses:	bstance or mixture and uses advised against Reagents.	
1.3 Details of the supplier of the safet	y data sheet	
Supplier:		
TCI EUROPE N.V.		
Boerenveldseweg 6		
Haven 1063 B-2070 Zwijndrecht		
Telephone: +32(0)3 735 07 0	0	
E-mail: sales-eu@tcichemica		
1.4 Emergency telephone number:	+32(0)70 245 245	
SECTION 2: Llazarda idantificatio		
SECTION 2: Hazards identificatio 2.1 Classification of the substance or		
	ria for classification in any hazard class according to Regulation	ion (EC) No 1272/2008
2.2 Label elements		
Pictograms or hazard symbols	None	
Signal word	No signal word	
Hazard statements	None	
Precautionary statements	None	
2.3 Other hazards		
Results of PBT and vPvB assessme	ent	
PBT:	Not applicable	
vPvB:	Not applicable	
SECTION 3: Composition/informa	ation on ingredients	
3.1 Substances		
Components:	Diethyl Sebacate	
Percent:	>98.0%(GC)	
CAS RN:	110-40-7	
EC-No:	203-764-5	
Synonyms:	Decanedioic Acid Diethyl Ester, Sebacic Acid Diethyl Este	er
Chemical Formula:	C14H26O4	
SECTION 4: First aid measures		
4.1 Description of first aid measures		
Inhalation:	Remove victim to fresh air and keep at rest in a position c advice/attention if you feel unwell.	omfortable for breathing. Get medical
Skin contact:	Remove/Take off immediately all contaminated clothing. F or rash occurs: Get medical advice/attention.	Rinse skin with water/shower. If skin irritation
Eye contact:	Rinse cautiously with water for several minutes. Remove	
Ingestion:	Continue rinsing. If eye irritation persists: Get medical adv Get medical advice/attention if you feel unwell. Rinse mou	
Protection of first-aiders:	A rescuer should wear personal protective equipment, suc	ch as rubber gloves and air-tight goggles.
4.2 Most important symptoms and eff No data available	ects, both acute and delayed	
4.3 Indication of any immediate medic No data available	cal attention and special treatment needed	
C0004		Down 4 of
S0024	Diethyl Sebacate	Page 1 of

SECTION 5: Firefighting media Suitable extinguishing media: Suitable extinguishing media: Unsuitable extinguishing media: Suitable extinguishing media: Carbon dioxide, Carbon monoxide Suitable extinguishing media: Suitable extinguishing media: Suitable extinguishing media: Carbon dioxide, Carbon monoxide Suitable extinguishing media: Suitable extinguishing media: Carbon dioxide, Carbon monoxide Statement extinguishing media: Suitable extinguishing media: Statement extinguishing media: Section 2 (2000) Section 2 (2000) <th>e of e sure</th>	e of e sure
Unsuitable extinguishing media: Water (It may scatter and spread fire.) 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method are to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, I to wear personal protective equipment SECTION 6: Accidental release measures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ace quipment and emergency procedures 6.1 Personal precautions, protective equipment and emergency procedures Vertilation. Entry to non-involved personnel should be controlled around the leakage area by roletc. 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of I amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage T.1 Precautions for safe handling 7.1 Precautions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompati	e of e sure
5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method act to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cast fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, it to wear personal protective equipment. SECTION 6: Accidental release measures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure act etc 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure act etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of I amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Tarloting is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly	e of e sure
substance or mixture Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method active the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cast fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, I to wear personal protective equipment SECTION 6: Accidental release measures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure active equipment and emergency procedures 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure active equipment and emergency procedures 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of I amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Mandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompatible ma such as o	e of e sure
to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cast fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, to wear personal protective equipment SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ac ventilation. Entry to non-involved personnel should be controlled around the leakage area by roget c 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of I amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompatible masuch as oxidizing agents.	e of e sure
6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ac ventilation. Entry to non-involved personnel should be controlled around the leakage area by roget. 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompatible masuch as oxidizing agents.	quate
equipment and emergency proceduresventilation. Entry to non-involved personnel should be controlled around the leakage area by role6.2 Environmental precautionsPrevent product from entering drains6.3 Methods and materials for containment and cleaning upAbsorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.6.4 Reference to other sectionsFor disposal see section 13.SECTION 7: Handling and storage 7.1 Precautions for safe handlingHandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool and dark place. Store away from incompatible ma such as oxidizing agents.	quate
6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompatible material sound agents.	
containment and cleaning upamount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.6.4 Reference to other sectionsFor disposal see section 13.SECTION 7: Handling and storageFor disposal see section 13.7.1 Precautions for safe handlingHandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool and dark place. Store away from incompatible ma such as oxidizing agents.	
SECTION 7: Handling and storage 7.1 Precautions for safe handling Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompatible masses are suitable protective equipment. Prevent generated.	rge
7.1 Precautions for safe handlingHandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool and dark place. Store away from incompatible ma such as oxidizing agents.	
generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool and dark place. Store away from incompatible ma such as oxidizing agents.	
including any incompatibilities such as oxidizing agents.	local
7.3 Specific end use(s) No further relevant information available.	ərials
SECTION 8: Exposure controls/personal protection	
8.1 Control parameters No data available	
8.2 Exposure controls Install a closed system or local exhaust as possible so that workers should not be exposed direct Also install safety shower and eye bath.	ly.
Respiratory protection: Vapor respirator. Follow local and national regulations.	
Hand protection: Protective gloves.	
Eye protection:Safety glasses. A face-shield, if the situation requires.Skin and body protection:Protective clothing. Protective boots, if the situation requires.	

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical prope

9.1 Information on basic physical and chemical properties	
Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless - Very pale yellow
Odour:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Boiling point/range:	309°C
Flash point:	167°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	No data available.
Vapour density:	No data available
Relative density:	0.97
Solubility(ies):	
[Water]	No data available
[Other solvents]	No data available
Partition coefficient:	No data available
n-octanol/water:	
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
9.2 Other safety information	No data available

SECTION 10: Stability and reactivity	
10.1 Reactivity	No data available
10.2 Chemical stability	Stable under proper conditions.
10.3 Possibility of hazardous reactions	No special reactivity has been reported.
10.4 Conditions to avoid	No data available
10.5 Incompatible materials	Oxidizing agents

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological information 11.1 Information on toxicological effects

11.1 Information on toxicological effects	
Acute Toxicity:	orl-rat LD50:14470 mg/kg
-	orl-gpg LD50:7280 mg/kg
Skin corrosion/irritation:	No data available
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available
RTECS Number:	VS1180000

SECTION 12: Ecological informat	ion	
12.1 Toxicity		
Fish:	No data available	
Crustacea:	No data available	
Algae:	No data available	
12.2 Persistence and degradability	No data available	
12.3 Bioaccumulative potential	No data available	
12.4 Mobility in soil		
Log Pow:	No data available	
Soil adsorption (Koc):	No data available	
Henry's Law (PaM ³/mol):	No data available	
12.5 Results of PBT and vPvB assess	ment	
PBT:	Not applicable	
vPvB:	Not applicable	
12.6 Other adverse effects	No data available	
SECTION 13: Disposal considerat	tions	
13.1 Waste treatment methods		
	sult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an bserve all federal, state and local regulations when disposing of the substance.	
SECTION 14: Transport information	on	
14.1 UN number	Not listed	
14.2 UN proper shipping name		
ADR/RID	Not listed	
IMDG/IMO	Not listed	
ICAO/IATA	Not listed	
14.3 Transport hazard class(es)		
ADR/RID	Does not correspond to the classification standard of the United Nations	
IMDG/IMO	Does not correspond to the classification standard of the United Nations	
ICAO/IATA	Does not correspond to the classification standard of the United Nations	
14.4 Packaging group		
ADR/RID	-	

ADR/RID	-
IMDG/IMO	-
ICAO/IATA	-
14.5 Environmental hazards Marine pollutant	-
14.6 Special precautions for user	No data available

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 Water Hazard Classes (WGK) :
 Class 2 - Hazard to waters

 Substance of Very High Concern (SVHC) according to the
 Not listed

 REACH Regulations (EC) No.1907/2006
 Not listed

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	10/03/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet