

# **SAFETY DATA SHEET**

According to 1907/2006/EC, Article 31

Revision number: 1 Revision date: 10/03/2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: TMS-PZ Kit TMS-PZ (=N-Trimethylsilylimidazole in Anhydrous Pyridine) 1 mL x 8 / Reaction vial,

capacity 2 mL x 8 [Trimethylsilylating Reagent, for wet or dry Sugars, Mono or Poly Saccharides]

Product code: T0692

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Reagents.

1.3 Details of the supplier of the safety data sheet

Supplier:

TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht

Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com

**1.4 Emergency telephone number:** +32(0)70 245 245

#### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids Category 2 Acute toxicity (Oral) Category 4 **Acute toxicity (Dermal)** Category 4 Acute toxicity (Inhalation) Category 4 Category 1B Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 2 Carcinogenicity Reproductive toxicity Category 2

Specific target organ toxicity - Single exposure [Category 1] Respiratory system, Nervous system

Specific target organ toxicity - Single exposure [Category 3] Narcotic effects

Specific target organ toxicity - Repeated exposure [Category 1] Liver, Nervous system, Kidney

Specific target organ toxicity - Repeated exposure [Category 2] Blood system Acute aquatic hazard Category 1

#### 2.2 Label elements

Pictograms or hazard symbols









Signal word Hazard statements

Dangei

H225-Highly flammable liquid and vapour.

H302+H312+H332-Harmful if swallowed, in contact with skin or if inhaled.

H314-Causes severe skin burns and eye damage.

H351-Suspected of causing cancer.

H361fd-Suspected of damaging fertility. Suspected of damaging the unborn child.

H370-Causes damage to organs : Respiratory system Nervous system

H372-Causes damage to organs through prolonged or repeated exposure: Liver Nervous system

T0692 TMS-PZ Kit TMS-PZ Page 1 of 6

(=N-Trimethylsilylimidazole in Anhydrous Pyridine) 1 mL x 8 / Reaction vial, capacity 2 mL x 8 [Trimethylsilylating Reagent, for wet or dry Sugars, Mono or Poly

Saccharides1

Kidney

H373-May cause damage to organs through prolonged or repeated exposure: Blood system

H336-May cause drowsiness or dizziness.

H400-Very toxic to aquatic life.

**Precautionary statements** 

P260-Do not breathe mist, vapours or spray.

P280-Wear protective gloves, protective clothing, face protection.

P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a

POISON CENTER or doctor.

P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. Wash contaminated

clothing before reuse.

P304+P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

P305+P351+P338+P310-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

## SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components: TMS-PZ Kit TMS-PZ (=N-Trimethylsilylimidazole in Anhydrous Pyridine) 1 mL x 8 / Reaction vial,

capacity 2 mL x 8 [Trimethylsilylating Reagent, for wet or dry Sugars, Mono or Poly Saccharides]

Percent: .... CAS RN: NA Chemical Formula: ----

#### SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a

POISON CENTER or doctor/physician.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/physician.

**Eye contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.Immediately call a POISON CENTER or doctor/physician.

Ingestion: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

## 4.2 Most important symptoms and effects, both acute and delayed

No data available

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Dry chemical, foam, water spray, carbon dioxide.

5.2 Special hazards arising from the

substance or mixture

Carbon monoxide, carbon dioxide etc

5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according

to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if

safe to do so. When extinguishing fire, be sure to wear personal protective equipment

T0692 TMS-PZ Kit TMS-PZ

(=N-Trimethylsilylimidazole in Anhydrous Pyridine) 1 mL x 8/

Reaction vial, capacity 2 mL x 8 [Trimethylsilylating Reagent, for wet or dry Sugars, Mono or Poly

Saccharides1

lating Reagent, for

Page 2 of 6

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc

6.2 Environmental precautions

Be careful not to let it flow into rivers, etc., since adverse effects on the environment are concerned

6.3 Methods and materials for containment and cleaning up

Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.

explosion-proof eq

6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact!

7.2 Conditions for safe storage, including any incompatibilities

T0692

Keep container tightly closed. Store in an explosion-poof refregerator. Store under inert gas.

Protect from moisture.

Store locked up. Store away from incompatible materials such as oxidizing agents.

Heat-sensitive, Moisture-sensitive

**7.3 Specific end use(s)**No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters No data available

(Pyridine)

ACGIH TLV(TWA):1 ppm OSHA PEL(TWA):5 ppm

8.2 Exposure controls Install a closed system or local exhaust. Also install safety shower and eye bath.

Respiratory protection: Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc.

Use respirators approved under appropriate government standards and follow local and national

regulations.

Hand protection: Impervious gloves.

**Eye protection:** Safety goggles. A face-shield, if the situation requires.

Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.

TMS-PZ Kit TMS-PZ

(=N-Trimethylsilylimidazole in Anhydrous Pyridine) 1 mL x 8 / Reaction vial, capacity 2 mL x 8 [Trimethylsilylating Reagent, for wet or dry Sugars, Mono or Poly

Saccharides1

Page 3 of 6

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state (20°C): Liquid

Odour:
 No data available
 PH:
 No data available
 Melting point/freezing point:
 No data available
 (Pyridine) -42°C
 Roiling point/range:
 No data available
 (Pyridine) 115°C
 Flash point:
 No data available

(Pyridine) 16°C **Evaporation rate(Butyl Acetate=1):** No data available

Flammability(solid, gas): No data available

Flammability or explosive limits:

Lower: No data available
Upper: No data available
Vapour pressure: No data available.
Vapour density: No data available
Relative density: No data available

Solubility(ies):

[Water] No data available

[Other solvents]

Miscible: Ether, Benzene

Partition coefficient: No data available (Pyridine) 0.65

n-octanol/water:

Autoignition temperature: No data available
Decomposition temperature: No data available
Dynamic Viscosity: No data available
Kinematic viscosity: No data available

9.2 Other safety information No data available

#### SECTION 10: Stability and reactivity

10.1 Reactivity No data available

**10.2 Chemical stability** Stable under proper conditions.

**10.3 Possibility of hazardous reactions** No special reactivity has been reported.

10.4 Conditions to avoid Spark, Open flame, Static discharge

**10.5 Incompatible materials** Oxidizing agents

10.6 Hazardous decomposition products Carbon monoxide, carbon dioxide etc

T0692 TMS-PZ Kit TMS-PZ

(=N-Trimethylsilylimidazole in Anhydrous Pyridine) 1 mL x 8 / Reaction vial, capacity 2 mL x 8 [Trimethylsilylating Reagent, for

wet or dry Sugars, Mono or Poly

Saccharides1

Page 4 of 6

## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

Acute Toxicity: No data available

(Pyridine)

orl-rat LD50:891 mg/kg skn-rbt LD50:1121 mg/kg ihl-rat LC50:28500 mg/m³ /1H ipr-rat LD50:866 mg/kg

**Skin corrosion/irritation:** No data available

(Pyridine)

skn-rbt 500 mg/24H MLD

Serious eye damage/irritation: No data available Respiratory or skin sensitization: No data available Germ cell mutagenicity: No data available

(Pyridine)

mmo-sat 6 mmol/L/2H (-S9) dns-mus-orl 700 mg/kg

Carcinogenicity:

IARC = No data available
NTP = No data available
(Pyridine)

(Pyridine)

orl-rat TDLo:17472 mg/kg/104W-C

IARC = 3

Reproductive toxicity:
STOT-single exposure:
STOT-repeated exposure:
Aspiration hazard:
No data available
No data available
No data available

## SECTION 12: Ecological information

# 12.1 Toxicity

Fish: No data available
Crustacea: No data available
Algae: No data available

12.2 Persistence and degradability No data available

**12.3 Bioaccumulative potential**No data available

12.4 Mobility in soil

Log Pow: No data available
Soil adsorption (Koc): No data available
Henry's Law (PaM ³/mol): No data available

## 12.5 Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

**12.6 Other adverse effects** No data available

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material is highly flammable. Observe all federal, state and local regulations when disposing of the substance

T0692 TMS-PZ Kit TMS-PZ Page 5 of 6

(=N-Trimethylsilylimidazole in Anhydrous Pyridine) 1 mL x 8 / Reaction vial, capacity 2 mL x 8 [Trimethylsilylating Reagent, for wet or dry Sugars, Mono or Poly

Saccharides1

## SECTION 14: Transport information

**14.1 UN number** 2924

14.2 UN proper shipping name

ADR/RID Flammable liquid, corrosive, n.o.s
IMDG/IMO Flammable liquid, corrosive, n.o.s
ICAO/IATA Flammable liquid, corrosive, n.o.s

14.3 Transport hazard class(es)

ADR/RID 3: Flammable liquid
Subsidiary risk: 8: Corrosive.
IMDG/IMO 3: Flammable liquid
Subsidiary risk: 8: Corrosive.
ICAO/IATA 3: Flammable liquid

Subsidiary risk:

14.4 Packaging group

ADR/RID || IMDG/IMO || ICAO/IATA || I

14.5 Environmental hazards

Marine pollutant

14.6 Special precautions for user No data available

#### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

8: Corrosive.

Substance of Very High Concern (SVHC) according to the Not listed

REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

Prepared by: TCI EUROPE N.V. Issue date: 10/03/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

**End of Safety Data Sheet** 

TMS-PZ Kit TMS-PZ

(=N-Trimethylsilylimidazole in

Anhydrous Pyridine) 1 mL x 8 /

Reaction vial, capacity 2 mL x 8

[Trimethylsilylating Reagent, for

wet or dry Sugars, Mono or Poly

Saccharides]