CI TCI EUROPE N.V.

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Re	vision number: 1	Revision date: 10/03/2018
SECTION 1: Identification of the	substance/mixture and of the c	ompany/undertaking
1.1 Product identifiers Product name: Product code:	TNBS Test Kit Picrylsulfonic Acio DMF) 10mL x 1 [for Detection of T2024	l (ca. 1% in DMF) 10mL x 1 / N,N-Diisopropylethylamine (ca. 10% in Primary Amines]
1.2 Relevant identified uses of the su Identified uses:	bstance or mixture and uses advis Reagents.	ed against
1.3 Details of the supplier of the safe Supplier:	y data sheet	
TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 0 E-mail: sales-eu@tcichemica		
1.4 Emergency telephone number:	+32(0)70 245 245	
SECTION 2: Hazards identification		
2.1 Classification of the substance or Flammable liquids Skin corrosion/irritation Serious eye damage/eye irritation Germ cell mutagenicity Reproductive toxicity Specific target organ toxicity - Si Specific target organ toxicity - Si Specific target organ toxicity - Re	Ca Ca Ca Ca Ca ngle exposure [Category 1] Liv	spiratory system
2.2 Label elements Pictograms or hazard symbols		
Signal word Hazard statements	Danger H226-Flammable liquid and vapo H314-Causes severe skin burns H341-Suspected of causing gen H360FD-May damage fertility. M H370-Causes damage to organs H371-May cause damage to org	and eye damage. etic defects. ay damage the unborn child. : Liver ans : Respiratory system
Precautionary statements	P260-Do not breathe mist, vapor P280-Wear protective gloves, pr P301+P330+P331+P310-IF SW POISON CENTER or doctor. P303+P361+P353+P310+P363- Rinse skin with water or shower. clothing before reuse.	
T2024	TNBS Test Kit Picr (ca. 1% in DMF) 10 N,N-Diisopropyleth 10% in DMF) 10mL Detection of Prima	mL x 1 / ylamine (ca. x 1 [for

Immediately call a POISON CENTER or doctor. P305+P351+P338+P310-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

2.3 Other hazards	
Results of PBT and vPvB assessmen	
PBT:	Not applicable
vPvB:	Not applicable
ECTION 3: Composition/informati	on on ingredients
.2 Mixtures	
Components:	TNBS Test Kit Picrylsulfonic Acid (ca. 1% in DMF) 10mL x 1 / N,N-Diisopropylethylamine (ca. 10% in DMF) 10mL x 1 [for Detection of Primary Amines]
Percent:	111 N A
CAS RN:	NA
Chemical Formula:	
SECTION 4: First aid measures	
1 Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a
	POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.
	Immediately call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER or doctor/physician.
Ingestion:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.
.2 Most important symptoms and effect	ts, both acute and delayed
No data available	
SECTION 5: Firefighting measures	
Suitable extinguishing media:	Dry chemical, foam, water in large amounts, carbon dioxide.
.2 Special hazards arising from the ubstance or mixture	Carbon monoxide, carbon dioxide etc
.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordi to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment
SECTION 6: Accidental release me	
5.1 Personal precautions, protective	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from
quipment and emergency procedures	and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc
.2 Environmental precautions	Prevent product from entering drains
.3 Methods and materials for	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In
containment and cleaning up	case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
.4 Reference to other sections	For disposal see section 13.

T2024	TNBS Test Kit Picrylsulfonic Acid	Page 2 of 6
	(ca. 1% in DMF) 10mL x 1 /	
	N,N-Diisopropylethylamine (ca.	
	10% in DMF) 10mL x 1 [for	
	Detection of Primary Amines]	

SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact!
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Store locked up. Store away from incompatible materials such as oxidizing agents. Air-sensitive
7.3 Specific end use(s)	No further relevant information available.
SECTION 8: Exposure controls/per	sonal protection
8.1 Control parameters	No data available (DMF) ACGIH TLV(TWA):10 ppm (skin) OSHA PEL(TWA):10 ppm (skin)
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection: Eye protection: Skin and body protection:	Impervious gloves. Safety goggles. A face-shield, if the situation requires. Impervious protective clothing. Protective boots, if the situation requires.

SECTION 9: Physical and chemical	properties
9.1 Information on basic physical and c	
Physical state (20°C):	Liquid
Odour:	No data available
pH:	No data available
Melting point/freezing point:	No data available
	(DMF) -61°C
Boiling point/range:	No data available
	(DMF) 153°C
Flash point:	No data available
	(DMF) 60°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	No data available.
Vapour density:	No data available
Relative density:	No data available
Solubility(ies):	
[Water]	No data available
[Other solvents]	No data available
Partition coefficient:	No data available (DMF) -0.87
n-octanol/water:	
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
9.2 Other safety information	No data available

T2024 TNBS Test Kit PicryIsulfonic Acid (ca. 1% in DMF) 10mL x 1 / N,N-Diisopropylethylamine (ca. 10% in DMF) 10mL x 1 [for Detection of Primary Amines]	Page 3 of 6
---	-------------

SECTION 10: Stability and reactivity		
10.1 Reactivity	No data available	
10.2 Chemical stability	Stable under proper conditions.	
10.3 Possibility of hazardous reactions	No special reactivity has been reported.	
10.4 Conditions to avoid	Spark, Open flame, Static discharge	
10.5 Incompatible materials	Oxidizing agents	

10.6 Hazardous decomposition products Carbon monoxide, carbon dioxide etc

SECTION 11: Toxicological information 11.1 Information on toxicological effects Acute Toxicity: No data available (DMF) orl-rat LD50:2800 mg/kg skn-rbt LD50:4720 mg/kg ihl-rat LC50:1948 ppm/4H ipr-rat LD50:1400 mg/kg Skin corrosion/irritation: No data available (DMF) skn-hmn 100 %/24H MLD skn-wmn 0.1 % Serious eye damage/irritation: No data available (DMF) eye-rbt 100 % rinse SEV Respiratory or skin sensitization: No data available Germ cell mutagenicity: No data available (DMF) cyt-hmn-lym 100 nmol/L mmo-sat 600 ug/plate (-S9) mnt-mus-ipr 1 mg/kg Carcinogenicity: IARC = No data available NTP = No data available (DMF) IARC = 3No data available Reproductive toxicity: STOT-single exposure: No data available STOT-repeated exposure: No data available Aspiration hazard: No data available

T2024	TNBS Test Kit Picrylsulfonic Acid	Page 4 of 6
	(ca. 1% in DMF) 10mL x 1 /	
	N,N-Diisopropylethylamine (ca.	
	10% in DMF) 10mL x 1 [for	
	Detection of Primary Amines]	

SECTION 12: Ecological informat 12.1 Toxicity	tion
12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assess	ment
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available
SECTION 13: Disposal considera	tions
13.1 Waste treatment methods	
	sult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an
afterburner and scrubber system. O	bserve all federal, state and local regulations when disposing of the substance.
SECTION 14: Transport informati	
SECTION 14: Transport informati 14.1 UN number	ion 2924
14.1 UN number	
14.1 UN number 14.2 UN proper shipping name	2924
14.1 UN number 14.2 UN proper shipping name ADR/RID	2924 Flammable liquid, corrosive, n.o.s
14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s
14.1 UN number 14.2 UN proper shipping name ADR/RID	2924 Flammable liquid, corrosive, n.o.s
14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s
14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s
14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es)	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s
14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s 3: Flammable liquid 8: Corrosive.
 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID Subsidiary risk: 	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s 3: Flammable liquid
 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID Subsidiary risk: IMDG/IMO Subsidiary risk: 	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive.
 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID Subsidiary risk: IMDG/IMO 	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s 3: Flammable liquid 8: Corrosive. 3: Flammable liquid
 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID Subsidiary risk: IMDG/IMO Subsidiary risk: ICAO/IATA Subsidiary risk: 	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 3: Flammable liquid
 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID Subsidiary risk: IMDG/IMO Subsidiary risk: ICAO/IATA Subsidiary risk: 14.4 Packaging group 	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive.
 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID Subsidiary risk: IMDG/IMO Subsidiary risk: ICAO/IATA Subsidiary risk: 14.4 Packaging group ADR/RID 	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 11
 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID Subsidiary risk: IMDG/IMO Subsidiary risk: ICAO/IATA Subsidiary risk: 14.4 Packaging group 	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive.
 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID Subsidiary risk: IMDG/IMO Subsidiary risk: ICAO/IATA Subsidiary risk: 14.4 Packaging group ADR/RID IMDG/IMO ICAO/IATA 	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 111 111
 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID Subsidiary risk: IMDG/IMO Subsidiary risk: ICAO/IATA Subsidiary risk: 14.4 Packaging group ADR/RID IMDG/IMO ICAO/IATA 14.5 Environmental hazards 	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 111 111
 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID Subsidiary risk: IMDG/IMO Subsidiary risk: ICAO/IATA Subsidiary risk: 14.4 Packaging group ADR/RID IMDG/IMO ICAO/IATA 14.5 Environmental hazards Marine pollutant 	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 111 111
 14.1 UN number 14.2 UN proper shipping name ADR/RID IMDG/IMO ICAO/IATA 14.3 Transport hazard class(es) ADR/RID Subsidiary risk: IMDG/IMO Subsidiary risk: ICAO/IATA Subsidiary risk: 14.4 Packaging group ADR/RID IMDG/IMO ICAO/IATA 14.5 Environmental hazards 	2924 Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s Flammable liquid, corrosive, n.o.s 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 3: Flammable liquid 8: Corrosive. 111 111

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

TNBS Test Kit Picrylsulfonic Acid (ca. 1% in DMF) 10mL x 1 / N,N-Diisopropylethylamine (ca. 10% in DMF) 10mL x 1 [for Detection of Primary Amines] Page 5 of 6

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	10/03/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used for behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet

T2024	TNBS Test Kit Picrylsulfonic Acid	Page 6 of 6
	(ca. 1% in DMF) 10mL x 1 /	
	N,N-Diisopropylethylamine (ca.	
	10% in DMF) 10mL x 1 [for	
	Detection of Primary Amines]	