TCI EUROPE N.V.

C

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

	Revision number: 2	
ECTION 1: Identification of the	e substance/mixture and of	the company/undertaking
1 Product identifiers Product name:	Trimethyl[3-(trimethoxysily	l)propyl]ammonium Chloride (ca. 50% in Methanol)
Product code:	T2796	
2 Relevant identified uses of the s Identified uses:	substance or mixture and uses Reagents.	advised against
3 Details of the supplier of the saf	ety data sheet	
Supplier: TCI EUROPE N.V.		
Boerenveldseweg 6		
Haven 1063		
B-2070 Zwijndrecht		
Telephone: +32(0)3 735 07 E-mail: sales-eu@tcichemi		
4 Emergency telephone number:	+32(0)70 245 245	
ECTION 2: Hazards identificat	ion	
1 Classification of the substance		_
Flammable liquids		Category 2
Skin corrosion/irritation		Category 2
Serious eye damage/eye irritati	on	Category 2
Reproductive toxicity Specific target organ toxicity - 3	Single exposure [Category 1]	Category 1B Central nervous system
Specific target organ toxicity -		Respiratory tract irritation, Narcotic effects
		I] Visual system, Central nervous system
2 Label elements		I] Visual system, Central nervous system
2 Label elements Pictograms or hazard symbols		I] Visual system, Central nervous system
2 Label elements	Danger H225-Highly flammable liq	
2 Label elements Pictograms or hazard symbols	Danger H225-Highly flammable liq H315-Causes skin irritation	uid and vapour.
2 Label elements Pictograms or hazard symbols	Danger H225-Highly flammable liq H315-Causes skin irritatior H319-Causes serious eye	uid and vapour. 1. irritation.
2 Label elements Pictograms or hazard symbols	Danger H225-Highly flammable liq H315-Causes skin irritatior H319-Causes serious eye H360FD-May damage ferti	uid and vapour. n. irritation. lity. May damage the unborn child.
2 Label elements Pictograms or hazard symbols	Danger H225-Highly flammable liq H315-Causes skin irritatior H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to c	uid and vapour. 1. irritation.
2 Label elements Pictograms or hazard symbols	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to o H372-Causes damage to o nervous system	uid and vapour. 1. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central
2 Label elements Pictograms or hazard symbols	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to o H372-Causes damage to o nervous system H335-May cause respirato	uid and vapour. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation.
2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to o H372-Causes damage to o nervous system H335-May cause respirato H336-May cause drowsine	uid and vapour. 1. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation. ess or dizziness.
2 Label elements Pictograms or hazard symbols	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage fert H370-Causes damage to o H372-Causes damage to o H372-Cause damage to o H372-Causes damage to o H372-Cause da	uid and vapour. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation. ss or dizziness. vapours or spray. es, protective clothing, face protection.
2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to o H372-Causes damage to o nervous system H335-May cause respirato H336-May cause drowsine P260-Do not breathe mist, P280-Wear protective glov P302+P352+P332+P313+	uid and vapour. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation. iss or dizziness. vapours or spray. es, protective clothing, face protection. P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs
2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to of H372-Causes damage to of H372-Causes damage to of nervous system H335-May cause respirato H336-May cause drowsine P260-Do not breathe mist, P280-Wear protective glow P302+P352+P332+P313+ Get medical advice or atte	uid and vapour. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation. ess or dizziness. vapours or spray. es, protective clothing, face protection. P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs ntion. Take off contaminated clothing and wash it before reuse.
2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to of H372-Causes damage to of H372-Causes damage to of H335-May cause respirato H335-May cause drowsine P260-Do not breathe mist, P280-Wear protective glov P302+P352+P332+P313+ Get medical advice or atte P304+P340+P312-IF INH/	uid and vapour. n. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation. iss or dizziness. vapours or spray. es, protective clothing, face protection. P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs ntion. Take off contaminated clothing and wash it before reuse. ALED: Remove person to fresh air and keep comfortable for breathing. Call
2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage fert H370-Causes damage to of H372-Causes damage to of H372-Causes damage to of nervous system H335-May cause respirato H336-May cause drowsine P260-Do not breathe mist, P280-Wear protective glov P302+P352+P332+P313+ Get medical advice or atte P304+P340+P312-IF INH/ POISON CENTER or doct	uid and vapour. n. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation. iss or dizziness. vapours or spray. res, protective clothing, face protection. P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs ntion. Take off contaminated clothing and wash it before reuse. ALED: Remove person to fresh air and keep comfortable for breathing. Call or if you feel unwell.
2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to c H372-Causes damage to c H372-Causes damage to c nervous system H335-May cause respirato H336-May cause drowsine P260-Do not breathe mist, P280-Wear protective glov P302+P352+P332+P313+ Get medical advice or atte P304+P340+P312-IF INH/ POISON CENTER or doct P305+P351+P338+P337+	uid and vapour. n. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation. iss or dizziness. vapours or spray. es, protective clothing, face protection. P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs ntion. Take off contaminated clothing and wash it before reuse. ALED: Remove person to fresh air and keep comfortable for breathing. Call
2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to o H372-Causes damage to o H372-Causes damage to o H335-May cause respirato H336-May cause drowsine P260-Do not breathe mist, P280-Wear protective glov P302+P352+P332+P313+ Get medical advice or atte P304+P340+P312-IF INH/ POISON CENTER or doct P305+P351+P338+P337+ contact lenses, if present a or attention.	uid and vapour. h. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation. ess or dizziness. vapours or spray. es, protective clothing, face protection. P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs ntion. Take off contaminated clothing and wash it before reuse. ALED: Remove person to fresh air and keep comfortable for breathing. Call or if you feel unwell. P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove and easy to do. Continue rinsing. If eye irritation persists: Get medical advice
2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to o H372-Causes damage to o H372-Causes damage to o H335-May cause respirato H336-May cause drowsine P260-Do not breathe mist, P280-Wear protective glov P302+P352+P332+P313+ Get medical advice or atte P304+P340+P312-IF INH/ POISON CENTER or doct P305+P351+P338+P337+ contact lenses, if present a or attention.	uid and vapour. h. irritation. lity. May damage the unborn child. brgans : Central nervous system brgans through prolonged or repeated exposure : Visual system Central ry irritation. res or dizziness. vapours or spray. res, protective clothing, face protection. P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs ntion. Take off contaminated clothing and wash it before reuse. ALED: Remove person to fresh air and keep comfortable for breathing. Call or if you feel unwell. P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove
2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 3 Other hazards	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to of H372-Causes damage to of H372-Causes damage to of H335-May cause respirato H336-May cause drowsine P260-Do not breathe mist, P280-Wear protective glov P302+P352+P332+P313+ Get medical advice or atte P304+P340+P312-IF INH/ POISON CENTER or doct P305+P351+P338+P337+ contact lenses, if present a or attention. P308+P311-If exposed or	uid and vapour. h. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation. ses or dizziness. vapours or spray. es, protective clothing, face protection. P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs ntion. Take off contaminated clothing and wash it before reuse. ALED: Remove person to fresh air and keep comfortable for breathing. Call or if you feel unwell. P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove and easy to do. Continue rinsing. If eye irritation persists: Get medical advice concerned: Call a POISON CENTER or doctor.
2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to control H372-Causes damage to control H372-Causes damage to control H336-May cause respirato H336-May cause drowsine P260-Do not breathe mist, P280-Wear protective glov P302+P352+P332+P313+ Get medical advice or atte P304+P340+P312-IF INH/ POISON CENTER or doct P305+P351+P338+P337+ contact lenses, if present at or attention. P308+P311-If exposed or	uid and vapour. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation. iss or dizziness. vapours or spray. es, protective clothing, face protection. P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs ntion. Take off contaminated clothing and wash it before reuse. ALED: Remove person to fresh air and keep comfortable for breathing. Call or if you feel unwell. P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove and easy to do. Continue rinsing. If eye irritation persists: Get medical advice concerned: Call a POISON CENTER or doctor. <i>Page 1 of</i>
2 Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements 3 Other hazards	Danger H225-Highly flammable liq H315-Causes skin irritation H319-Causes serious eye H360FD-May damage ferti H370-Causes damage to control H372-Causes damage to control H372-Causes damage to control H336-May cause respirato H336-May cause drowsine P260-Do not breathe mist, P280-Wear protective glov P302+P352+P332+P313+ Get medical advice or atte P304+P340+P312-IF INH/ POISON CENTER or doct P305+P351+P338+P337+ contact lenses, if present at or attention. P308+P311-If exposed or	uid and vapour. h. irritation. lity. May damage the unborn child. organs : Central nervous system organs through prolonged or repeated exposure : Visual system Central ry irritation. iss or dizziness. vapours or spray. es, protective clothing, face protection. P362+P364-IF ON SKIN: Wash with plenty of water. If skin irritation occurs ntion. Take off contaminated clothing and wash it before reuse. ALED: Remove person to fresh air and keep comfortable for breathing. Call or if you feel unwell. P313-IF IN EYES: Rinse cautiously with water for several minutes. Remove and easy to do. Continue rinsing. If eye irritation persists: Get medical advic concerned: Call a POISON CENTER or doctor.

.2 Mixtures	
Components:	Trimethyl[3-(trimethoxysilyl)propyl]ammonium Chloride (ca. 50% in Methanol)
Percent:	
CAS RN:	35141-36-7
EC-No:	252-393-5
Chemical Formula:	C9H24CINO3Si
Hazardous composition:	Chemical name: Methanol Conc.: ca. 50% CAS RN:67-56-1 EC No.: 200-659-6 Flam. Liq. 2, Acute Tox. 3, STOT SE 1 H225: Highly flammable liquid and vapour. H301: Toxic if swallowed. H311: Toxic in contact with skin. H331: Toxic if inhaled. H370: Causes damage to Optic nerve (nervus opticus), central nervous system Chemical name: Trimethyl[3-(trimethoxysilyl)propyl]ammonium Chloride Conc.: ca. 50% CAS RN:35141-36-7 EC No.: 252-393-5 Skin Irrit. 2, Eye Irrit. 2 H315: Causes skin irritation. H319: Causes serious eye irritation.
SECTION 4: First aid measures	
.1 Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Call a POISON CENTER or doctor/physician.
Ingestion:	Call a POISON CENTER or doctor/physician. Rinse mouth.

Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

4.2 Most important symptoms and effects, both acute and delayed No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures	
5.1 Extinguishing media Suitable extinguishing media:	Dry chemical, foam, water in large amounts, carbon dioxide.
5.2 Special hazards arising from the substance or mixture	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume. Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx), Hydrogen chloride, Silicon oxides
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment

6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc
6.2 Environmental precautions	Prevent product from entering drains
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
6.4 Reference to other sections	For disposal see section 13.

T2704	Trimothy 112 (trimothoyy city) prop	Page 2 of 5
T2796	Trimethyl[3-(trimethoxysilyl)prop	1 ugo 2 01 0
	yl]ammonium Chloride (ca. 50%	
	in Methanol)	

SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact!
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents. Moisture-sensitive
7.3 Specific end use(s)	No further relevant information available.
SECTION 8: Exposure controls/pers	sonal protection
	sonal protection
8.1 Control parameters	No data available (Methanol) ACGIH TLV(TWA):200 ppm (skin) ACGIH TLV(STEL):250 ppm (skin)
	No data available (Methanol) ACGIH TLV(TWA):200 ppm (skin)
8.1 Control parameters	No data available (Methanol) ACGIH TLV(TWA):200 ppm (skin) ACGIH TLV(STEL):250 ppm (skin) OSHA PEL(TWA):200 ppm

Information on basic physical and ch	
Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless - Slightly pale yellow
Odour:	No data available
pH:	No data available
Melting point/freezing point:	No data available
	(Methanol) -98°C
Boiling point/range:	No data available
	(Methanol) 64°C
Flash point:	No data available
	(Methanol) 12°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	No data available.
Vapour density:	No data available
Relative density:	No data available
Solubility(ies):	
[Water]	No data available
[Other solvents]	No data available
Partition coefficient:	No data available (Methanol) -0.82/-0.66
n-octanol/water:	
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
Other safety information	No data available

SECTION 10: Stability and reactivity		
10.1 Reactivity	No data available	
10.2 Chemical stability	Stable under proper conditions.	
10.3 Possibility of hazardous reactions	No special reactivity has been reported.	
10.4 Conditions to avoid	Spark, Open flame, Static discharge	
10.5 Incompatible materials	Oxidizing agents	

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx), Hydrogen chloride, Silicon oxides

SECTION 11: Toxicological inform	ation	
11.1 Information on toxicological effects		
Acute Toxicity:	No data available	
	(Methanol)	
	orl-hmn LDLo:143 mg/kg	
	orl-rat LD50:5600 mg/kg	
	ihl-rat LC50:64000 ppm/4H	
	skn-rbt LD50:15800 mg/kg	
Skin corrosion/irritation:	No data available	
	(Methanol)	
	skn-rbt 20 mg/24H MOD	
Serious eye damage/irritation:	No data available	
	(Methanol)	
	eye-rbt 40 mg MOD	
Respiratory or skin sensitization:	No data available	
Germ cell mutagenicity:	No data available	
	(Methanol)	
	dni-hmn-lym 300 mmol/L	
	mmo-smc 12 pph (-S9)	
	mmo-mus-lym 7900 mg/L (+S9)	
	cyt-mus-ipr 75 mg/kg	
Carcinogenicity:		
IARC =	No data available	
NTP =	No data available	
Reproductive toxicity:	No data available	
STOT-single exposure:	No data available	
STOT-repeated exposure:	No data available	
Aspiration hazard:	No data available	

SECTION 12: Ecological information

12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assessme	ent
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available

Trimethyl[3-(trimethoxysilyl)prop	
yl]ammonium Chloride (ca. 50%	
in Methanol)	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material is highly flammable. Observe all federal, state and local regulations when disposing of the substance

<u>SECTION 14: Transport informat</u> 14.1 UN number	1230		
14.2 UN proper shipping name			
ADR/RID	Methanol solution		
IMDG/IMO	Methanol solution		
ΙCAO/ΙΑΤΑ	Methanol solution		
14.3 Transport hazard class(es)			
ADR/RID	3: Flammable liquid		
Subsidiary risk:	6.1: Toxic substance.		
IMDG/IMO	3: Flammable liquid		
Subsidiary risk:	6.1: Toxic substance.		
ICAO/IATA	3: Flammable liquid		
Subsidiary risk:	6.1: Toxic substance.		
14.4 Packaging group			
ADR/RID	П		
IMDG/IMO	П		
ICAO/IATA	II		
4.5 Environmental hazards			
Marine pollutant	-		
14.6 Special precautions for user	No data available		
SECTION 15: Regulatory informa	ation		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	01/08/2019

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used for behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet

		Dogo E of E
T2796	Trimethyl[3-(trimethoxysilyl)prop	Page 5 of 5
	yl]ammonium Chloride (ca. 50%	
	in Methanol)	