TCI EUROPE N.V.

# SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

**Revision number: 2** Revision date: 04/08/2022 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifiers Trimethylamine (ca. 13% in Acetonitrile, ca. 2mol/L) Product name: T3567 Product code: 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Reagents. 1.3 Details of the supplier of the safety data sheet Supplier: TCI EUROPE N.V. Boerenveldseweg 6 Haven 1063 B-2070 Zwijndrecht Telephone: +32(0)3 735 07 00 E-mail: sales-eu@tcichemicals.com 1.4 Emergency telephone number: +32(0)70 245 245 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Flammable liquids Category 2 Acute toxicity (Oral) Category 4 Acute toxicity (Dermal) Category 3 Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1 Specific target organ toxicity - Single exposure [Category 1] Respiratory system, Central nervous system Specific target organ toxicity - Repeated exposure [Category 2] Liver, Blood system, Respiratory system, Kidney, Central nervous system 2.2 Label elements Pictograms or hazard symbols Danger Signal word Hazard statements H225-Highly flammable liquid and vapour. H302-Harmful if swallowed. H311-Toxic in contact with skin. H314-Causes severe skin burns and eye damage. H370-Causes damage to organs : Respiratory system Central nervous system H373-May cause damage to organs through prolonged or repeated exposure : Liver Blood system Respiratory system Kidney Central nervous system **Precautionary statements** P260-Do not breathe mist, vapours or spray. P280-Wear protective gloves, protective clothing, face protection. P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. P305+P351+P338+P310-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable Page 1 of 5 T3567 Trimethylamine (ca. 13% in Acetonitrile, ca. 2mol/L)

vPvB:

Not applicable

SECTION 3: Composition/informat	tion on ingredients
3.2 Mixtures	
Components:	Trimethylamine (ca. 13% in Acetonitrile, ca. 2mol/L)
Percent:	· · · · · · · · · · · · · · · · · · ·
CAS RN:	75-50-3
EC-No:	200-875-0
Chemical Formula:	C3H9N
Hazardous composition:	Chemical name: Acetonitrile Conc.: < 87%
	CAS RN:75-05-8 EC No.: 200-835-2
	Flam. Liq. 2, Acute Tox. 4, Eye Irrit. 2
	H225: Highly flammable liquid and vapour. H302+H312+H332: Harmful if swallowed, in contact with
	skin or if inhaled. H319: Causes serious eye irritation.
	Chemical name: Trimethylamine Conc.: > 13%
	CAS RN:75-50-3 EC No.: 200-875-0
	Press. Gas, Flam. Gas 1, Skin Irrit. 2, Eye Dam. 1, Acute Tox. 4, STOT SE 3 H220: Extremely flammable gas. H280: Contains gas under pressure; may explode if heated. H315:
	Causes skin irritation. H318: Causes serious eye damage. H332: Harmful if inhaled. H335: May cause
	respiratory irritation.
SECTION 4: First aid measures	
.1 Description of first aid measures Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a
	POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.
okin oontdot.	Immediately call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.Immediately call a POISON CENTER or doctor/physician.
Ingestion:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.
No data available	
SECTION 5: Firefighting measures	
.1 Extinguishing media	
Suitable extinguishing media:	Dry chemical, foam, water in large amounts, carbon dioxide.
5.2 Special hazards arising from the	
	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fum
ubstance or mixture	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fum Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx)
	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx)
	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordin
	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of
	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordin
.3 Advice for firefighters	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordin to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment
<b>3.3 Advice for firefighters</b> SECTION 6: Accidental release me	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordin to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment Pasures
.3 Advice for firefighters	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment Evaluates Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from
3.3 Advice for firefighters SECTION 6: Accidental release me 3.1 Personal precautions, protective	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordi to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment <u>easures</u> Use extra personal protective equipment (self-contained breathing apparatus). Keep people away fro
.3 Advice for firefighters <u>SECTION 6: Accidental release me</u> .1 Personal precautions, protective quipment and emergency procedures	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordi to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment Easures Use extra personal protective equipment (self-contained breathing apparatus). Keep people away fro and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc
.3 Advice for firefighters <u>SECTION 6: Accidental release me</u> .1 Personal precautions, protective quipment and emergency procedures	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordi to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment Easures Use extra personal protective equipment (self-contained breathing apparatus). Keep people away fro and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be
Substance or mixture 5.3 Advice for firefighters <u>SECTION 6: Accidental release me</u> 5.1 Personal precautions, protective equipment and emergency procedures 5.2 Environmental precautions 5.3 Methods and materials for	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordin to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment Easures Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc Prevent product from entering drains
5.3 Advice for firefighters <u>SECTION 6: Accidental release me</u> 3.1 Personal precautions, protective equipment and emergency procedures 5.2 Environmental precautions 5.3 Methods and materials for	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordin to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment Easures Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc Prevent product from entering drains Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be
5.3 Advice for firefighters <u>SECTION 6: Accidental release me</u> 3.1 Personal precautions, protective equipment and emergency procedures 5.2 Environmental precautions	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment. Easures Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc Prevent product from entering drains Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of
5.3 Advice for firefighters <u>SECTION 6: Accidental release me</u> 3.1 Personal precautions, protective equipment and emergency procedures 5.2 Environmental precautions 5.3 Methods and materials for	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordi to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment Easures Use extra personal protective equipment (self-contained breathing apparatus). Keep people away fro and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc Prevent product from entering drains Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and
5.3 Advice for firefighters <u>SECTION 6: Accidental release me</u> 3.1 Personal precautions, protective equipment and emergency procedures 5.2 Environmental precautions 5.3 Methods and materials for	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordin to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment Easures Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc Prevent product from entering drains Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of
.3 Advice for firefighters <u>SECTION 6: Accidental release me</u> .1 Personal precautions, protective quipment and emergency procedures .2 Environmental precautions .3 Methods and materials for ontainment and cleaning up	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment. Easures Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc Prevent product from entering drains Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and
5.3 Advice for firefighters <u>SECTION 6: Accidental release me</u> 5.1 Personal precautions, protective requipment and emergency procedures 5.2 Environmental precautions 5.3 Methods and materials for	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordin to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment Easures Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc Prevent product from entering drains Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
.3 Advice for firefighters <u>SECTION 6: Accidental release me</u> .1 Personal precautions, protective quipment and emergency procedures .2 Environmental precautions .3 Methods and materials for ontainment and cleaning up	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordin to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment <b>Easures</b> Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc Prevent product from entering drains Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
.3 Advice for firefighters <u>SECTION 6: Accidental release me</u> .1 Personal precautions, protective quipment and emergency procedures .2 Environmental precautions .3 Methods and materials for ontainment and cleaning up	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method accordin to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment <b>Easures</b> Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc Prevent product from entering drains Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.

T3567	Trimethylamine (ca. 13% in	Page 2 of 5
	Acetonitrile, ca. 2mol/L)	

SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact!
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in an explosion-proof refrigerator. Store under inert gas. Store locked up. Store away from incompatible materials such as oxidizing agents. Heat-sensitive, Air-sensitive
7.3 Specific end use(s)	No further relevant information available.
SECTION 8: Exposure controls/pers	sonal protection
8.1 Control parameters	No data available (Acetonitrile) ACGIH TLV(TWA):20 ppm (skin) OSHA PEL(TWA):40 ppm
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection: Eye protection:	Impervious gloves. Safety goggles. A face-shield, if the situation requires.

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and ch	nemical properties
Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless - Almost colorless
Odour:	No data available
pH:	No data available
Melting point/freezing point:	No data available
	(Acetonitrile) -46°C
Boiling point/range:	No data available
	(Acetonitrile) 82°C
Flash point:	No data available
	(Acetonitrile) 10°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	No data available.
Vapour density:	No data available
Relative density:	No data available
Solubility(ies):	
[Water]	No data available
[Other solvents]	No data available
Partition coefficient:	No data available (Acetonitrile) -0.3
n-octanol/water:	
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
9.2 Other safety information	No data available

T3567	Trimethylamine (ca. 13% in	Page 3 of
	Acetonitrile, ca. 2mol/L)	

SECTION 10: Stability and reactivity		
10.1 Reactivity	No data available	
10.2 Chemical stability	Stable under proper conditions.	
10.3 Possibility of hazardous reactions	No special reactivity has been reported.	
10.4 Conditions to avoid	Spark, Open flame, Static discharge	
10.5 Incompatible materials	Oxidizing agents, Acids, Bases, Reducing agents, Metals, Alkali metals	

 $\textbf{10.6 Hazardous decomposition products} \ Carbon \ dioxide, \ Carbon \ monoxide, \ Nitrogen \ oxides \ (NOx)$ 

SECTION 11: Toxicological information

ation
s
No data available
(Acetonitrile)
ihl-rat LC50:7551 ppm/8H
orl-mus LD50:269 mg/kg
orl-rat LD50:2460 mg/kg
skn-rbt LD50:980 mg/kg
No data available
(Acetonitrile)
skn-rbt 500 mg open MLD
No data available
(Acetonitrile)
eye-rbt 100 uL/24H MOD
No data available
No data available
(Acetonitrile)
sce-ham-ovr 5 g/L
sln-dmg-ihl 131 ppm
No data available
No data available
(Acetonitrile)
ihl-rat TCLo:400 ppm/6H/2Y-I
No data available

## SECTION 12: Ecological information

12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assessme	
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available

Т

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material is highly flammable. Observe all federal, state and local regulations when disposing of the substance

4.1 UN number	3286
14.2 UN proper shipping name	
ADR/RID	Flammable liquid, toxic, corrosive, n.o.s
IMDG/IMO	Flammable liquid, toxic, corrosive, n.o.s
ICAO/IATA	Flammable liquid, toxic, corrosive, n.o.s
14.3 Transport hazard class(es)	
ADR/RID	3: Flammable liquid
Subsidiary risk:	6.1/8: Toxic substance/Corrosive
IMDG/IMO	3: Flammable liquid
Subsidiary risk:	6.1/8: Toxic substance/Corrosive
ICAO/IATA	3: Flammable liquid
Subsidiary risk:	6.1/8: Toxic substance/Corrosive
14.4 Packaging group	
ADR/RID	
IMDG/IMO	
ICAO/IATA	II
4.5 Environmental hazards	
Marine pollutant	-
14.6 Special precautions for user	No data available
SECTION 15: Regulatory informa	ation
	Il regulations/legislation specific for the substance or mixture Class 1 - Low hazard to waters
Substance of Very High Concern	
REACH Regulations (EC) No.190	
5.2 Chemical safety assessment	A chemical safety assessment has not been carried out.

SECTION TO: Other Information	
Prepared by:	TCI EUROPE N.V.
Issue date:	04/08/2022

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet