CI TCI EUROPE N.V.

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

SECTION 1. Identification of the		
	e substance/mixture and of t	he company/undertaking
.1 Product identifiers		
Product name:	Zinc Chloride (ca. 7% in Te	trahydrofuran, ca. 0.5mol/L)
Product code:	Z0019	
.2 Relevant identified uses of the s Identified uses:	substance or mixture and uses a Reagents.	advised against
.3 Details of the supplier of the saf	fety data sheet	
Supplier:		
TCI EUROPE N.V.		
Boerenveldseweg 6		
Haven 1063		
B-2070 Zwijndrecht		
Telephone: +32(0)3 735 07		
E-mail: sales-eu@tcichemi	cals.com	
.4 Emergency telephone number:	+32(0)70 245 245	
SECTION 2: Hazards identificat		
2.1 Classification of the substance Flammable liquids	or mixture	Category 2
Acute toxicity (Oral)		Category 4
Acute toxicity (Dermal)		Category 4
Acute toxicity (Inhalation)		Category 4
Skin corrosion/irritation		Category 1B
	ion	Category 1
Serious eye damage/eye irritati	on	5,
Germ cell mutagenicity		Category 2
Reproductive toxicity		Category 2
Specific target organ toxicity -		Liver, Lung, Pancreas
Specific target organ toxicity -		Nervous system
Specific target organ toxicity -		Respiratory tract irritation
Specific target organ toxicity -	Repeated exposure [Category 1]	
Acute aquatic hazard		Category 1
noute aquatio nazara		
Long-term aquatic hazard		Category 1
Long-term aquatic hazard		Category 1
Long-term aquatic hazard	Danger	
Long-term aquatic hazard 2 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liqu	
Long-term aquatic hazard 2 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liqu H302+H312+H332-Harmful H314-Causes severe skin b	id and vapour. if swallowed, in contact with skin or if inhaled. burns and eye damage.
Long-term aquatic hazard 2 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liqu H302+H312+H332-Harmful H314-Causes severe skin b H341-Suspected of causing	id and vapour. if swallowed, in contact with skin or if inhaled. urns and eye damage.
Long-term aquatic hazard 2 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liqu H302+H312+H332-Harmful H314-Causes severe skin b H341-Suspected of causing H361fd-Suspected of dama	id and vapour. if swallowed, in contact with skin or if inhaled. purns and eye damage. genetic defects. ging fertility. Suspected of damaging the unborn child.
Long-term aquatic hazard 2 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liqu H302+H312+H332-Harmful H314-Causes severe skin b H341-Suspected of causing H361fd-Suspected of dama H370-Causes damage to of	id and vapour. if swallowed, in contact with skin or if inhaled. purns and eye damage. genetic defects. ging fertility. Suspected of damaging the unborn child. rgans : Liver Lung Pancreas
Long-term aquatic hazard 2 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liqu H302+H312+H332-Harmful H314-Causes severe skin b H341-Suspected of causing H361fd-Suspected of dama	id and vapour. if swallowed, in contact with skin or if inhaled. purns and eye damage. genetic defects. ging fertility. Suspected of damaging the unborn child. rgans : Liver Lung Pancreas
Long-term aquatic hazard 22 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liqu H302+H312+H332-Harmful H314-Causes severe skin b H341-Suspected of causing H361fd-Suspected of dama H370-Causes damage to on H371-May cause damage to	id and vapour. if swallowed, in contact with skin or if inhaled. purns and eye damage. genetic defects. ging fertility. Suspected of damaging the unborn child. rgans : Liver Lung Pancreas
Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liqu H302+H312+H332-Harmful H314-Causes severe skin b H341-Suspected of causing H361fd-Suspected of dama H370-Causes damage to of H371-May cause damage to H372-Causes damage to of Kidney Lung	id and vapour. if swallowed, in contact with skin or if inhaled. burns and eye damage. genetic defects. ging fertility. Suspected of damaging the unborn child. rgans : Liver Lung Pancreas o organs : Nervous system rgans through prolonged or repeated exposure : Liver Nervous system
Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liqu H302+H312+H332-Harmful H314-Causes severe skin b H341-Suspected of causing H361fd-Suspected of dama H370-Causes damage to on H371-May cause damage to H372-Causes damage to on Kidney Lung H335-May cause respirator	id and vapour. if swallowed, in contact with skin or if inhaled. burns and eye damage. genetic defects. ging fertility. Suspected of damaging the unborn child. rgans : Liver Lung Pancreas o organs : Nervous system rgans through prolonged or repeated exposure : Liver Nervous system y irritation.
Long-term aquatic hazard 2.2 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liqu H302+H312+H332-Harmful H314-Causes severe skin b H341-Suspected of causing H361fd-Suspected of dama H370-Causes damage to on H371-May cause damage to H372-Causes damage to on Kidney Lung H335-May cause respirator H400-Very toxic to aquatic	id and vapour. if swallowed, in contact with skin or if inhaled. urns and eye damage. genetic defects. ging fertility. Suspected of damaging the unborn child. rgans : Liver Lung Pancreas o organs : Nervous system rgans through prolonged or repeated exposure : Liver Nervous system y irritation. life.
Long-term aquatic hazard 22 Label elements Pictograms or hazard symbols Signal word	Danger H225-Highly flammable liqu H302+H312+H332-Harmful H314-Causes severe skin b H341-Suspected of causing H361fd-Suspected of dama H370-Causes damage to on H371-May cause damage to H372-Causes damage to on Kidney Lung H335-May cause respirator	id and vapour. if swallowed, in contact with skin or if inhaled. urns and eye damage. genetic defects. ging fertility. Suspected of damaging the unborn child. rgans : Liver Lung Pancreas o organs : Nervous system rgans through prolonged or repeated exposure : Liver Nervous system y irritation. life. life with long lasting effects.
Long-term aquatic hazard 2 Label elements Pictograms or hazard symbols Signal word Hazard statements	Danger H225-Highly flammable liqu H302+H312+H332-Harmful H314-Causes severe skin b H341-Suspected of causing H361fd-Suspected of dama H370-Causes damage to on H371-May cause damage to H372-Causes damage to on Kidney Lung H335-May cause respirator H400-Very toxic to aquatic H410-Very toxic to aquatic	id and vapour. if swallowed, in contact with skin or if inhaled. purns and eye damage. genetic defects. ging fertility. Suspected of damaging the unborn child. rgans : Liver Lung Pancreas o organs : Nervous system rgans through prolonged or repeated exposure : Liver Nervous system y irritation. ife. ife with long lasting effects. vapours or spray.

2.3 Other hazards Results of PBT and vPvB assessment PBT:	P280-Wear protective gloves, protective clothing, face protection. P301+P330+P331+P310-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. P303+P361+P353+P310+P363-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. P304+P340+P310-IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. P305+P351+P338+P310-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
vPvB:	Not applicable
SECTION 3: Composition/informati	on on ingredients
3.2 Mixtures Components: Percent:	Zinc Chloride (ca. 7% in Tetrahydrofuran, ca. 0.5mol/L)
CAS RN:	7646-85-7
EC-No:	231-592-0
Chemical Formula:	ZnCl ₂
Hazardous composition:	Chemical name: Tetrahydrofuran Conc.: < 93%
	CAS RN:109-99-9 EC No.: 203-726-8 Flam. Liq. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Carc. 2, STOT SE 2, STOT SE 3, STOT RE 1 H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H315: Causes skin irritation. H319: Causes serious eye irritation. H351: Suspected of causing cancer. H371: May cause damage to Nervous system. H335: May cause respiratory irritation. H372: Causes damage to Liver, Nervous system and Kidney through prolonged or repeated exposure. EUH019: May form explosive peroxides. Chemical name: Zinc Chloride Conc.: > 7% CAS RN:7646-85-7 EC No.: 231-592-0 Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1 H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H410: Very toxic to aquatic life with long lasting effects.
SECTION 4: First aid measures	
4.1 Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Skin contact: Eye contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Ingestion:	Continue rinsing.Immediately call a POISON CENTER or doctor/physician. Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.
4.2 Most important symptoms and effec No data available	ts, both acute and delayed
4.3 Indication of any immediate medical No data available	attention and special treatment needed
SECTION 5: Firefighting measures	
5.1 Extinguishing media Suitable extinguishing media:	Dry chemical, foam, water in large amounts, carbon dioxide.
5.2 Special hazards arising from the substance or mixture	Carbon monoxide, carbon dioxide etc
5.3 Advice for firefighters	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so. When extinguishing fire, be sure to wear personal protective equipment

Z0019	Zinc Chloride (ca. 7% in	Page 2 of 6
	Tetrahydrofuran, ca. 0.5mol/L)	

SECTION 6: Accidental release mea	asures
6.1 Personal precautions, protective equipment and emergency procedures	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc
6.2 Environmental precautions	Be careful not to let it flow into rivers, etc., since adverse effects on the environment are concerned
6.3 Methods and materials for containment and cleaning up	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.
6.4 Reference to other sections	For disposal see section 13.
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid all contact!
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents. Hygroscopic
7.3 Specific end use(s)	No further relevant information available.
SECTION 8: Exposure controls/per	sonal protection
8.1 Control parameters	No data available (THF) ACGIH TLV(TWA):50 ppm (skin) ACGIH TLV(STEL):100 ppm (skin) OSHA PEL(TWA):200 ppm
8.2 Exposure controls	Install a closed system or local exhaust. Also install safety shower and eye bath.
Respiratory protection: Hand protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations. Impervious gloves.
Eye protection: Skin and body protection:	Safety goggles. A face-shield, if the situation requires. Impervious protective clothing. Protective boots, if the situation requires.

Z0019	Zinc Chloride (ca. 7% in	Page 3 of 6
	Tetrahydrofuran, ca. 0.5mol/L)	

SECTION 9: Physical and chemical properties

SECTION 9: Physical and chemical	
9.1 Information on basic physical and c	
Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless - Almost colorless
Odour:	No data available
pH:	No data available
Melting point/freezing point:	No data available
	(THF) -108°C
Boiling point/range:	No data available
	(THF) 65°C
Flash point:	No data available
	(THF) -15°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	No data available.
Vapour density:	No data available
Relative density:	No data available
Solubility(ies):	
[Water]	No data available
[Other solvents]	No data available
Partition coefficient:	No data available (THF) 0.46
n-octanol/water:	
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
9.2 Other safety information	No data available
SECTION 10: Stability and reactivit	
10.1 Reactivity	No data available
10.2 Chemical stability	Stable under proper conditions.
10.3 Possibility of hazardous reactions	No special reactivity has been reported.
10.4 Conditions to avoid	Spark, Open flame, Static discharge
10.5 Incompatible materials	Oxidizing agents
10 C Upperdaug desemblesition product	· Carbon manavida, anthan diavida ata

10.6 Hazardous decomposition products Carbon monoxide, carbon dioxide etc

SECTION 11: Toxicological information

11.1 Information on toxicological effects	6
Acute Toxicity:	No data available
	(THF)
	orl-rat LD50:1650 mg/kg
	ihl-rat LC50:21000 ppm/3H
	ipr-rat LD50:2900 mg/kg
Skin corrosion/irritation:	No data available
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
	(THF)
	mmo-esc 1 umol/L (-S9)
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
	(THF)
	ihl-rat TCLo:18900 mg/kg/105W-I
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available
-	

SECTION 12: Ecological information

SECTION 12. Ecological informatio	11		
12.1 Toxicity			
Fish:	No data available		
Crustacea:	No data available		
Algae:	No data available		
12.2 Persistence and degradability	No data available		
12.3 Bioaccumulative potential	No data available		
12.4 Mobility in soil			
Log Pow:	No data available		
Soil adsorption (Koc):	No data available		
Henry's Law (PaM ³/mol):	No data available		
12.5 Results of PBT and vPvB assessment			
PBT:	Not applicable		
vPvB:	Not applicable		
12.6 Other adverse effects	No data available		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material is highly flammable. Observe all federal, state and local regulations when disposing of the substance

SECTION 14: Transport informat	ion	
14.1 UN number	2924	
14.2 UN proper shipping name		
ADR/RID	Flammable liquid, corrosiv	
IMDG/IMO	Flammable liquid, corrosiv	
ICAO/IATA	Flammable liquid, corrosiv	/e, n.o.s
14.3 Transport hazard class(es)		
ADR/RID	3: Flammable liquid	
Subsidiary risk:	8: Corrosive.	
IMDG/IMO	3: Flammable liquid	
Subsidiary risk:	8: Corrosive.	
ICAO/IATA	3: Flammable liquid	
Subsidiary risk:	8: Corrosive.	
14.4 Packaging group		
ADR/RID	П	
IMDG/IMO	П	
ΙCAO/ΙΑΤΑ	II	
14.5 Environmental hazards		
Marine pollutant	Y	
14.6 Special precautions for user	No data available	
SECTION 15: Regulatory informa	tion	
15.1 Safety, health and environmenta	I regulations/legislation spec	cific for the substance or mixture
Water Hazard Classes (WGK) :		Class 3 - Severe hazard to waters
Substance of Very High Concern REACH Regulations (EC) No.190		Not listed
15.2 Chemical safety assessment		A chemical safety assessment has not been carried out.
SECTION 16: Other information		
Prepared by: Issue date:	TCI EUROPE N.V. 01/08/2019	

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet

Z	00	1	9	
	0	'	1	