TCI EUROPE N.V.

G

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Revision number: 1		Revision date: 10/03/2018
	substance/mixture and of the company/un	dertaking
1.1 Product identifiers		
Product name:	Isobutyl Palmitate	
Product code:	P0651	
1.2 Relevant identified uses of the sub Identified uses:	ostance or mixture and uses advised against Reagents.	
1.3 Details of the supplier of the safety	/ data sheet	
Supplier:		
TCI EUROPE N.V. Boerenveldseweg 6		
Haven 1063		
B-2070 Zwijndrecht		
Telephone: +32(0)3 735 07 00)	
E-mail: sales-eu@tcichemical		
1.4 Emergency telephone number:	+32(0)70 245 245	
SECTION 2: Hazards identification		
2.1 Classification of the substance or		
	ria for classification in any hazard class according	to Regulation (EC) No 1272/2008
2.2 Label elements		
Pictograms or hazard symbols	None	
Signal word	No signal word	
Hazard statements	None	
Precautionary statements	None	
2.3 Other hazards		
Results of PBT and vPvB assessme	ent	
PBT:	Not applicable	
vPvB:	Not applicable	
SECTION 3: Composition/informa	ition on ingredients	
3.1 Substances		
Components:	Isobutyl Palmitate	
Percent:	>97.0%(GC)	
CAS RN:	110-34-9	
EC-No:	203-758-2	
Synonyms:	Palmitic Acid Isobutyl Ester	
Chemical Formula:	C ₂₀ H ₄₀ O ₂	
SECTION 4: First aid measures		
4.1 Description of first aid measures Inhalation:	Remove victim to fresh air and keep at rest in	a position comfortable for breathing. Get medical
Innalation:	advice/attention if you feel unwell.	a position comonable for breathing. Get medical
Skin contact:		d clothing. Rinse skin with water/shower. If skin irritation
Skill contact.	or rash occurs: Get medical advice/attention.	
Eye contact:		s. Remove contact lenses, if present and easy to do.
Lyo oontaoti	Continue rinsing. If eye irritation persists: Get r	
Ingestion:	Get medical advice/attention if you feel unwell.	
Protection of first-aiders:	A rescuer should wear personal protective equ	ipment, such as rubber gloves and air-tight goggles.
4.2 Most important symptoms and effe No data available	ects, both acute and delayed	
4.3 Indication of any immediate medic No data available	al attention and special treatment needed	
D0/51		Davia 4 af
P0651	Isobutyl Palmitate	Page 1 of

SECTION 5: Firefighting media Suitable extinguishing media: Suitable extinguishing media: Unsuitable extinguishing media: Suitable extinguishing media: Carbon dioxide, Carbon monoxide Suitable extinguishing media: Suitable extinguishing media: Suitable extinguishing media: Carbon dioxide, Carbon monoxide Suitable extinguishing media: Suitable extinguishing media: Carbon dioxide, Carbon monoxide Statement extinguishing media: Suitable extinguishing media: Statement extinguishing media: Section 2 (2000) Section 2 (2000) <th>e of e sure</th>	e of e sure
Unsuitable extinguishing media: Water (It may scatter and spread fire.) 5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method are to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, I to wear personal protective equipment SECTION 6: Accidental release measures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ace quipment and emergency procedures 6.1 Personal precautions, protective equipment and emergency procedures Vertilation. Entry to non-involved personnel should be controlled around the leakage area by roletc. 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of I amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage T.1 Precautions for safe handling 7.1 Precautions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompati	e of e sure
5.2 Special hazards arising from the substance or mixture Carbon dioxide, Carbon monoxide 5.3 Advice for firefighters Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method act to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cast fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, it to wear personal protective equipment. SECTION 6: Accidental release measures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure act etc 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure act etc 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of I amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Tarloting is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly	e of e sure
substance or mixture Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method active the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cast fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, I to wear personal protective equipment SECTION 6: Accidental release measures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure active equipment and emergency procedures 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure active equipment and emergency procedures 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of I amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Mandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompatible masuch as ox	e of e sure
to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In cast fire in the surroundings: Remove movable containers if safe to do so. When extinguishing fire, to wear personal protective equipment SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ac ventilation. Entry to non-involved personnel should be controlled around the leakage area by roget c 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of I amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompatible masuch as oxidizing agents.	e of e sure
6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure ac ventilation. Entry to non-involved personnel should be controlled around the leakage area by roget. 6.2 Environmental precautions Prevent product from entering drains 6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompatible masuch as oxidizing agents.	quate
equipment and emergency proceduresventilation. Entry to non-involved personnel should be controlled around the leakage area by role6.2 Environmental precautionsPrevent product from entering drains6.3 Methods and materials for containment and cleaning upAbsorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.6.4 Reference to other sectionsFor disposal see section 13.SECTION 7: Handling and storage 7.1 Precautions for safe handlingHandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool and dark place. Store away from incompatible ma such as oxidizing agents.	quate
6.3 Methods and materials for containment and cleaning up Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of la amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 6.4 Reference to other sections For disposal see section 13. SECTION 7: Handling and storage Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompatible material sound agents.	
containment and cleaning upamount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.6.4 Reference to other sectionsFor disposal see section 13.SECTION 7: Handling and storageFor disposal see section 13.7.1 Precautions for safe handlingHandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool and dark place. Store away from incompatible ma such as oxidizing agents.	
SECTION 7: Handling and storage 7.1 Precautions for safe handling Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and dark place. Store away from incompatible masses are suitable protective equipment. Prevent generated.	rge
7.1 Precautions for safe handlingHandling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool and dark place. Store away from incompatible ma such as oxidizing agents.	
generation of vapour or mist. Wash hands and face thoroughly after handling. Use a ventilation exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.7.2 Conditions for safe storage, including any incompatibilitiesKeep container tightly closed. Store in a cool and dark place. Store away from incompatible ma such as oxidizing agents.	
including any incompatibilities such as oxidizing agents.	local
7.3 Specific end use(s) No further relevant information available.	ərials
SECTION 8: Exposure controls/personal protection	
8.1 Control parameters No data available	
8.2 Exposure controls Install a closed system or local exhaust as possible so that workers should not be exposed direct Also install safety shower and eye bath.	ly.
Respiratory protection: Vapor respirator. Follow local and national regulations.	
Hand protection: Protective gloves.	
Eye protection:Safety glasses. A face-shield, if the situation requires.Skin and body protection:Protective clothing. Protective boots, if the situation requires.	

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical prope

9.1 Information on basic physical and ch	nemical properties
Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless - Almost colorless
Odour:	No data available
pH:	No data available
Melting point/freezing point:	19°C (Freezing point)
Boiling point/range:	207°C /2.0kPa
Flash point:	196°C
Evaporation rate(Butyl Acetate=1):	No data available
Flammability(solid, gas):	No data available
Flammability or explosive limits:	
Lower:	No data available
Upper:	No data available
Vapour pressure:	No data available.
Vapour density:	No data available
Relative density:	0.86
Solubility(ies):	
[Water]	No data available
[Other solvents]	No data available
Partition coefficient:	No data available
n-octanol/water:	
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available
9.2 Other safety information	No data available

SECTION 10: Stability and reactivity		
10.1 Reactivity	No data available	
10.2 Chemical stability	Stable under proper conditions.	
10.3 Possibility of hazardous reactions	No special reactivity has been reported.	
10.4 Conditions to avoid	No data available	
10.5 Incompatible materials	Oxidizing agents	

10.6 Hazardous decomposition products Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological information	
11.1 Information on toxicological effects	S
Acute Toxicity:	No data available
Skin corrosion/irritation:	No data available
Serious eye damage/irritation:	No data available
Respiratory or skin sensitization:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
Aspiration hazard:	No data available

SECTION 12: Ecological information	on
12.1 Toxicity	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
12.5 Results of PBT and vPvB assessm	ient
PBT:	Not applicable
vPvB:	Not applicable
12.6 Other adverse effects	No data available
SECTION 13: Disposal consideration	ons
13.1 Waste treatment methods	
	ult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an serve all federal, state and local regulations when disposing of the substance.
SECTION 14: Transport informatio	n
14.1 UN number	Not listed
14.2 UN proper shipping name	
ADR/RID	Not listed
IMDG/IMO	Not listed
ICAO/IATA	Not listed
14.3 Transport hazard class(es)	
ADR/RID	Does not correspond to the classification standard of the United Nations
IMDG/IMO	Does not correspond to the classification standard of the United Nations
ICAO/IATA	Does not correspond to the classification standard of the United Nations

14.4 Packaging group	
ADR/RID	- ·
IMDG/IMO	-
ICAO/IATA	-
14.5 Environmental hazards	
Marine pollutant	-
14.6 Special precautions for user	No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Substance of Very High Concern (SVHC) according to the Not listed REACH Regulations (EC) No.1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information	
Prepared by:	TCI EUROPE N.V.
Issue date:	10/03/2018

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

End of Safety Data Sheet